

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 32710
Name: Laymon Oil II, LLC
Address: 1998 Squirrel Road
City/State/Zip: Neosho Falls, KS 66758
Purchaser: Coffeyville Resources
Operator Contact Person: Kenneth Laymon
Phone: (620) 963-2495
Contractor: Name: company tools
License: 32710
Wellsite Geologist: none
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____
06/19/07 06/21/07 07/06/07
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 207-27180-00-06
County: Woodson
se - se - se - se Sec. 35 Twp. 23 S. R. 16 East West
660 feet from S / N (circle one) Line of Section
615 feet from E / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Section 35 Riley Well #: R-88
Field Name: Vernon
Producing Formation: Squirrel
Elevation: Ground: n/a Kelly Bushing: _____
Total Depth: 1103 Plug Back Total Depth: 1101
Amount of Surface Pipe Set and Cemented at 41.3 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 41.3
feet depth to surface w/ 10 sx cmt.

RECEIVED
KANSAS CORPORATION COMMISSION
JUL 23 2007
CONSERVATION DIVISION
WICHITA, KS

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

Alt 2 - Dig - 1/12/09

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennith Laymon
Title: Owner Date: 07-17-07
Subscribed and sworn to before me this 17 day of July,
2007.
Notary Public: Regina Laymon
Date Commission Expires: _____

NOTARY PUBLIC State of Kansas
REGINA LAYMON
My Appt. Expires 07-21-09

KCC Office Use ONLY

N Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

Operator Name: Laymon Oil II, LLC Lease Name: Section 35 Riley Well #: R-88
 Sec. 35 Twp. 23 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| | |
|--|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum <div style="text-align: center;"> RECEIVED KANSAS CORPORATION COMMISSION JUL 23 2007 CONSERVATION DIVISION WICHITA, KS </div> |
|--|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 10 1/4" | 8 5/8" | 24# | 42.3' | common | 10 | |
| Production | 6 1/4" | 2 7/8" | 17# | 1101' | portland | 165 sks | |
| Tubing | | 1" | 1000' | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | |
|----------------|---|---|----------|
| | | Amount and Kind of Material Used | Depth |
| 3 | 998 - 1008 | 100 gl HCL acid 30%, frac w/40sks sand | 998-1008 |
| | | | |
| | | | |
| | | | |

| | | | | |
|---------------|------|--------|-----------|--|
| TUBING RECORD | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No |
|---------------|------|--------|-----------|--|

| | |
|--|--|
| Date of First, Resumed Production, SWD or Enhr. 07/05/07 | Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) |
| Estimated Production Per 24 Hours | Oil Bbls. <u>.5</u> Gas Mcf Water Bbls. Gas-Oil Ratio Gravity |

Disposition of Gas Vented Sold Used on Lease *(If vented, Sumit ACO-18.)* METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

Kelly Down Drilling Co., Inc
1998 Squirrel Rd
Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Riley Sec. 35 #R-88
API: 15-207-27180
Spud Date: 06/19/07
Comp Date: 06/21/07
35/23/16 Wo Co

| Formation | From | To |
|--------------------------|------|------|
| Soil & Clay | 0 | 16 |
| Shale | 16 | 141 |
| Lime | 141 | 240 |
| Lime & Shale | 240 | 571 |
| Lime | 571 | 602 |
| Big Shale | 602 | 775 |
| Lime & Shale | 775 | 956 |
| Shale | 954 | 998 |
| Cap Rock 1 st | 998 | 999 |
| Sand oil | 999 | 1005 |
| Shale | 1005 | 1103 |
| Total Depth | | 1103 |

Set 41.3' of 8 5/8" surface, cemented w/10 sks.
Ran 1101' of 2 7/8" pipe.
Seating nipple @ 995.

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 23 2007

CONSERVATION DIVISION
WICHITA, KS

Fax into

Quotation Invoice Copy

Date _____
 To _____
 Co./Dept. _____
 Fax No. _____
 From: _____
 Comments _____

THE NEW KLEIN LUMBER COMPANY
 281 W. MADISON
 P.O. BOX 885
 IOLA, KS. 66749
 PHONE: (620) 365-2201

Use For Faxing & Copying

PAGE NO 1

| CUSTOMER NO. | JOB NO. | PURCHASE ORDER NO. | REFERENCE | TERMS | CLERK | DATE | TIME |
|--------------|---------|--------------------|-----------|-------------------|-------|---------|------|
| 3447 | | | | NET 10TH OF MONTH | SE | 5/17/07 | 1:46 |

LAYMON OIL II
 1998 SQUIRREL RD
 NEOSHO FALLS KS 66758

S
P
I
P
T
O

DOCH 84552

 * INVOICE *

TAX : 001 IOLA IOLA

| QUANTITY | | UM | SKU | DESCRIPTION | SUGG | UNITS | PRICE/PER | EXTENSION |
|----------|---------|----|----------|-----------------|------|-------|-----------|-----------|
| SHIPPED | ORDERED | | | | | | | |
| 100 | | EA | PC | PORTLAND CEMENT | | 100 | 8.89 /EA | 889.00 |
| 1 | | EA | DELIVERY | DELIVERY CHARGE | | 1 | 10.00 /EA | 10.00 |

RECEIVED
 KANSAS CORPORATION COMMISSION
 JUL 23 2007
 CONSERVATION DIVISION
 WICHITA, KS

| | | | |
|--|--------|--------------|--------|
| NET AMOUNT CHARGED TO STORE ACCOUNT ** | 878.79 | TAXABLE | 819.00 |
| | | NON-TAXABLE | 0.00 |
| | | SUBTOTAL | 819.00 |
| | | TAX AMOUNT | 59.79 |
| | | TOTAL AMOUNT | 878.79 |

Store Internal Copy

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength of mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
 LAYMON OIL, L.L.C.
 1998 SQUIRREL RD.

LA2/
 LAYMON OIL
 54 W TO WILLOW N TO 200TH RD
 W 4 MI TO SQUIRREL RD S 1 MI
 TO 190TH E 3/4 RED GATE N. SD.
 NEOSHO FALLS, KS 66758

NEOSHO FALLS KS
 66758

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | % CAL | DRIVER/TRUCK | % AIR | PLANT/TRANSACTION # |
|-----------|---------|-----------|---------------|--------|--------------|---------|---------------------|
| 09:05:29a | WELL | 8.25 yd | 16.50 yd | 0.00 | BT 34 | 0.00 | |
| DATE | To Date | LOAD # | YARDS DEL | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 06-21-07 | Today | 2 | 16.50 yd | 1916 | | 4.00 in | 18398 |

| | | |
|--|---|---|
| <p>WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.</p> <p>CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.</p> <p>The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.</p> <p>All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.</p> <p>Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.</p> <p>A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.</p> | <p>PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order. SIGNED X _____</p> | <p>Excessive Water is Detrimental to Concrete Performance H₂O Added By Request/Authorized By GAL X _____</p> <p>WEIGHMASTER _____</p> <p>NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.</p> <p>LOAD RECEIVED BY: X _____</p> |
|--|---|---|

| QUANTITY | CODE | DESCRIPTION | UNIT PRICE | EXTENDED PRICE |
|----------|------|--------------------------|------------|----------------|
| 8.25 | WELL | WELL (10 SACKS PER UNIT) | 16.50 | 544.50 |

#14644
 7/15/07

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | SubTotal \$ | 544.50 |
|-------------------|--------------|------------------|--|--------------|---------------------|---------|
| | | 11:28 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER | | Tax % 6.300 | 34.30 |
| | | START UNLOADING | | | Total \$ | 578.80 |
| | | 17:04 | | | Order \$ | 1248.64 |
| LEFT PLANT | ARRIVED JOB | | | TIME DUE | ADDITIONAL CHARGE 1 | |
| TOTAL ROUNDS TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 | |
| | | | | | GRAND TOTAL | |

RECEIVED
 KANSAS CORPORATION COMMISSION
 JUL 23 2007
 CONSERVATION DIVISION

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, L.L.C.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Dug to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005
LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

LA2/
LAYMON OIL
54 W TO WILLOW N TO 200TH RD
W 4 MI TO SQUIRREL RD S 1 MI
TO 190TH E 3/4 RED GATE N. SD.
NEOSHO FALLS, KS 66758

NEOSHO FALLS KS
66758

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | % CAL | DRIVER/TRUCK | % AIR | PLANT/TRANSACTION # |
|-----------|---------|-----------|---------------|--------|--------------|---------|---------------------|
| 08:55:30a | WELL | 8.25 yd | 16.50 yd | 0.00 | 35 | 0.00 | |
| DATE | to Date | LOAD # | YARDS DEL | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 06-21-07 | Today | 1 | 8.25 yd | 1915 | | 4.00 in | 18397 |

| | | |
|---|---|---|
| <p>WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.</p> <p>CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.</p> <p>The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.</p> <p>All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.</p> <p>Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.</p> <p>A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.</p> <p>Excess Delay Time Charged @ \$50/HR.</p> | <p>PROPERTY DAMAGE RELEASE (To be signed if delivery to be made inside curb line)</p> <p>Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.</p> <p>SIGNED X _____</p> | <p>Excessive Water is Detrimental to Concrete Performance H₂O Added By Request/Authorized By _____ GAL X _____</p> <p>WEIGHMASTER R 88</p> <p>NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.</p> <p>LOAD RECEIVED BY X <i>[Signature]</i></p> |
|---|---|---|

| QUANTITY | CODE | DESCRIPTION | UNIT PRICE | EXTENDED PRICE |
|-----------------|----------|--------------------------|------------|------------------|
| 8.25 | WELL | WELL (10 SACKS PER UNIT) | 66.00 | 544.50 |
| 2.00 | TRUCKING | TRUCKING CHARGE | 40.00 | 80.00 |
| 1.75 | | | | 70.00 |

#14644
7/15/07

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | SubTotal \$ |
|-------------------|----------|------------------|---|--------------|------------------------------|
| 11/13 | 1041 | 1028 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER | | 624.50 |
| | | | 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER | | Tax % 6.300 39.34 |
| | | | | | Total \$ 663.84 |
| | | | | | Order \$ 663.84 |
| | | | | | ADDITIONAL CHARGE 1 _____ |
| | | | | | ADDITIONAL CHARGE 2 _____ |
| | | | | | GRAND TOTAL \$ 653.21 |

\$ 61450

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 23 2007

CONSERVATION DIVISION
WICHITA, KS