

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

8/15/09

CONFIDENTIAL

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

265-23320-00-00

Operator: License # 9449
Name: Great Eastern Energy & Development Corp.
Address: P.O. Drawer 2436
City/State/Zip: Midland, TX. 79702
Purchaser: STG
Operator Contact Person: Bill Robinson
Phone: (432) 682-1178
Contractor: Name: Warren Drilling, LLC
License: 33724
Wellsite Geologist: Steve Murphy

KCC
AUG 15 2007
CONFIDENTIAL

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

7-21-07 7-27-07 8-10-07
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 265-23320-00-00
County: Graham
_____se _____nw _____sw Sec. 4 Twp. 7s S. R. 21 East West
1410 feet from S / N (circle one) Line of Section
690 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Greving Well #: 3
Field Name: na

Producing Formation: Simpson
Elevation: Ground: 2151 Kelly Bushing: 2159
Total Depth: 3762 Plug Back Total Depth: 3752
Amount of Surface Pipe Set and Cemented at 212 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1739 Feet
If Alternate II completion, cement circulated from 1739
feet depth to surface w/ 330 sx cmt.

Drilling Fluid Management Plan AT IN S 2-1509
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Geologist Date: 8-15-07
Subscribed and sworn to before me this 17th day of August,
20 07
Notary Public: [Signature]
Date Commission Expires: 5/10/08

KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 22 2007

DEANNA AUGUSTINE
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 5/10/08

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Great Eastern Energy & Development Corp. Lease Name: Greving Well #: 3
 Sec. 4 Twp. 7s S. R. 21 East West County: Graham

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: RAG, MEL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1798</td> <td>359</td> </tr> <tr> <td>B/KC</td> <td>3598</td> <td>-1441</td> </tr> </table> <div style="text-align: center; margin-top: 20px;"> <p>KCC AUG 15 2007 CONFIDENTIAL</p> </div>	Name	Top	Datum	Anhydrite	1798	359	B/KC	3598	-1441
Name	Top	Datum								
Anhydrite	1798	359								
B/KC	3598	-1441								

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4	8 5/8	23	212	common	150	3% CaCl + 2% gel
production	7 7/8	4 1/2	9.5	3752	ASC	215	2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth
4	3630-33		natural	3625

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 7/8	3609	na		
Date of First, Resumerd Production, SWD or Enhr.			Producing Method			
8-13-07			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	25	0	0	-	32	

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	

RECEIVED
KANSAS CORPORATION COMMISSION
AUG 22 2007
 CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC.

33335

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>8-8-07</u>	SEC. <u>4</u>	TWP. <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>8:30am</u>	JOB FINISH <u>9:00am</u>
LEASE <u>Leasing</u>	WELL# <u>3</u>	LOCATION <u>Boyle 722 E into</u>				COUNTY <u>Graham</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR Alliance well
 TYPE OF JOB Port collar
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH _____
 TUBING SIZE 2 1/2 DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL Port collar DEPTH 1739
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 1082

EQUIPMENT

PUMP TRUCK CEMENTER Craig
 # 409 HELPER Adrian
 BULK TRUCK _____
 # 396 DRIVER Doug
 BULK TRUCK _____
 # _____ DRIVER _____

REMARKS:

Pressure test to 1000psi. Hold. OK
test run circulation. Mix 3305
Cement calculated. Displaced 882
Close tool Pressure to 1000psi. Hold
for 5 mins & wash clean

Thanks

CHARGE TO: Clayco
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

OWNER _____

CEMENT (150) 330
 AMOUNT ORDERED 373 69406961
1/47 FID

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

KCC
AUG 15 2007
CONFIDENTIAL

HANDLING _____ @ _____
 MILEAGE _____ @ _____
 TOTAL _____

SERVICE

DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 MANIFOLD _____ @ _____

RECEIVED
 KANSAS CORPORATION CO.

AUG 22 2007

TOTAL _____
 CONSERVATION DIVISION
 WICHITA, KS

PLUG & FLOAT EQUIPMENT

_____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

[Signature]
 PRINTED NAME

ALLIED CEMENTING CO., INC. 21950

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>7-27-07</u>	SEC <u>4</u>	TWP <u>7</u>	RANGE <u>21</u>	CALLED OUT	ON LOCATION	JOB START <u>8:00 AM</u>	JOB FINISH <u>2:50 AM</u>
LEASE <u>GREYING</u>		WELL # <u>3</u>		LOCATION <u>Bogue Hwy 18 E 24 Jct</u>		COUNTY <u>Graham</u>	STATE <u>Kansas</u>
OLD OR NEW (Circle one)		6N 9E INTO					

CONTRACTOR WARREN DRG, Rig # 14

TYPE OF JOB PRODUCTION STRING

HOLE SIZE 7 7/8 T.D. 3760

CASING SIZE 4 1/2 #9.50 DEPTH 3752

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL LATCH Down Plug DEPTH @ 3737

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 16'

CEMENT LEFT IN CSG 16'

PERFS.

DISPLACEMENT 60.72/88L

OWNER

CEMENT

AMOUNT ORDERED 215 SK ASC. 22GEL

500 GAL WFR-2 FLUSH

10 GAL KCL

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @ KCC

EQUIPMENT

PUMP TRUCK CEMENTER Glen

398 HELPER GARY

BULK TRUCK

399 DRIVER DARRIN OAKLEY

BULK TRUCK

DRIVER

CONFIDENTIAL

HANDLING TOTAL SK @ 1.90

MILEAGE 78 TAN MILE @ .09

TOTAL

REMARKS:

PORT COLLAR ON #48 JCT. (*1744)

MIXED 15" CEMENT *USED SCAPS.

PUT APPROX. 1 1/2 GAL KCL W/ 10 BBL H2O

LAND LATCH-DOWN PLUG @ 1400' (H2O)

15 SK @ RATHOLE

THANK'S

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE 78 @ 6.00

MANIFOLD @

RECEIVED

CHARGE TO: CLIPPER ENERGY

STREET

CITY STATE ZIP

PLUG & FLOAT EQUIPMENT

Guide Shoe @

LATCH DOWN PLUG ASSY @

PORT COLLAR @

12 CENTRALIZERS @

2 BASKETS @

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Carl Kautner

Joel Lawhorn

PRINTED NAME

ALLIED CEMENTING CO., INC.

31699

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <i>7-21-07</i>	SEC. <i>4</i>	TWP. <i>25</i>	RANGE <i>21 W</i>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <i>6:35 pm</i>
LEASE <i>Greving</i>		WELL# <i>3</i>	LOCATION <i>Ague + 24 St</i>		COUNTY <i>Graham</i>	STATE <i>Ks.</i>	
OLD OR <u>NEW</u> (Circle one)			<i>6 N E into</i>				

CONTRACTOR *Warren Drilling Rig # 14*

TYPE OF JOB *Surface Job*

HOLE SIZE *12 1/4* T.D. *217*

CASING SIZE *8 1/2* DEPTH *212*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15*

PERFS.

DISPLACEMENT *12 1/2 bbl*

OWNER _____

CEMENT

AMOUNT ORDERED *150 (on 8 1/2 21.6)*

EQUIPMENT

PUMP TRUCK CEMENTER *Steve*

366 HELPER *Robert*

BULK TRUCK

4109 DRIVER *John Roberts*

BULK TRUCK

DRIVER

COMMON _____ @ _____

POZMIX _____ @ _____

GEL _____ @ _____

CHLORIDE _____ @ _____

ASC _____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING _____ @ _____

MILEAGE _____ @ _____

KCC
AUG 15 2007
CONFIDENTIAL

REMARKS:

TOTAL _____

Cement Circ 1

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____ @ _____

MILEAGE _____ @ _____

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

CHARGE TO: *Clipper Energy*

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

8 1/2 Wood Plug @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

Thanks!

SIGNATURE *Art D. [Signature]*

Robert L. Sanders

PRINTED NAME