KANSAS CORPORATION COMMISSION ORIGINAL OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 3728	API No. 15 - ¹⁰⁷⁻²³⁹⁷²⁻⁰⁰⁻⁰⁰
Name: Roger Kent dba R.J. Enterprises	County: Linn
Address: 22082 NE Neosho Road	<u>W2</u> <u>-W2</u> <u>- E2</u> <u>- NE</u> <u>Sec. 23</u> <u>Twp. 22</u> <u>S. R. 21</u>
City/State/Zip: Gamett, KS 66032	3,960 feet from S / N (circle one) Line of Section
Purchaser: Plains Marketing, L.P.	1,100 feet from (E)/ W (circle one) Line of Section
Operator Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: (785_) 448-6995 or 448-7725	(circle one) NE (SE) NW SW
Contractor: Name: Roger Kent dba R.J. Enterprises	Lease Name: Ewing Well #: 10
	Field Name: Blue Mound
License: 3728 Wellsite Geologist: n/a	Producing Formation: Burgess
	Elevation: Ground: 97 Oft. Kelly Bushing: n/a
Designate Type of Completion:	Total Depth: 855 ft. Plug Back Total Depth: n/a
✓ New Well Re-Entry Workover ✓ Oil SWD Temp. Abd.	
·	Amount of Surface Pipe Set and Cemented at 20.7 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 0
Operator:	feet depth to 855 ft. w/ 100 sx cmt.
Well Name:	Drilling Fluid Management Plan Alf II Nul 1-6-09
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content none ppm Fluid volume 140 bbls
Plug Back Plug Back Total Depth	Dewatering method used Drilled with fresh water - air dry
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
September 24, 2008 September 26, 2008 September 26, 2008	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workoven the spud of the spud date, recompletion, workoven the spud of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline log TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged well	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, wer or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature: 1804. VIII Can	KCC Office Use ONLY
Title: Agent for Roger Kent Date: November 24, 2008	Letter of Confidentiality Received
Subscribed and sworn to before me this 14th day of foremula	If Denied, Yes Date:
, <u>, , , , , , , , , , , , , , , , , , </u>	MOTARY PUBLIC Wireline Log Received RECEIVED
20.08.	STATE OF KANSAS Geologist Report Received KANSAS CORPORATION COMMISS
Notary Public: Wonna manaa	UIC Distribution NOV 2 4 2008
Date Commission Expires: 2hauh 16, 2011	CONSERVATION DIVISION WICHITA, KS

Side Two

Operator Name: Roge	r Kent dba R.J. Er	nterprises		Leas	e Name: I	wing		. Well #: <u>10</u>	·	
Sec Twp22	S. R. 21	. ✓ Eas	t 🗌 West		ty: Linn	· · · · · · · · · · · · · · · · · · ·				
INSTRUCTIONS: Shot tested, time tool open temperature, fluid reco	and closed, flowin	g and shut s if gas to	t-in pressures, s surface test, a	whether s long with	shut-in pre	essure reached	l static level, hydro:	static pressure	es, bottom h	nole
Drill Stem Tests Taken (Attach Additional S		Y	es ✓ No		 ✓L		tion (Top), Depth ar			nple
Samples Sent to Geol	ogical Survey	□ Y	es 🗹 No		Nam	e		Тор	Dat	um
Cores Taken Electric Log Run (Submit Copy)		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	es 📝 No es 🗌 No		See a	attached				
List All E. Logs Run:										
Gamma Ray/N	leutron/CCL									
		Reoo	CASING ort all strings set-c	RECORD	-	ew Used ermediate, produ	ction, etc.			
Purpose of String	Size Hole Drilled	Si	ze Casing t (In O.D.)	W	eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Addi	
Surface	10-1/4"	7"	t (III O.D.)	LUS	5.71-1.	20.7 ft.	Portland	6 sx	Addi	1465
Tubing	5-5/8"	2-7/8"				849.40 ft.	Portland Pozmix	100 sx		
			· · · · · · · · · · · · · · · · · · ·							
<u> </u>		.l	ADDITIONAL	CEMENT	TING / SQI	JEEZE RECOF	ID		J	
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sack	ks Used		Type and Pe	ercent Additives		
Shots Per Foot	PERFORAT Specify	ION RECOR Footage of	RD - Bridge Plug Each Interval Per	gs Set/Typ forated	е		acture, Shot, Cement Amount and Kind of Ma		rd	Depth
TUBING RECORD 2-7/	Size 8"	Set At 849.40 ft		Packer	At	Liner Run	Yes No			
Date of First, Resumerd	Production, SWD or	Enhr.	Producing Met	hod	Flowin	g Dum	ping Gas Lift	t Oth	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat			as-Oil Ratio		Gravity
Disposition of Gas	METHOD OF	COMPLETION	ON			Production Int	erval			
Vented Sold (If vented, Sub	Used on Lease		Open Hole Other (Spec	Pe	erf. 🔲 I	Dually Comp.	Commingled			

R.J. Enterprises Ewing #10

3	soil	3	
7	clay	10	start 9-24-08
5	shale	15	finish 9-26-08
119	lime	124	
180	shale	304	
19	lime	323	
61	shale	384	
26	lime	410	
32	shale	442	
24	lime	466	set 20' of 7"
11	shale	477	ran 849.4' of 2 7/8
5	lime	482	consolidated cemented to surface
100	shale	582	
2	lime	584	
228	shale	812	
2	sandy shale	814	
10	oil sand	824	good show
2	dk sand	826	
7	shale	833	
3	coal	836	
19	lime	855	T.D.

RECEIVED KANSAS CORPORATION COMMISSION

NOV 24 2008

CONSERVATION DIVISION WICHITA, KS



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

т	N	١,	1	т	_	c
1,	1.4	v	v	1	L	C

Invoice #

226045

Invoice Date:

09/29/2008

Terms: 0/30,n/30

Page

R. J. ENTERPRISE % ROGER KENT 22082 NE NEOSHO RD GARNETT KS 66032 (785)448-6995

EWING #10 19465 09-26-08

Part Nur 1126	mber	Description OIL WELL CEMENT	_ -	Unit Price	Total
1110A 1118A		KOL SEAL (50# BAG)	100.00	17.0000 .4200	1700.00 168.00
1105		S-5 GEL/ BENTONITE (!COTTONSEED HULLS	50#) 200.00 25.00	.1700 .3900	34.00 9.75
1123 4402		CITY WATER 2 1/2" RUBBER PLUG	3000.00 2.00	.0140 23.0000	42.00 46.00
	escription		Hours	Unit Price	Total
485 CE	EMENT PUMP	FRUCK (CEMENT)	3.00 1.00	100.00 925.00	300.00 925.00
	QUIPMENT MILEA ON MILEAGE DEL		60.00 312.00	3.65 1.20	219.00 374.40

RECEIVED KANSAS CORPORATION COMMISSION

NOV 2 4 2008

CONSERVATION DIVISION WICHITA, KS

Parts: _abor: Sublt:	.00	Freight: Misc: Supplies:	.00	Tax: Total: Change:	105.99 3924.14 .00	AR	3924.14
		=======================================	=====:		=======	======	-
Signed					D	240	