

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 3728  
Name: Roger Kent dba R.J. Enterprises  
Address: 22082 NE Neosho Road  
City/State/Zip: Gamett, KS 66032  
Purchaser: Plains Marketing, L.P.  
Operator Contact Person: Roger Kent  
Phone: (785) 448-6995 or 448-7725  
Contractor: Name: Roger Kent dba R.J. Enterprises  
License: 3728

Wellsite Geologist: n/a

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD

Plug Back  Plug Back Total Depth

Commingled  Docket No. \_\_\_\_\_

Dual Completion  Docket No. \_\_\_\_\_

Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

<u>September 18, 2008</u>	<u>September 22, 2008</u>	<u>September 22, 2008</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 107-23973-00-00

County: Linn

NW SW NE SE Sec. 23 Twp. 22 S. R. 21  East  West

4,400 feet from  N (circle one) Line of Section

1,100 feet from  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE  NW SW

Lease Name: Ewing Well #: 11

Field Name: Blue Mound

Producing Formation: Burgess

Elevation: Ground: 979 ft. Kelly Bushing: n/a

Total Depth: 878 ft. Plug Back Total Depth: n/a

Amount of Surface Pipe Set and Cemented at 20.7 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from 0

feet depth to 878 ft. w/ 100 sx cmf.

Drilling Fluid Management Plan Ait II NCR 1-6-09  
(Data must be collected from the Reserve Pit)

Chloride content none ppm Fluid volume 140 bbls

Dewatering method used Drilled with fresh water - air dry

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Roger Kent


Title: Agent for Roger Kent Date: November 24, 2008

Subscribed and sworn to before me this 24th day of November

2008

Notary Public: Donna Manda

Date Commission Expires: March 16, 2011



**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 24 2008

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Roger Kent dba R.J. Enterprises Lease Name: Ewing Well #: 11  
 Sec. 23 Twp. 22 S. R. 21  East  West County: Linn

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  <b>Gamma Ray/Neutron/CCL</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum  See attached
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10-1/4"	7"		20.7 ft.	Portland	6 sx	
Tubing	5-5/8"	2-7/8"		873.10 ft.	Portland Pozmix	100 sx	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD	Size <u>2-7/8"</u>	Set At <u>873.10 ft.</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
---------------	--------------------	--------------------------	-----------	--

Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

**R.J. Enterprises**  
**Ewing #11**

4	soil	4	start 9-18-08
10	clay	14	finish 9-22-08
15	shale	29	
119	lime	148	
161	shale	319	
19	lime	338	
59	shale	397	
30	lime	427	
32	shale	459	set 20' of 7"
24	lime	483	ran 873.1' of 2 7/8
12	shale	495	consolidated cemented to surface
7	lime	502	
98	shale	600	
2	lime	602	
229	shale	831	
12	oil sand	843	good show
1	dk sand	844	show
6	shale	850	
2	coal	852	
26	lime	878	T.D.

RECEIVED  
 KANSAS CORPORATION COMMISSION

NOV 24 2008

CONSERVATION DIVISION  
 WICHITA, KS



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

MAIN OFFICE  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
FAX 620/431-0012

INVOICE

Invoice # 225855

Invoice Date: 09/23/2008 Terms: 0/30,n/30

Page 1

R. J. ENTERPRISE  
% ROGER KENT  
22082 NE NEOSHO RD  
GARNETT KS 66032  
(785)448-6995

EWING #11  
19439  
09-22-08

Part Number	Description	Qty	Unit Price	Total
1126	OIL WELL CEMENT	100.00	17.0000	1700.00
1110A	KOL SEAL (50# BAG)	400.00	.4200	168.00
1118A	S-5 GEL/ BENTONITE (50#)	200.00	.1700	34.00
1105	COTTONSEED HULLS	25.00	.3900	9.75
1123	CITY WATER	3000.00	.0140	42.00
4402	2 1/2" RUBBER PLUG	2.00	23.0000	46.00

Description	Hours	Unit Price	Total
436 80 BBL VACUUM TRUCK (CEMENT)	3.00	100.00	300.00
439 TON MILEAGE DELIVERY	312.00	1.20	374.40
485 CEMENT PUMP	1.00	925.00	925.00
485 EQUIPMENT MILEAGE (ONE WAY)	60.00	3.65	219.00

RECEIVED  
KANSAS CORPORATION COMMISSION

NOV 24 2008

CONSERVATION DIVISION  
WICHITA, KS

Parts: 1999.75 Freight: .00 Tax: 105.99 AR 3924.14  
Labor: .00 Misc: .00 Total: 3924.14  
Sublt: .00 Supplies: .00 Change: .00

Signed \_\_\_\_\_ Date \_\_\_\_\_

BARTLESVILLE, OK  
918/338-0808

ELDORADO, KS  
316/322-7022

EUREKA, KS  
620/583-7664

GILLETTE, WY  
307/686-4914

MCALESTER, OK  
918/426-7667

OTTAWA, KS  
785/242-4044

THAYER, KS  
620/839-5269

WORLAND, WY  
307/347-4577