CRIGINAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WICHITA, KS

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #	API No. 15 - 001-29784-00-00
Name: Roger Kent dba R.J. Enterprises	County: Allen
Address: 22082 NE Neosho Road	NW - SW - NE - SE Sec. 3 Twp. 24 S. R. 21 V East West
City/State/Zip: Garnett, KS 66032	1,965 feet from S/ N (circle one) Line of Section
Purchaser: Plains Marketing, L.P.	1,165 feet from (E) / W (circle one) Line of Section
Operator Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785)448-6995 or 448-7725	(circle one) NE (SE) NW SW
Contractor: Name: Roger Kent dba R.J. Enterprises	Lease Name: Norman Unit Well #: 12
License: 3728	Field Name: Davis Bronson
Wellsite Geologist: n/a	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1010 ft. Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 712 ft. Plug Back Total Depth: n/a
✓ Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 20.7 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 0
Operator:	feet depth to 712 ft. w/ 80 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan Al十 II NCR I-6-09 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content none ppm Fluid volume 140 bbls
Plug Back Plug Back Total Depth	Dewatering method used Drilled with fresh water - air dry
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name:License No.:
July 30, 2008 August 1, 2008 August 1, 2008 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R 🗌 East 🗍 West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1: 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Kan Minimum Land	KCC Office Use ONLY
Title: Agent for Roger Kent Date: November 24, 2008	\ \ \frac{1}{\text{U}} Letter of Confidentiality Received
Subscribed and sworn to before me this 24th day of Nove mber	If Denied, Yes Date:
DUNNA	MANDA : Wireline Log Received RECEIVED
STATE (Y PUBLIC Geologist Report Received KANSAS CORPORATION COMMISS
Notary Public: Vo Publ	NOV 2 4 2008
Date Commission Expires March 16, 2011	CONSERVATION DIVISION

perator Name: Roge	er Kent dba R.J. Er	nterprises		Leas	se Name:	Norman Unit	<u> </u>	Well #:	
ec. 3 Twp. 24			West		ity: Allen				
sted, time tool open	and closed, flowin	g and shut-ir s if gas to su	n pressures, v urface test, al	enetrated whether : long with	I. Detail al shut-in pre	ssure reach	port all final copies of ed static level, hydro extra sheet if more s	ostatic pressure	es, bottom hole
ill Stem Tests Taken (Attach Additional S		Yes	√ No	,	✓ L	og Forn	nation (Top), Depth a	and Datum	Sample
imples Sent to Geol		Yes	✓ No		Nam	е		Тор	Datum
ores Taken	,	Yes			See a	ittached			
ectric Log Run (Submit Copy)		V ✓ Yes	☐ No						
st All E. Logs Run:									
Gamma Ray/N	leutron/CCL								
		D	CASING I			_			
Durance of String	Size Hole	T	all strings set-co		surface, inte	rmediate, pro Setting	Type of	# Sacks	Type and Percer
Purpose of String	Drilled		n O.D.)	Lbs	s. / Ft.	Depth	Cement	Used	Additives
Surface 	10-1/4"	2-7/8"				20.7 ft. 705.60 ft.	Portland	6 sx 80 sx	
Tubing	5-5/8"	2-110				705.00 11.	Portland Pozmix	00 50	
			ADDITIONAL	CEMENT	TING / SOL	IEEZE BECO	ORD		
Purpose:	Depth		Cement	T	ks Used	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Percent Additives	
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom								
Shots Per Foot	oot PERFORATION RECORD - Bridge Plugs Set/Ty Specify Footage of Each Interval Perforated				ре	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
	Ci	Cot At		Doctor	- ^+	Liner Run			
UBING RECORD 2-7/	Size /8"	Set At 705.60 ft.		Packer	. Al	Fillet Unit	Yes No)	
ate of First, Resumerd	Production, SWD or	Enhr.	Producing Meth	hod	Flowin	g 🗌 Pu	ımping 🔲 Gas Li	ift Othe	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETION			<u> </u>	Production	Interval		
Vented Sold	Used on Lease		Open Hole	Pe	erf. 🔲 [Dually Comp.	Commingled _		
,oo, ook		L	_ Other (Speci	uy)			- 		

R.J. Enterprises Norman Unit #12

15	sandstone	15	start 7-30-08
120	lime	135	finish 8-1-08
167	shale	302	
24	lime	326	
68	shale	394	
29	lime	423	
42	shale	465	
20	lime	485	
6	shale	491	
7	lime	498	
97	shale	595	
4	lime	599	
34	shale	633	
25	sandy shale	648	no show
18	bk oil sand	666	good show
2	shale	6 6 8	
15	oil sand	683	good show
19	dk oil sand	702	show
10	shale	712	T.D.

set 20' of 7" ran 705.6' of 2 7/8 consolidated cemented well to surface

RECEIVEL/ KANSAS CORPORATION COMBISSIO(JI4

NOV 24 2008

CONSERVATION DIVISION WICHITA, KS



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 Main Office P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

NVOICE			Invoice #	224327
==========				
invoice Date:	08/05/2008	Terms: 0/30,n/30	Pa	age 1

R. J. ENTERPRISE % ROGER KENT 22082 NE NEOSHO RD GARNETT KS 66032 (785)448-6995 NORMAN UNIT #12 18929 08-01-08

³art N	lumber Description	Qty	Unit Price	Total
L126A	THICK SET CEMENT	80.00	17.0000	1360.00
L110A	KOL SEAL (50# BAG)	320.00	.4200	134.40
l123	CITY WATER	3000.00	.0140	42.00
L118A	S-5 GEL/ BENTONITE (50#)	200.00	.1700	34.00
L105	COTTONSEED HULLS	25.00	.3900	9.75
1402	2 1/2" RUBBER PLUG	2.00	23.0000	46.00
	Description	Hours	Unit Price	Total
	80 BBL VACUUM TRUCK (CEMENT)	3.00	100.00	300.00
	MIN. BULK DELIVERY	1.00	315.00	315.00
185	CEMENT PUMP	1.00	925.00	925.00
185	EQUIPMENT MILEAGE (ONE WAY)	60.00	3.65	219.00

RECEIVED MANSAS CORPORATION COMMISSION

						,	NOV 2 4 2008 CONSERVATION DIVISION WICHITA, KS
eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee	.00	Freight: Misc: Supplies:	.00	Tax: Total: Change:	.======== 102.45 3487.66)	3487.60
Signed	ELDORADO, K\$	EUREKA, KS 620/583-7664	Gillette, Wy 307/686-4914	McAlesten, OK 918/426-7667	Ottawa, Ks 785/242-4044	Date	Worland, Wy 307/347-4577