ORIGINAL

## Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

ANSAS CORPORATION COMMISSION September 1999

Form Must Be Typed

## **WELL COMPLETION FORM**

OCT 18 2007

WELL HISTORY - DESCRIPTION OF WELL & LEASE CONSERVATION DIVISION WICHITA, KS API No. 15 - <u>15</u>9-22482-0000 Operator: License # 3532 Name: CMX, Inc. County: Rice Address: 1551 N. Waterfront Parkway, Suite 150 S/2 -NW - SW - Sec. 18 Twp. 20 S. R. 7 ☐ East West City/State/Zip: Wichita, KS 67206 1650 feet from (S)/ N (circle one) Line of Section Purchaser: American Energies 660' \_ feet from E \( \mathbb{W}\)(circle one) Line of Section Operator Contact Person: Douglas H. McGinness II Footages Calculated from Nearest Outside Section Corner: Phone: (316) 269-9052 NW SW (circle one) NE Lease Name: Lionheart Contractor: Name: Summit Drilling Co . Well #: 1 Field Name: Wildcat License: 30141 Wellsite Geologist: Ken LeBlanc Mississippi Producing Formation: . Kelly Bushing: 1648 Elevation: Ground: 1638 Designate Type of Completion: Total Depth: 3250 \_\_\_ Plug Back Total Depth:\_ \_\_\_\_\_ Re-Entry Amount of Surface Pipe Set and Cemented at 236 SIOW Feet Gas ENHR 🍑 Multiple Stage Cementing Collar Used? ☐Yes ✓ No \_\_\_ Other (Core, WSW, Expl., Cathodic, etc) If yes, show depth set \_\_\_\_\_ Feet If Alternate II completion, cement circulated from.... If Workover/Re-entry: Old Well Info as follows: feet depth to... Operator: \_ Well Name: \_\_ **Drilling Fluid Management Plan** \_\_\_\_\_Original Total Depth: \_ Original Comp. Date: \_\_\_\_\_ (Data must be collected from the Reserve Pit) Fluid volume 290 hble \_\_\_\_ Re-perf. \_\_\_Conv. to Enhr./SWD \_ Deepening \_ Plug Back\_ \_\_Plug Back Total Depth Dewatering method used\_ \_ Commingled Docket No.\_ Location of fluid disposal if hauled offsite: \_ Dual Completion Docket No.\_\_\_ Schulz Oil + Gas Other (SWD or Enhr.?) Docket No. -5/21/06 5/28/06 10/11/06 Sec. 30 Two. 19 S. R. 5 DEast West Spud Date or **Date Reached TD** Completion Date or Recompletion Date Recompletion Date

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge. Signature:

Subscribed and sworn to before me this

**Date Commission Expires:** 

UIC Distribution

KCC Office Use ONLY						
Letter of Confidentiality Received						
If Denied, Yes Date:						
If Denied, Yes Date: Wireline Log Received						
Geologist Report Received						
LUMBE A U. A.						
N V						

Operator Name: CMX, Inc.				Lease Name: Lionheart			Well #: 1				
Sec. 18 · Twp. 20 S. R. 7 East  West				County: Rice							
INSTRUCTIONS: Sh tested, time tool open temperature, fluid red Electric Wireline Logs	n and closed, flowing covery, and flow rate	g and shut-in p s if gas to surf	oressures, vace test, al	whether s long with	shut-in pre	ssure reached	static level, hydros	static pressure	es, bottom	n hole	
Drill Stem Tests Taken  (Attach Additional Sheets)  ✓ Yes No			□No		<b>V</b> L	og Formatio	on (Top), Depth ar	□s.	ample		
Samples Sent to Geological Survey			<b>✓</b> No		Nam	e	Тор			atum	
· · · · · · · · · · · · · · · · · · ·			<b>√</b> No		Heek	ner .	2705			1057)	
Electric Log Run (Submit Copy)			No		Davo	las Sad	2766		(-1	118)	
List All E. Logs Run:					Lan		2890 (-1			142)	
DIL, CNDL,Micro, Bond					Blk Mis		3199 3249		(-15 (-16	(SI) (8)	
					· ·	derhook	•	3299		L-1651)	
		Report all		RECORD onductor,	_	ew Used ermediate, product	ion, etc.				
Purpose of String	Size Hole Drilled	Size Ca Set (In			eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used		Type and Percent Additives	
Surface	12 1/4	8 5/8				236	60/40 Poz	180	2% gel, 3% cc		
Production	7 7/8	4 1/2		10.5#		3346	ASC	165	10% salt		
		A	DDITIONAL	CEMENT	TING / SQI	JEEZE RECORD					
Purpose: Perforate	Depth Top Bottom	Type of Cement		#Sacks Used			Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone											
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				е	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
2 3252-3278				500 gal 15% M			M.C.A				
						:					
TUBING RECORD	Size 3/8"	Set At 3242		Packer	At	Liner Run	☐ Yes ☐ No				
Date of First, Resumer			oducing Met	hod	Flowin	g 🕢 Pumpi		Oth	er (Explain)	***	
Estimated Production Oil Bbls. Gas Per 24 Hours			Mcf	Acf Water Bbls			as-Oil Ratio		Gravity		
Disposition of Gas	METHOD OF	COMPLETION	200		5	Production Inter	val				
☐ Vented ☑ Sold	Used on Lease		Open Hole Other (Speci	Ľ Pe	orf.	Dually Comp.	Commingled KA	REC NSAS CORPOR	EIVED	IMISSION	
	,	ل_	outer (Speci	<i></i>			<del></del>	OCT 1	8 2007	·	

CONSERVATION DIVISION WICHITA, KS

## ALLIEU CEMENTING CO., INC. 24249 Federal Tax I.D.

EMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665		SER	VICE POINT:	Bend	
	ALLED OUT	ONLOCATION	JOB START	JOB FINISH	
	3.47	0 10	COUNTY	STATE	
OLD OR NEW (Circle one)	vers &	the 1 for	TICE		
1 1	erst side	<b>7</b>			
CONTRACTOR Summit Dala	OWNER C	mx			
TYPE OF JOB Sunface Pipe  HOLE SIZE 12/4 T.D. 24/2	CEMENT				
HOLE SIZE /3/4/ T.D. 3/4/2 CASING SIZE DEPTH 2/3/9		DERED /8	2 Mc Com	01 M0	
TUBING SIZE DEPTH	AMOUNT ORDERED 180 sy Common 390 C/o 4220 gel				
DRILL PIPE DEPTH					
TOOL DEPTH		1000 . 1		· (C) (C)	
PRES. MAX MINIMUM	COMMON	180 wf	•	1917.00	
MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG. Organia (2)	POZMIX GEL	14 11	-@- <del></del>	1-1-10	
PERFS. L.	CHLORIDE	- 7.74	@ 46ho	279.KD	
DISPLACEMENT //a 13/3/5	ASC				
EQUIPMENT					
EQUIMENT			@		
PUMPTRUCK CEMENTER Jack			@		
# /2// HELPER			_@		
BULK TRUCK			@ <i></i>		
# 341 DRIVER Don					
BULK TRUCK					
# DRIVER	HANDLING_	190 W	@ 1.90	36100	
	MILEAGE	190 Rg	<u>08 38 </u>	_577.60	
REMARKS:			TOTAL	3201.80	
Run Juto of 85/Acra Cement with					
180 say of commt. Displace plug with		SERV	ICE		
145 BBls of yresh Water					
	DEPTH OF JO	B 234			
Coment Did Circ		CHARGE		815.00	
They down Obico Am	EXTRA FOOT MILEAGE		_@ <u></u>	190,00	
Thonks	MANIFOLD,		@_ <del></del> _	_ LILDEC	
	HEAD KE			100.00	
CHARGE TO: CYN X					
			TOTAL	1105.00	
STREET					
CITYSTATEZIP_RECEIVED	1	PLUG & FLOA	T FOLLIPMEN	Т	
KANSAS CORPORATION COMMI			T EQUITMEN	1	
OCT 4.9 2007	1-05/	2/2/20-1	@ lam	60.00	
OCT 1 8 2007	— <del>[[]</del>	- COUCK		<u>co.co</u> _	
CONSERVATION DIVISION	<u> </u>				
To Allied Cementing Co., Inc. WICHITA, KS					
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or			@		
contractor to do work as is listed. The above work was					
done to satisfaction and supervision of owner agent or			TOTAL	6000	
contractor. I have read & understand the "TERMS AND					
CONDITIONS" listed on the reverse side.	TAX				
The state of the s	TOTAL CHAR	.GE			
	DISCOUNT —		——— IF PAI	D IN 30 DAYS	
SIGNATURE Land		PAN COX	PETS NIANCE		

## ALLIED CEMENTING CO., INC. 23703

ATTO P.O. BOX 31 RUSSELL, KANSAS 67665	SERVICE POINT:					
ROSSELL, KINSINS 07003			CREAT	1Jenol		
DATE 5-28-196 18 20 740	CALLED OUT	ON LOCATION	JOB START	JOBIFINISH		
LEASE Lien heast WELL#   LOCATION Lyons	. , , , ,	1 2 0 110	<del>⟨COU</del> ŅTY	STATE		
OLD ODGEW (Similary)	east 3 ym	les to Kall9	1176	<u> </u>		
OLD OF NEW (Circle one)	athfeest is	-Cr	J			
CONTRACTOR Summit Dela	OWNER /	M X				
TYPE OF JOB Production						
HOLE SIZE 71/8 T.D. 3337	CEMENT			,		
CASING SIZE 4/3 DEPTH 3348'		DERED <u>/んゔ</u> し	3x15.C.4	500gal		
TUBING SIZE DEPTH	flush			11		
DRILL PIPE DEPTH TOOL DEPTH		coment -2 sx		KZ41-		
PRES. MAX MINIMUM	COMMON	a suprame at suprame	@			
MEAS. LINE SHOE JOINT 21	POZMIX					
CEMENT LEFT IN CSG. 21	GEL 1941 X	-3 Nat	@ 16.b5	49.95		
PERFS.	CHLORIDE _		_@			
DISPLACEMENT 53455 RBK	ASC	16504	_@ <i>13.1</i> 0_	516120		
EQUIPMENT	Act	10 RY	_@ <u>/4.20</u>	19200		
·	IA COAL	SCOCOL BIS#	. @ <u>1.00</u> @ . 71)	577.50		
PUMP TRUCK CEMENTER Jack	_RUL ZUC		-	<u> </u>		
# 18/ HELPER / Richy						
BULK TRUCK  # 24 DRIVER 24.						
BULK TRUCK			_ @			
# DRIVER		2001 A	_@	20710		
	HANDLING _ MILEAGE	204 SU 0	_@ <u> 90)</u> R <b>3</b> 8	(30 16 H		
REMARKS:	MILLAGE	(3) (1)4 (1)		- <u>620.16</u> 1118071		
			TOTAL	440001		
		SERVI	Ċ <b>I</b> F			
Ciacon Bottom / hr. Hockup 45 BBB water 10 BBIS flush - 5 BBB water- 165 sx coment	·	SERVI		<del></del>		
Release plug + displace with BB/s downter	e "DEPTH OF JO:	B 3346	36			
	PUMP TRUCK	CHARGE		161000		
Plug Down @ 11:45 Am	EXTRA FOOT		_@			
Insight Hold	MILEAGE		_@ <i>_<b>≤</b>.ळ</i>	190.00		
Lhanks	MANIFOLD _		_@			
	LLEAN AGO.	MI	_@ _@ <i>iDO @</i> o	100.00		
CHARGE TO: 1901				100.00		
CHARGE TO: 2971			TOTAL	1900.00		
STREET			101712			
CITYSTATEZIP	_					
	I	PLUG & FLOAT	EQUIPMEN	ľΤ		
	1 /1					
•	1-12 quic	lejsho'e	_@ 125.00_	125.00		
	1-12 Inse	il L	_@ <u>`ZIS.oo</u> @ <i>\340</i> 0			
To Allied Cementing Co., Inc.	5-4/2 con	tralizers	@ 4 <del>500</del>			
You are hereby requested to rent cementing equipment	-	RUBBER	@ <u>SS</u>			
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was						
done to satisfaction and supervision of owner agent or			TOTAL	75000		
contractor. I have read & understand the "TERMS AND						
CONDITIONS" listed on the reverse side.	TAX					
	TOTAL CHAR	GE				
A	DISCOUNT		—— IF PAI	D IN 30 DAYS		
Alan Wast al	n(	a Monti	( , R	RECEIVED RPORATION COMMISSIO		
SIGNATURE 45, A VALVA		V I (S)	KANSAS COR	RPORATION COMMISSIO		
		DOLVILL				

CONSERVATION DIVISION WICHITA, KS

OCT 18 2007