

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-009-02051-00-00
Spot: SESWSWSW Sec/Twnshp/Rge: 23-20S-14W
330 feet from S Section Line, 4950 feet from E Section Line
Lease Name: JANNE Well #: 1
County: BARTON Total Vertical Depth: 3559 feet

Operator License No.: 31164
Op Name: BARTA, CLARENCE R. DBA DOUBLE "
Address: 389 GROVE TER
GREAT BEND, KS 67530

String	Size	Depth (ft)	Pulled (ft)	Comment
SURF	8.625	268	0	175 SX
PROD	5.5	3549	0	100 SX <u>115.67</u>

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 08/19/2009 1:00 PM
Plug Co. License No.: 6901 Plug Co. Name: D S & W WELL SERVICING, INC.
Proposal Rcvd. from: TIM DICKINSON Company: DOUBLE "B" OIL COMPANY Phone: (620) 786-4258

Proposed Plugging Method: Ordered 250 sxs 60/40 pozmix - 4% gel - 500# hulls - 16 sxs gel.
Planned to pull casing - found backside flowing.
Log Tech perf at 1450' - 815' - 450'.

Plugging Proposal Received By: PAT STAAB WitnessType: COMPLETE (100%)
Date/Time Plugging Completed: 08/19/2009 5:00 PM KCC Agent: PAT STAAB

Actual Plugging Report:

D.S.& W. Well Service sanded off bottom to 3050'. RIH with tubing to 2987'.
Copeland rigged to tubing - pumped 16 sxs gel - followed with 10 sxs 60/40 pozmix - 4% gel.
Pulled tubing to 1447'. Copeland rigged to tubing - pumped 180 sxs cement with 300# hulls to circulate cement up 5 1/2" casing.
Pulled tubing. Rigged to 5 1/2" casing with a swedge - pumped 10 sxs cement.
Max. P.S.I. 500#. S.I.P. 200#.
Rigged to 8 5/8" casing - pumped 50 sxs cement.
Max. P.S.I. 150#. S.I.P. 75#.

Perfs:

Top	Bot	Thru	Comments
3351	3355		

INVOICED
DATE 10-6-09
INV. NO. 2010060322

KANSAS CORPORATION COMMISSION
AUG 24 2009
RECEIVED

Remarks: COPELAND ACID & CEMENTING COMPANY.

Plugged through: TBG

District: 04

Signed [Signature]
(TECHNICIAN)

CM

AUG 20 2009

[Handwritten mark]

WILLIAMS

#1

Contr. TOMLINSON & KATHOL

E 1900 RR Comm Comp 10-14-60 45 80

Tops	Depth	Datum
WFE	3167	-1267
LANE	326	-1382
1997 LONG	3521	-1621
AME	3545	-1645
	579	-1659

Casing
 8" 268
 5" 3549
 DST 8281-8322 /
 M, 180' o & com
 DST 3335-58 /
 o & com, 240'
 DST 3400-45 /
 com, 300' o &
 2nd, BHP 1170-
 DST 3432-45 /
 120' Ho & com
 DST 3526-50 /
 LIBERTY POOL

+	+	+
+	+	+
+	+	+

INDEPENDENT OIL & GAS SERVICE
- MINNAPOLIS, MINNAPOLIS, MINNAPOLIS

(3)

hulls