KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 10-18-2009 month day year OPERATOR: License#	Spot Description: StNW -SW -SW Sec. 26 Twp. 30 S. R. 16 (arara/a) sec. 445 825 . feet from N/X S	Line of Section
Name: _38 Energy,Inc	196 935 /US feet from / / W	Line of Section
Address 1: PO Box 354	Is SECTION: Regular Irregular?	fee. 10-21
Address 2: 3494 Saline Rd	(Note: Locate well on the Section Plat on reverse side)
City: Neodeshe State: Ks Zip: 66757 + 0354	County: Wilson	
Contact Person: Bruce B Burkhead Phone: 620-330-7854	Lease Name: Phillips Well #	. 31
Filoto.	Field Name: Neodesha	7 07/
CONTRACTOR: License#_5675		Yes No
Name: McPherson Drilling	Target Formation(s): Bartleaville	-
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165	feet MSL
☑Oil ☐ Enh Rec ☑Infield ☐ Mud Rotary	Ground Surface Elevation: 825	Yes XINO
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile: Public water supply well within one mile:	Yes No
Disposal Wildcat Cable	Depth to bottom of fresh water: 40+	
Seismic ; # of Hotes Other	Depth to bottom of usable water:	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 Ft	
	Length of Conductor Pipe (if any): N/A	140 June -
Operator:	Projected Total Depth: 860	
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Shale	<u></u>
Original Compositori Suito.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: City	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	·	Yes X No
	If Yes, proposed zone:	
A 1"1"	DAVIT F	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug		TIALD
	Ol	CT 2 0 2009
It is agreed that the following minimum requirements will be met:	•	U E003
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be	2.WICHITA
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the completed. 	ct office on plug length and placement is necessary prior to pro- id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud i3,891-C, which applies to the KCC District 3 area, alternate if ce- plugged. In all cases, NOTIFY district office prior to any cemer	i date. menting
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Compressent to Appendix 187 - Featern Kansas surface casing order #13	ct office on plug length and placement is necessary prior to pro- id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud i3,891-C, which applies to the KCC District 3 area, alternate if ce- plugged. In all cases, NOTIFY district office prior to any cemer list of my knowledge and belief.	i date. menting Iting.
 If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the completed. 	ct office on plug length and placement is necessary prior to pro- id or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud i3,891-C, which applies to the KCC District 3 area, alternate if ce- plugged. In all cases, NOTIFY district office prior to any cemer	i date. menting titing.
4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the statements made herein are true and correct to the best place: Date: 10-19-09 Signature of Operator or Agent: Sig	ct office on plug length and placement is necessary prior to plug d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptugged. In all cases, NOTIFY district office prior to any cemer ast of my knowledge and belief. Title: Perident Remember to:	i date. menting Iting.
4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the statements made herein are true and correct to the best place: Date: 10-19-09 Signature of Operator or Agent: Sig	ct omice on plug length and placement is necessary prior to product of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief. Title: Period	i date. menting titing.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the certify that the statements made herein are true and correct to the beautier. Date: 19-09 Signature of Operator or Agent: Sign	ct omce on plug length and placement is necessary prior to plug d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptugged. In all cases, NOTIFY district office prior to any cemer est of my knowledge and belief. Title: Period 1. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	i date. menting titing.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the well shall be in the statements made herein are true and correct to the best posterior of the spud date or the well shall be in the statements and the product of the spud date or the well shall be in the statements and the product of the spud date or the well shall be in the statements and the spud date or the well shall be in the statements and the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statement of the spud date or the well shall be in the statement of the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date	ct omice on pilg length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-	idate. menting hting.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the well shall be in the statements made herein are true and correct to the best posterior of the spud date or the well shall be in the statements and the product of the spud date or the well shall be in the statements and the product of the spud date or the well shall be in the statements and the spud date or the well shall be in the statements and the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statements are true and correct to the best posterior of the spud date or the well shall be in the statement of the spud date or the well shall be in the statement of the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date	ct omice on plug length and placement is necessary prior to product of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptugged. In all cases, NOTIFY district office prior to any cemer set of my knowledge and belief. Title: Period 1. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting supports to the completed (with the completed with the complete completed with the complete completed with the completed with the complete completed with the complete completed with the complete completed with the complete complete complete completed with the complete complet	d date. menting hting. 26 e-entry; pin 60 days);
4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best between the confidence of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27808 - ODO Conductor pipe required feet Minimum surface pipe required feet feet per ALT. I I III	ct omce on pitglength and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptuaged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or results of the property of the plugging is completed (with Obtain written approval before disposing or injecting salt water.	id date. menting hting. 26 e-entry; hin 60 days);
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the well shall be in the statements made herein are true and correct to the best part of the spud date or the well shall be in the statements of the spud date or the well shall be in the statements of the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the spud date or the well shall be in the statements of the spud date or the well shall be in the spud date	d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 3,891-C, which applies to the KCC District 3 area, alternate it ce plugged. In all cases, NOTIFY district office prior to any cemer ast of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re Submit plugging report (CP-4) after plugging is completed (with Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) plea	d date. menting hting. 26 e-entry; ain 60 days); se
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the best between the confidence of Operator or Agent: Date: 10-19-09 Signature of Operator or Agent: Signature of	ct office on plug length and placement is necessary prior to plug do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 3,891-C, which applies to the KCC District 3 area, alternate it cell contents of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re. Submit plugging report (CP-4) after plugging is completed (with Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) plead check the box below and return to the address below.	id date. menting hting. 26 e-entry; hin 60 days);
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the wel	ct office on plug length and placement is necessary prior to production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 13,891-C, which applies to the KCC District 3 area, alternate if ceptugged. In all cases, NOTIFY district office prior to any cemer set of my knowledge and belief. Title:	d date. menting hting. 26 e-entry; ain 60 days); se
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the later of the spud date or the we	ct office on plug length and placement is necessary prior to plug do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud 3,891-C, which applies to the KCC District 3 area, alternate it cell contents of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re. Submit plugging report (CP-4) after plugging is completed (with Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) plead check the box below and return to the address below.	d date. menting hting. 26 e-entry; ain 60 days); se


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27808-00-00			
Operator: 38 Energy,inc	Location of Well: County: Wilson		
Lease: Phillips	825 Feet from N / X S Line of Section		
Well Number: 31	165 / Feet from / / W the of Section		
Field: Neodesha	Sec. 26 Twp. 30 S. R. 16 X E W		
Number of Acres attributable to well: 5 QTR/QTR/QTR/QTR of acreage: SE _ SW _ SE _ SE	ls Section: Regular or Irregular		
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: 3B Energy,Inc			License Number: 31941	
Operator Address: PO Box 354 Neo		odesha Ks 66757 0354		
Contact Person: Bruce B Burkhead	:	· ·	Phone Number: 620-330-7854	
Lease Name & Well No.: Phillips	31		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE SW SE SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 30 R. 16 East West 825 825 Feet from North / South Line of Section 185 / 65 Feet from 1st / West Line of Section	
Settling Pit	If Existing, date constructed:		825 825 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		185/63 reet from st / West Line of Section	
(If WP Supply API No. or Year Drilled)	160	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water Area? Yes No		₹No	Chloride concentration: mg/l	
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Earthen	
Pit dimensions (all but working pits):	20 Length (fe	eet)20	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	eepest point:	5 (feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.	
material, moviess and instantion procedure	••	into integrity,	g any operations.	
		:		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh water 20 feet.		
		ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		1	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		Type of materia	al utilized in drilling/workover: EARTHEN	
I		nking pits to be utilized:		
Barrels of fluid produced daily: Abandonment		procedure: Doze shut & reseed		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED				
		0	OCT 2 0 200	
10-19-2009	/	<u>S</u> <u> </u>	Don	
Date		s	Signature of Applicant or Agent KCC WICHIT	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 10/20/09 Permit Nurr	nber:	Perm	nit Date: 10/81/09Lease Inspection: Yes XNo	