For KCC Use: Effective Date: District # SGA2 Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Seismo Finh Rec Proof Ext. Multidary Public water supply well within one mile: Ves Ves Objector Proof Ext. Wildcar Cable Objector Proof Ext. Wildcar Cable Objector Objector Proof Ext. Objector Objector Objector Proof Ext. Objector Objecto	SGA?	Ми		e (5) days prior to commencing well	All blanks must be Filled
OPERATOR Licenses 30483 OPERATOR Licenses 40 Miles	Expected Spud Date:		y year		o o 3
OPERATOR: License Production & Operating Address 1: 3151 US hay \$6 Address 2: 3151 US hay \$6 Contact pressor. Chris Kremeler Product 89 Section Plat on reverse side) Contact pressor. Chris Kremeler Well pride for: Well		30/83		(2/0/2/0)	
SECTION Regular Irregular Regular Re	OPERATOR: License#			icot ironi	
Address 2: Copy. Hempon Contract Person. Chris Kremeier Phone. 78-5-36-009 Contract Person. Chris Kremeier Phone. 78-5-36-009 Contract Person. Chris Kremeier Phone. 78-5-36-009 Contract Person. Chris Kremeier Contract Person. Chris Kremeier Name. Add vis. Co. Chris Chris Mell of Cass. Well Drilled For: Well Class. Type Equipment. Well Drilled For: Well Class. Type Equipment.					W Line of Section
Counted Person. Chiris Kremeier Phone. 785-386-987 Phone. 785-386-987 CONTRACTOR: Licenses MUS Well Critical Process Well Class: Type Egulpment:			CONTRACTOR OF THE STREET	is Section: Regular Infregular?	
Contractors Consequent Co	No. 11 10 10 10 10 10 10 10 10 10 10 10 10	State KS	7in· 67449		reverse side)
Lease Part Lea	Contact Person: Chris Krem			County: Wallott	2
Selection Surface Surf	Phone: 785-366-6957			Lease Name: Tropp	Well #: 5
Nearest Lease or unit boundary line (in footage): 409.11	CONTRACTOR: Licenset A	Must be lice	ensed by KCC	· · · · · · · · · · · · · · · · · · ·	
Nearest Lease or unt boundary line (in footage): 40.91 least footage: 40.91 least	Name: Advise 0	n Aco-1	ge palacitic - and the manufacture of the confidence was recovered to a construction of the		Yes [No
Seasonic Infect Multiple					1
Gas Storage Prool Ext. Mulicat Prool Ext. Mulicat Prool Ext. Mair Rotary Public water supply well within one rule: Public water supply well within one mile: Public water supply well at supply well water supply water supply water supply water supply water supply water		Well Class:			feet MSL
Sesmic # of Holes Other	X Oil ☐ Enh Re	—			Yes No
Seismic # of Holes Other Depth to bottom of tresh water 7.9 Pepth to bottom of usable water 200 RECE	<u></u>	 		·	Yes No
Depth to bottom of usable water. Depth to bottom of usable water. Depth to Detect of the property of the p		<u> </u>	Cable		
If the wells information as follows: Surface Pipe by Alternate:	 	Holes Uther		Depth to bottom of usable water Zon (80	
Operator: Well Name: Original Completion Date: Original Total Depth: Well Depth: Well Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Coperations: Water Source for Drilling Operations: Well Farm Pond Coperations: Water Source for Drilling Operations: Well Farm Pond Coperations: Water Source for Drilling Operations: Water Source for Drilling Operation of Drilling ing: 1. Notify the appropriate district office prior to plugging; 2. A copy of the appropriate district office on plug length and placement is necessary prior to plugging; 3. The appropriate district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable wate	Omer:		• • • •		RECEIVEL
Length of Conductor Pipe (if any); UCT 2	If OWWO: old well in	formation as follows:		Length of Surface Pine Planned to be set: 200	LEOUIVE
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Sou	_			Length of Conductor Pine (if any)	OCT 20 00
Original Completion Date: Original Total Depth: Promation at Total Depth: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Water Source for Drilling Operation in Mater Source for Source	,			1 1 1	001 2 0 20
Water Source for Drilling Operations. Water Source for Supple of Permit with Durill Farm Pond Dother: fresh water Water Source for Supple of Permit Mater Supple Operation or Permit Water Drilling For Permit Mater Supple of Permit Expired Date: Water Source for Permit Water Drilling For Permit Water Drilling For Permit Mater Permit Supple of Permit Supple Drilling For Permit Su				Formation at Total Depth: 2320 4 MISSISSIPA	1 1/00
West Farm Pond Other: fresh water DWR Permit #: DWR Permit #: DWR Permit #: DWR Permit #: DWR Permit #: DWR Permit *: DWR Permit #: DWR Permit *: DWR Permit	Original Completion Date	, Ongine	ar iotai Doptiii aaaa iaaaaa		NCC WICH!
Will Cores be taken? Will Cores be taken? Well Cores be taken?	Directional, Deviated or Horiz	zontal wellbore?	Yes No		,
Will Cores be taken? If Yes, proposed zone: Yes	If Yes, true vertical depth:	Appropriate to the second of t			
AFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; Or pursuant to Appendix "9". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Conductor pipe required. Approved by: File Dill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging-report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	Bottom Hole Location:			(Note: Apply for Permit with DWR	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. For KCC Use ONLY API #15. // 5 - 2 / 4 / 4 - 00 - 00 / Signature of Operator or Agent: Minimum surface pipe required	(CC DKT #:			Will Cores be taken?	Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top, in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. For KCC Use ONLY API #15 - //5 - 214/4-DD-D Conductor pipe required Approved by: Pub 10-3P3009 This authorization expires: // D3P3009 This authorization expires: // D3P3009 This authorization expires: // D3P3009 This authorization void if drilling not started within 12 months of approval date. // If this permif has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:				If Yes, proposed zone:	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall</i> be <i>set</i> by circulating cement to the top; in all cases surface pipe <i>shall</i> be <i>set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. It hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. For KCC Use ONLY API #15	The undersigned hereby af	firms that the drilling			
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 10 - 27 - 0 9 Signature of Operator or Agent: For KCC Use ONLY API #15 - 1/5 - 2/4/4-00-00 Conductor pipe required. Approved by 10-28-2009 This authorization expires: 10-28-2010 This authorization expires: 10-28-2010 This authorization expires: 10-28-2010 This authorization expires: 10-28-2010 This permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired. Date:	•		•	gging of this well will comply with receive 55 ct. 55q.	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Part 10 - 27 - 0 9 Signature of Operator or Agent: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging proport (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the pox below and return to the address below. Well Not Drilled - Permit Expired Date:	•	•			Alt I
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 10 - 27 - 0 9 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 1/15 - 214/14-00-00 Approved by: 10 - 28 - 2010 Approved by: 10 - 28 - 2010 This authorization expires: 10 - 28 - 2010 This authorization expires: 10 - 28 - 2010 (This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date:				drilling via:	.""
Hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 10-27-09 Signature of Operator or Agent: Title: OWNC. For KCC Use ONLY API # 15- //5-214/4-00-00 Conductor pipe required	3. The minimum amour through all unconsoli 4. If the well is dry hole, 5. The appropriate distr 6. If an ALTERNATE II (Or pursuant to Appel	nt of surface pipe as sp dated materials plus a , an agreement betwe- rict office will be notifie COMPLETION, produ- ndix "B" - Eastern Kan	pecified below shall be set to a minimum of 20 feet into the en the operator and the distr ed before well is either pluggi ction pipe shall be cemented sas surface casing order #1	by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary <i>pri</i> and or production casing is cemented in: If from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter	for to plugging; YS of spud date. That II cementing
For KCC Use ONLY API # 15 - 1/5 - 2/4/4-00-00 Conductor pipe required Approved by: Approved b	hereby certify that the stat	ements made herein	are true and correct to the be	est of my knowledge and belief.	
For KCC Use ONLY API # 15 - //5 - 2/4/4-00-00 Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT 1 III Approved by: Pub 10-28-2010 This authorization expires: 10-28-2010 (This authorization void if drilling not started within 12 months of approval date.) Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File accreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the pox below and return to the address below. Well Not Drilled - Permit Expired Date:					100
For KCC Use ONLY API # 15 - //5 - 214/4-00-00 Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT II III Approved by: Well 10-39-2010 This authorization expires: 10-39-2010 (This authorization void if drilling not started within 12 months of approval date.) File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the pox below and return to the address below. Well Not Drilled - Permit Expired Date:	Date: 10 - 2 / - 0	Signature of Oper	rator or Agent: 100	Title: Var	181
API # 15 - 21444-00-00 Conductor pipe required				Remember to:	=
API # 15 - //5 - 21444-00-00 Conductor pipe required None feet Minimum surface pipe required 200 feet per ALT II III Approved by: WH 10-3 200 This authorization expires: 10-38-2010 (This authorization void if drilling not started within 12 months of approval date.) File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the pox below and return to the address below. Well Not Drilled - Permit Expired Date:	For KCC Use ONLY				orill;
Conductor pipe required Approved by: Well Not Drilled - Permit Expired File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	API#15: 115-	21414-00	ω	,, , , , , ,	
Minimum surface pipe required feet per ALT II Submit plugging report (CP-4) after plugging is completed (within 60 days) Approved by: [Conductor pipe required	Nove			
Approved by: 10-36-2010 This authorization expires: 10-38-2010 (This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date:	Conductor pipe required				
Approved by: 10-36-2010 This authorization expires: 10-38-2010 (This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date:	Minimum surface pipe requ	uired XV	feet per ALT.		· W
(This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date:	Approved by:	1- 00 25		_ "'',	į
(This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date:					
taran da la companya			? months of approval date.)		\boxtimes
Signature of Operator or Agent:				Signature of Operator or Agent:	
Spud date: Agent: Signature of Operator of Agent:	Spud date:	Agent:		Signature of rigoria	الجا

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 115-21414-00-00 Operator: Kremeier Production & Operating	Location of Well: County: Marion
Lease: Propp	2,240 feet from N / S Line of Section
Well Number: 2	400 feet from X E / W Line of Section
Field: Mississippi	Sec. 10 Twp. 19 S. R. 3 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE 1/4	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					:		:
	:	:	:		:	:	:
1		:	:		:	:	:
!		:	:		:	:	:
			•		:		1
	•		•		•	•	
1	;	:				:	
	:	:			:	:	:
	:	:	:		:	:	:
i		:	•				
		,,,,,,,,,					
					:		:
i					•		
	:	:	:		:	:	:
i	:	:	:		:	:	;
1		:			:	•	:
			•		•	•	
			· · · · · · · · · ·				
i							
		;				:	
		:			:	:	:
		•			:	•	:
1					;	:	:
		-					
:	. :	:		1	:	:	
				:			
		:				:	
			, , ,				
			,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
.							
;		:			: ;	:	
:					:	:	
		:				;	
1 .							
1		:			:		:
i					. :		
1 :		:			:		
i :		:		:	:		
!							
1		:			:		
1						:	
1	:						
! :				:			
;		:			:		
ì							


RECEIVED OCT 2 8 2009 KCC WICHITA




NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).





KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		·	Market Control of the	
Operator Name: Kremeier Production	& Operating		License Number: 30483	
Operator Address: 3183 US Hwy 56	Herington KS	67449		
Contact Person: Chris Kremeier			Phone Number: 785-366-6957	
Lease Name & Well No.: Propp #2			Pit Location (QQQQ): ろい ハモルモ SE	
Type of Pit:	Pit is:		SE 1/4	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 14 Twp. 19 R. 3 East West	
Settling Pit 🔀 Drilling Pit	If Existing, date c	onstructed:	2,240 Feet from North / South Line of Sect	ion
Workover Pit Haul-Off Pit			400 Feet from East / West Line of Sect	- 1
(If WP Supply API No. or Year Drilled)	Pit capacity: 600	(bbls)	Marion Cou	
			Chloride concentration: mg	一
Is the pit located in a Sensitive Ground Water	Area?res	7140	(For Emergency Pits and Settling Pits only)	"
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	\neg
Yes No	Yes X	No	native mud	
Pit dimensions (all but working pits):	4 Length (fe	eet)8	Width (feet) N/A: Steel Pits	
			6 (feet) No Pit	
If the pit is lined give a brief description of the	liner	Describe proce	edures for periodic maintenance and determining	
material, thickness and installation procedure			neluding any enecial monitoring	
native mud		daily monitoring		
native mad			OCT 2 8	200
			Koowa	200
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water 70 40 feet.	HIT
	or pit	Source of infor	mation:	201
rural water feet Depth of water well 57 feet		measu	red X well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		_	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	at utilized in drilling/workover: mud .	-
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:	no esta manifestario vida , popul distintante deletto e propriestamente apra-	Abandonment procedure: let dry and cover		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief.	
		0 -	1/	ļ
10-27-09	Ä	، کے رہے،	Lieu	
Date		s	ignature of Applicant or Agent	
1000				\equiv
	KCC	OFFICE USE O	NLY. Steel Pit RFAC RFAS	
Date Received: 10/33/09 Permit Numl	per:	Perm	it Date: 10/28/09 Lease Inspection: Yes KNo	