For KCC Use:	11 20 200
Effective Date:	11-00001
District #	3
SGA2 TVoc	5 <b>7</b> No.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (		
Expected Spud Date: 12-1-09 month day year	Spot Description:	P
32887 /	(0/0/0/0) NE - NW Sec. 22 Twp. 34 S. R. 17 XE	
FERAION: License#	feet from  X N /   S Line of Se	ection
ame: Endeavor Energy Resources, LP	1,980 feet from E / W Line of Se	ection
ddress 1: PO Box 40	Is SECTION: Regular Irregular?	
ddress 2:		
ty: Delaware State: OK Zip: 74027 +	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Joe Driskill	County: Montgomery	
ione: 918-467-3111	Lease Name: DeTar Well #: 22-3	
one,	Field Name: Cofference Cheroka Basin Goal Area.	
NTRACTOR: License#_33072	•	7
me: _Well Refined Drilling		'INO
	Target Formation(s): Weir Coal	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	Will-delegans
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 773 feet	MSL
	Water well within one-quarter mile:	No _
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	100
Disposal Wildcat Cable	Depth to bottom of fresh water: 20'	7110
Seismic ; # of Holes Other		
Other:	Depth to bottom of usable water:	
THE CANADO and wall information as follows:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator: NA	Length of Conductor Pipe (if any): none	
Well Name: na	Projected Total Depth: 1000'	
Original Completion Date: na Original Total Depth: na	Formation at Total Depth: Mississippi	**********
Original Completion Date: ————————————————————————————————————		
ractional Deviated or Herizontal wellbare?	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air Drilled	
es, true vertical depth: na	DWR Permit #:	
ottom Hole Location: na		
	(Note: Apply for Permit with DWR	,
CC DKT #:	(110101740171111111111111111111111111111	سسنه ۱۸۵
CC DKT #: _naAFFII	Will Cores be taken?  If Yes, proposed zone:	]No
AFFIL  le undersigned hereby affirms that the drilling, completion and eventual plugg is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u  4. If the well is dry hole, an agreement between the operator and the district  5. The appropriate district office will be notified before well is either plugged  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  **RECEIVANAS CORPORATION**  rilling rig;  circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior in the set of the complete of the set of the	ED N COMMIS 2009
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each dried.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ured. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be pleased over the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the statements are true	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  RECEIV.  RANSAS CORPORATION  Tilling rig; circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in; or production casing is cemented in; or production casing is cemented in; S.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.	ED N COMMIS 2009 DIVISIO
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ured. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be pleased to the statements made herein are true and correct to the best of the spud to the statements made herein are true and correct to the best completed.	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  **RECEIVANAS CORPORATION**  rilling rig;  circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior in the set of the complete of the set of the	ED N COMMIS 2009 DIVISIO
AFFILE e undersigned hereby affirms that the drilling, completion and eventual pluggs s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ured. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the completed within 30 days of the spud date or the well shall be pleased over the statements made herein are true and correct to the best	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  RECEIVE  Trilling rig;  circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  It office on plug length and placement is necessary prior to be a shall be set anderlying formation.  If or production casing is cemented in;  Tom below any usable water to surface within 120 DAYS of spud date.  18,891-C, which applies to the KCC District 3 area, alternate II cementing larged. In all cases, NOTIFY district office prior to any cementing.  If of my knowledge and belief.  Operations Superintende	ED N COMMIS 2009 DIVISIO SS
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ure drill.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleased to complete the statements made herein are true and correct to the best term.  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  RECEIV.  Tilling rig;  circulating cement to the top; in all cases surface pipe shall be set  inderlying formation.  It office on plug length and placement is necessary prior in the prior of the production casing is cemented in;  rom below any usable water to surface within 120 DAYS of spud date.  B.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Operations Superintender.	ED N COMMIS 2009 DIVISIO
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the ure drill.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged for an ALTERNATE II COMPLETION, production pipe shall be cemented from the or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleased to complete the statements made herein are true and correct to the best terms.  Signature of Operator or Agent:  11-17-09  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  RECEIVE  Tilling rig;  Circulating cement to the top; in all cases surface pipe shall be set inderlying formation.  It office on plug length and placement is necessary prior to SERVACION of or production casing is cemented in; mcHITA, if you have any usable water to surface within 120 DAYS of spud date.  B.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Operations Superintender  Femember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ED N COMMIS 2009 DIVISIO SS
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urity of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleased certify that the statements made herein are true and correct to the best te:  11-17-09  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 12.5 - 31.9 1.5 - 00 - 00	Will Cores be taken?  If Yes, proposed zone:  DAVIT ging of this well will comply with K.S.A. 55 et. seq.  Filling rig; Circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in; From below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Operations Superintender  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ED NCOMMIS 2009 DIVISIO
AFFIL  the undersigned hereby affirms that the drilling, completion and eventual plugg is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urgoid all unconsolidated materials plus a minimum of 20 feet into the urgoid and the district office will be notified before well is either plugged for the appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged certify that the statements made herein are true and correct to the besides:  11-17-09  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125-31915-00-00  Conductor pipe required  For Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the well shall be plugged by the spud date or the shall be plugged by the spud date or th	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ging of this well will comply with K.S.A. 55 et. seq.  RECEIVATION  rilling rig;  circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to be with the prior production casing is cemented in;  rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Operations Superintender  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	ED N COMMIS 2009 DIVISIO SS
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uilled 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleareby certify that the statements made herein are true and correct to the best te:  11-17-09  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125-31915-00-00  Conductor pipe required  For provided the provided feet	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  **RECEIVATION**  rilling rig;  circulating cement to the top; in all cases surface pipe **shall** be set*  inderlying formation.  It office on plug length and placement is necessary **prior** before the completion casing is cemented in;  rom below any usable water to surface within *120 DAYS** of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. **In all cases, **NOTIFY district office** prior to any cementing.  It of my knowledge and belief.  **Title:**  **Operations Superintended Title:**  **Pemember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;	ED NCOMMIS 2009 DIVISIONS ent 22
AFFILE the undersigned hereby affirms that the drilling, completion and eventual pluggs is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uicle 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleareby certify that the statements made herein are true and correct to the best stee:  11-17-09  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31915 - 00-00  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  **RECEIVATION**  Trilling rig;  circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in;  rom below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  **Title:**  **Departions Superintende**  Title:  **Pemember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	ED N COMMIS 2009 DIVISIO
AFFIL  the undersigned hereby affirms that the drilling, completion and eventual pluggs is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill of the approved notice of intent to drill <i>shall be</i> posted on each drill of the unimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uriting the unimum of 20 feet into the uriting that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate of the unimum of 20 feet into the uriting that the Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleareby certify that the statements made herein are true and correct to the best te:  11-17-09  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 31915 - 00-00  Conductor pipe required  Minimum surface pipe required  Approved by:  11-23-2009	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  RECEIVATION  rilling rig;  circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in;  rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Operations Superintended  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.	ED NCOMMIS 2009 DIVISIONS ent 22
AFFILE e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urice of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged of the appropriate district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plugged on the district office will be notified before well is either plug	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  RECEIVATION  Trilling rig;  circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in;  Tom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ED N COMMIS 2009 DIVISIO
AFFILE e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drill.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the urice.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from the operator of the well shall be pleased by completed within 30 days of the spud date or the well shall be pleased by certify that the statements made herein are true and correct to the best te:  11-17-09  Signature of Operator or Agent:  None  For KCC Use ONLY  API # 15 - /25 - 319 / 5 - 00 - 00  Conductor pipe required  Minimum surface pipe required  Approved by: 4-23-2009  This authorization expires: 11-23-2010	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  RECEIVATION  Trilling rig;  circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in;  Tom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ED N COMMISSION SINCE SI
e undersigned hereby affirms that the drilling, completion and eventual pluggs agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each di  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the uilled 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pleareby certify that the statements made herein are true and correct to the best te:  11-17-09  Signature of Operator or Agent:  Por KCC Use ONLY  API # 15 - 125-31915-00-00  Conductor pipe required  None feet per ALT. I I I I I I I I I I I I I I I I I I I	Will Cores be taken?  If Yes, proposed zone:  DAVIT  ping of this well will comply with K.S.A. 55 et. seq.  RECEIVATION  Trilling rig;  circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  It office on plug length and placement is necessary prior to be with the production casing is cemented in;  Tom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Title:  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ED N COMMIS 2009 DIVISIO

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 125-31915-00-00	
Operator: Endeavor Energy Resources, LP	Location of Well: County: Montgomery
Lease: DeTar	660 feet from X N / S Line of Section
Well Number: 22-3	1,980 feet from E / W Line of Section
Field: Coffeyville	Sec. <u>22</u> Twp. <u>34</u> S. R. <u>17</u> $\overline{X}$ E $\overline{X}$ W
Number of Acres attributable to well: 80  QTR/QTR/QTR/QTR of acreage: NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

CONSERVATION DIVISION WIGHTA, KS

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP		License Number: 32887				
Operator Address: PO Box 40			Delaware	ОК	74027	
Contact Person: Joe Driskill		Phone Number: 918-467-3111				
Lease Name & Well No.: DeTar	22-	-3	Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE . NW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 22 Twp. 34 R. 17			
Settling Pit Drilling Pit	illing Pit If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery		County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:(For Emergency Pits and Settlin		•	
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not		7	
Pit dimensions (all but working pits):	BO Length (fe	eet)10		N/A: Steel		
Depth fr	om ground level to de	eepest point:	6 (feet)	No Pit	RECEIV	
Depth from ground level to deepest point:    Composition of the liner material, thickness and installation procedure.   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
NA N		NA		ין טאי	23 200 y	
			•	CONSERV WIC	ATION DIVISION	
		west fresh waterfeet.				
Sou		ļ <del></del>	Source of information:  measured well owner electric log KDWR			
		Drilling, Work	over and Haul-Off Pits ONLY:		<i>b</i>	
		al utilized in drilling/workover: Air				
Number of producing wells on lease: Number of wor		king pits to be utilized:1				
Barrels of fluid produced daily: Abandonment		procedure: Dewater and Backfill		— 🖔		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		be closed within 365 days of spud date.		3265		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		8	
		0	1.00			
Date  Date  De Duck  Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 11/23/05 Permit Num	ber:	Perm	it Date: 11/23/09 Lease Inspection	: Yes	⊠No	