

Operator Name: Scheck Oil Operations, Inc. Lease Name: Weigel Well #: 1-8
 Sec. 8 Twp. 13 S. R. 16 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <u>Radiation-Guard-Caliper & Micro-resistivity</u> ✓	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anhydrite</td> <td>1112</td> <td>+ 857</td> </tr> <tr> <td>Topeka</td> <td>2912</td> <td>- 943</td> </tr> <tr> <td>Heebner</td> <td>3160</td> <td>-1191</td> </tr> <tr> <td>Lansing-Kansas City</td> <td>3210</td> <td>-1241</td> </tr> <tr> <td>Weathered Arbuckle</td> <td>3463</td> <td>-1494</td> </tr> <tr> <td>Total Depth</td> <td>3523</td> <td>--1554</td> </tr> </table>	Name	Top	Datum	Anhydrite	1112	+ 857	Topeka	2912	- 943	Heebner	3160	-1191	Lansing-Kansas City	3210	-1241	Weathered Arbuckle	3463	-1494	Total Depth	3523	--1554
Name	Top	Datum																				
Anhydrite	1112	+ 857																				
Topeka	2912	- 943																				
Heebner	3160	-1191																				
Lansing-Kansas City	3210	-1241																				
Weathered Arbuckle	3463	-1494																				
Total Depth	3523	--1554																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	✓ 20	264'	common	160	✓ 3% cc 2% gel
Production	7 7/8"	4 1/2"	✓ 10 1/2#	✓ 3522'	common	175	✓ 10% salt
Port collar				1104	Poz & common	280	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	1104	common & poz	280	3% gel & 8% celloseal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
		Amount	Kind	
4	3388-92'	1,500 gals.	20%	
4	3372-76	5,000 "	20%	
2	3368-70	Together with perms. 3372-76		
	Tubing packer set at 3382			

TUBING RECORD	Size <u>2"</u>	Set At <u>3475'</u>	Packer At <u>none</u>	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>Nov. 1, 2008</u>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. <u>8 BOPD</u>	Gas Mcf <u>NONE</u>	Water Bbls. <u>NONE</u>	Gas-Oil Ratio <u>36</u>

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

(If vented, Submit ACO-18.)

RECEIVED
SEP 16 7
WIG

Quality Oilwell Cementing Inc.

Invoice

740 W WICHITA
 P.O. Box 32
 Russell, KS 67665

Date	Invoice #
9/25/2008	1102

Bill To
Scheck Oil Operations 225 Main st Russell Ks 67665

PAID

P A I D
 OCT 20 2008
 BY: 7589 P A I D

P.O. No.	Terms	Project
	Net 30	

Quantity	Description	Rate	Amount
170	common	13.10	2,227.00T
110	POZ	7.10	781.00T
16	GEL	19.00	304.00T
87	Celloseal	2.00	174.00T
366	handling	2.10	768.60
6,954	.09 * 366 SACKS * 19 MILES	0.09	625.86
1	pump truck charge PORT COLLAR	950.00	950.00
19	pump truck mileage charge	7.00	133.00
596	discount 10% if paid within 30 days DISCOUNT HAS ALREADY BEEN DEDUCTED	-1.00	-596.00
	LEASE: WEIGEL WELL #1-8 Ellis county Sales Tax	5.30%	184.76

RECEIVED
OCT 21 2009
KCC WICHITA

ms
 10-19-08

Thank you for your business. Dave

Total \$5,552.22

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 2083

Date	9/24/09	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
Lease	Wichita	Well No.	218	Location	Wichita	County	Ellis	State
Contractor	E. J. ...		Owner	S. W. ...				
Type Job	Port collar		To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.					
Hole Size	T.D.		Charge To	School Oil				
Csg.	Depth		Street					
Tbg. Size	Depth		City	State				
Drill Pipe	Depth		The above was done to satisfaction and supervision of owner agent or contractor.					
Tool	Depth							
Cement Left in Csg.	Shoe Joint							
Press Max.	Minimum							
Meas Line	Displace		CEMENT					
Perf.			Amount Ordered 350					

EQUIPMENT			Amount Ordered	Consisting of	
Pumptrk	1	No. Cementer	350	Used	280
Bulktrk	4	No. Driver	170	Common	130
Bulktrk	2	No. Driver	110	Poz. Mix	70
Bulktrk	2	No. Driver	16	Gel.	190

JOB SERVICES & REMARKS			Chloride	Hulls	Salt	Flowseal
Pumptrk Charge	Port collar	950.00				
Mileage	19 @ 7.00	133.00				
Footage						174.00
	Total	1083.00				

Remarks: *Port collar work done on well 218. Pump truck charge for 1 pump truck and 4 bulk trucks. Mileage for 19 miles. Total 1083.00.*

Handling	366	210	768.00
Mileage	99	7.00	693.00
Sub Total			1461.00
Total			1635.00

RECEIVED
OCT 21 2009
KCC WICHITA

Signature: *[Signature]*

Tax: 184.76
Discount: (596.00)
Total Charge: 5552.22

Quality Oilwell Cementing Inc.

Invoice

740 W WICHITA
 P.O. Box 32
 Russell, KS 67665

Date	Invoice #
6/23/2008	939

Bill To
Scheck Oil Operations 225 Main st Russell Ks 67665

PAID

P
A
I
D

JUL 18 2008

BY: 7462

P
A
I
D

P.O. No.	Terms	Project
	Net 30	

Quantity	Description	Rate	Amount
160	common	12.10	1,936.00T
3	GEL	18.00	54.00T
5	Calcium	50.00	250.00T
168	handling	2.00	336.00
1	MINIMUM CHARGE MILEAGE	300.00	300.00
1	8 5/8 wooden plug	72.00	72.00T
1	surface pipes 0-500ft	860.00	860.00
19	pump truck mileage charge	7.00	133.00
394	discount 10% if paid within 30 days DISCOUNT HAS ALREADY BEEN DEDUCTED	-1.00	-394.00
	LEASE: WEIGEL WELL #1-8 Ellis county Sales Tax	5.30%	122.54

RECEIVED
OCT 21 2009
KCC WICHITA

Tr
 7-4-08

Thank you for your business. Dave

Total \$3,669.54
 394.00

\$3,275.54

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 2420

Date	6-21-08	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
Lease	WEIGEL	Well No.	1-8	Location		WARREN DRILLING	ELLIS County	KS State
Contractor	WARREN DRILLING			Owner				
Type Job	SURFACE			To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.				
Hole Size	12 1/2"	T.D.	264	Charge To				
Csg.	3 1/2"	Depth	264	SURFACE OIL OF				
Tbg. Size		Depth		Street				
Drill Pipe		Depth		City				
Tool		Depth		State				
Cement Left in Csg.		Shoe Joint		The above was done to satisfaction and supervision of owner agent or contractor.				
Press Max.		Minimum						
Meas Line		Displace						

CEMENT
Amount Ordered 16 1/2 Com 2 1/2 Gel 3 1/2 Cl

EQUIPMENT			Amount Ordered	Consisting of	
Pumptrk	5 No.	Cementer Helper		Common	160 @ 12.00 = 1920.00
Bulktrk	3 No.	Driver		Poz. Mix	
Bulktrk	4 No.	Driver		Gel.	3 @ 18.00 = 54.00
				Chloride	5 @ 50.00 = 250.00

JOB SERVICES & REMARKS				
Pumptrk Charge	SURFACE	860.00		
Mileage	19 @ 7.00	133.00		
Footage				
		Total	993.00	

Remarks: Ran 6 1/2" @ 3 1/2" 3 1/2"

	Sales Tax
Handling	16 @ 21.00 = 336.00
Mileage	84 @ 3.50 per mile = 294.00
PUMP TRUCK CHARGE	993.00
Sub Total	
Total	

RECEIVED
OCT 21 2009
KCC WICHITA

Floating Equipment & Plugs	3 @ 24.00 = 72.00
Squeeze Manifold	
Rotating Head	

THANK YOU
TODD
PAUL
MARIN

X Signature Robert W. Mickelson

Tax 122.54
Discount (394.00)
Total Charge 3669.54

Quality Oilwell Cementing Inc.

Invoice

740 W WICHITA
 P.O. Box 32
 Russell, KS 67665

Date	Invoice #
6/30/2008	948

Bill To
Scheck Oil Operations 225 Main st Russell Ks 67665

P.O. No.	Terms	Project
	Net 30	

Quantity	Description	Rate	Amount
175	common	12.10	2,117.50T
32	Salt	14.00	448.00T
500	Mudclear	1.00	500.00T
1	4 1/2" guide shoe	150.00	150.00T
1	4 1/2" afu insert	225.00	225.00T
7	4 1/2" centralizers	44.00	308.00T
2	4 1/2" basket	150.00	300.00T
1	4 1/2" port collar	1,600.00	1,600.00T
1	4 1/2" rubber plug	52.00	52.00T
1	PRODUCTION STRING	1,600.00	1,600.00
19	pump truck mileage charge	7.00	133.00
	LEASE: WEIGEL WELL #1-8 Ellis county Sales Tax	5.30%	302.13

PAID
 JUL 18 2008
 BY: 740ez

RECEIVED
 OCT 21 2009
 KCC WICHITA

Tom
 7-4-08

Thank you for your business. Dave	Total	\$7,735.63 747.00
-----------------------------------	--------------	---------------------------------

6992.63

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 2437

Date	Sec.	Twp.	Range	Called Out	On Location	Job Start	Finish
6-20-08	8	13	16				6-20-08
Lease	Well No.		Location		County		State
Contractor				Owner			
Type Job				To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.			
Hole Size		T.D.		Charge To			
Csg.		Depth		Street			
Tbg. Size		Depth		City			
Drill Pipe		Depth		State			
Tool		Depth		The above was done to satisfaction and supervision of owner agent or contractor.			
Cement Left in Csg.		Shoe Joint					
Press Max.		Minimum					
Meas Line		Displace		CEMENT			
Perf.				Amount Ordered			
				175 (see 1095 SAH)			
				Consisting of			
				500 Gal Mud (see 1095 SAH)			
Pumptrk		No.	Cementer	Common		2117.50	
Bulktrk		No.	Helper	175 @ 12.10			
Bulktrk		No.	Driver	Poz. Mix			
Bulktrk		No.	Driver	Gel.			
Bulktrk		No.	Driver	Chloride			
Bulktrk		No.	Driver	Hulls			
Bulktrk		No.	Driver	Salt		448.00	
Bulktrk		No.	Driver	Flowseal		500.00	
Bulktrk		No.	Driver	Remarks:			
Bulktrk		No.	Driver	15-20-08			
Bulktrk		No.	Driver	Handing			
Bulktrk		No.	Driver	Mileage			
Bulktrk		No.	Driver	Sub Total			
Bulktrk		No.	Driver	Total			
Bulktrk		No.	Driver	Floating Equipment & Plugs		150.00	
Bulktrk		No.	Driver	Squeeze Manifold		225.00	
Bulktrk		No.	Driver	Rotating Head		308.00	
Bulktrk		No.	Driver	2 Benders		300.00	
Bulktrk		No.	Driver	1 Post Coffin		1600.00	
Bulktrk		No.	Driver	1 Rubber Plug		52.00	
Bulktrk		No.	Driver	Tax		302.13	
Bulktrk		No.	Driver	Discount		(743.00)	
Bulktrk		No.	Driver	Total Charge		7735.63	

RECEIVED
OCT 21 2009
KCC WICHITA

X Signature *Clay W. Pieper*