

CARD MUST BE TYPED

State of Kansas 15-051-24457-00-00

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 01 month 25 day 87 year

API Number 15-051-24457-00-00

OPERATOR: License # 4668
Name Seville Drilling Corporation
Address P.O. Box 668
City/State/Zip La Crosse, Ks. 67548
Contact Person D.L. Stegman
Phone 913-222-2633

NW. NW. SW. Sec. 16 Twp 12 S, Rg 16
2310 Ft. from South Line of Section
4950 Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 4082
Name Western Kansas Drilling, Inc.
City/State Mays, Kansas

Nearest lease or unit boundary line 330 feet
County Ellis
Lease Name Glassman Well # 1

Well Drilled For: Well Class: Type Equipment:
X Oil SWD Infield Mud Rotary
Gas Inj Pool Ext Air Rotary
OWWO Expl Wildcat Cable

Ground surface elevation 1950 feet MSL
Domestic well within 330 feet: yes X no
Municipal well within one mile: yes X no

If OWWO: old well info as follows:

Operator
Well Name
Comp Date Old Total Depth

Depth to bottom of fresh water 200
Depth to bottom of usable water 625
Surface pipe by Alternate: 2 X
Surface pipe planned to be set 250
Conductor pipe required none
Projected Total Depth 3500 feet
Formation Arbuckle

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 01-05-87 Signature of Operator or Agent Title Expl. & Prod. Manager

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required 200 feet per Alt.

This Authorization Expires 7-8-87 Approved By 1-8-87


Handwritten signatures and initials at the bottom right of the page.

Must be filed with the K.C.C. five (5) days prior to commencing well  
This card void if drilling not started within six (6) months of date received by K.C.C.

### Important procedures to follow:

1. Notify District office before setting surface casing.
2. Set surface casing by circulating cement to the top.
3. File completion forms ACO-1 with K.C.C. within 90 days of well completion, following instructions on ACO-1, side 1, and including copies of wireline logs.
4. Notify District office 48 hours prior to old well workover or re-entry.
5. Prior to filing Intent, prepare a proposed plugging plan in case well is D & A, then obtain approval of plan when calling district office prior to setting surface pipe.
6. Submit plugging report (CP-4) to K.C.C. after plugging is completed.
7. Obtain an approved injection docket number before disposing of salt water.
8. Notify K.C.C. within 10 days when injection commences or terminates.
9. If an alternate 2 completion, cement in the production pipe from below any usable water to surface within 120 days of spud date.

### A Regular Section of Land 1 Mile = 5,280 Ft.



JAN 8 1967  
1-8-1967  
CONSERVATION DIVISION  
Wichita, Kansas

State Corporation Commission of Kansas  
Conservation Division  
200 Colorado Derby Building  
Wichita, Kansas 67202  
(316) 263-3238

15-051-24457-00-00

CARD MUST BE TYPED

State of Kansas

CARD MUST BE SIGNED

NOTICE OF INTENTION TO DRILL

(see rules on reverse side)

Starting Date 01 25 87 month day year

API Number 15- 051-24,457

OPERATOR: License # 4668 Name Seville Drilling Corporation Address P.O. Box 668 City/State/Zip La Crosse, Ks. 67548 Contact Person D.L. Stegman Phone 913-222-2633

NW. NW. SW. Sec. 16 Twp. 12 S, Rg. 16 2310 4950 Ft. from South Line of Section Ft. from East Line of Section

(Note: Locate well on Section Plat on reverse side)

CONTRACTOR: License # 4083 Name Western Kansas Drilling, Inc. City/State Hays, Kansas

Nearest lease or unit boundary line 330 feet County Ellis

Lease Name Glassman Well # 1 Ground surface elevation 1950 feet MSL

Well Drilled For: Oil SWD Infield Mud Rotary Gas Inj Pool Ext Air Rotary OWWO Expl Wildcat Cable

Domestic well within 330 feet: yes no

Municipal well within one mile: yes no Depth to bottom of fresh water 200 Depth to bottom of usable water 625

IF OWWO: old well info as follows:

Surface pipe by Alternate: 2 X

Operator Well Name Comp Date Old Total Depth

Surface pipe planned to be set 250 Conductor pipe required none Projected Total Depth 3500 Formation Arbuckle

I certify that well will comply with K.S.A. 55-101, et seq., plus eventually plugging hole to KCC specifications.

Date 01-05-87 Signature of Operator or Agent Title. Expl. & Prod. Manager

For KCC Use:

Conductor Pipe Required feet; Minimum Surface Pipe Required 200 feet per Alt. This Authorization Expires 7-8-87 Approved By 1-8-87

SP. 950 - 1-28-87

Hauling

Stan Yanner

NW. NW. SW. Sec. 16 Twp. 12 S, Rg. 16 East West

JAN 9 1987 PLUGGING PROPOSAL IF ABOVE IS D & A

This plugging proposal will be reviewed and approved or revised at the time the district office is called prior to setting surface casing (call 7 a.m. to 5 p.m. workdays).

1st plug @ Arbuckle feet depth with 25-30 sxs of 60-40 pozmix
2nd plug @ C-Anhy feet depth with 25-30 sxs of 60-40 pozmix
3rd plug @ Dakota feet depth with 100 sxs of 60-40 pozmix
4th plug @ Fresh Water feet depth with 40 sxs of 60-40 pozmix
5th plug @ 40 feet depth with 10 sxs of 60-40 pozmix
(2) Rathole with 15 sxs (b) Mousehole with 10 sxs circ. w/jt. pipe

NOTE: Agreement between operator and district office on plug placement and the amount of cement to be used is necessary prior to plugging. In Addition: Call district office after well is either plugged or production casing is cemented in.

(Call 7 a.m. to 5 p.m. workdays)

District office use only:

API #15- 051-24,457 Surface casing of feet set with sxs at hours, 19 Alternate 1 or 2 surface pipe was used. Alternate 2 cementing was completed @ ft depth with sxs on, 19 Hole plugged, 19

STATE CORPORATION COMMISSION

2-19-1987 FEB 19 1987

Form C-1 12/85

CONSERVATION DIVISION Wichita, Kansas