

ORIGINAL

WELL COMPLETION FORM
 WELL HISTORY - DESCRIPTION OF WELL & LEASE

RECEIVED
 JAN 21 2003
 1-21-2003
 KCC WICHITA

Operator: License # 32511
 Name: Imperial American Oil Corporation
 Address: 303 N Carroll Blvd #214
 City/State/Zip: Denton TX 76201
 Purchaser: None
 Operator Contact Person: Hal Porter
 Phone: (940) 483-9148
 Contractor: Name: Murfin Drilling Company, Inc.
 License: 30606
 Wellsite Geologist: Randy Kilian

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>9/12/02</u>	<u>9/18/02</u>	<u>9/18/02</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-25,147-00-00
 County: Ellis
NW NE SE Sec. 8 Twp. 12S S. R. 16 East West
2280 feet from (S) N (circle one) Line of Section
870 feet from (E) W (circle one) Line of Section


Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE (SE) NW SW
 Lease Name: Irma Well #: 8-1
 Field Name: Wildcat
 Producing Formation: None
 Elevation: Ground: 1879 Kelly Bushing: 1884
 Total Depth: 3562 Plug Back Total Depth: 3562
 Amount of Surface Pipe Set and Cemented at 210 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 210
 feet depth to surface w/ 160 sx cmt.

Drilling Fluid Management Plan *P&H Co 1-22-03*
 (Data must be collected from the Reserve Pit)
 Chloride content 55,000 ppm Fluid volume 400 bbls
 Dewatering method used Allow to dry, backfill
 Location of fluid disposal if hauled offsite:
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Hal Porter
 Title: President Date: 1/17/2003
 Subscribed and sworn to before me this 17th day of January 2003
 19_____
 Notary Public: Lisa A. Schmid
 Date Commission Expires: _____



KCC Office Use ONLY

NO Letter of Confidentiality Attached
 If Denied, Yes Date: _____
YES Wireline Log Received
YES Geologist Report Received
 _____ UIC Distribution

ORIGINAL

Side Two

Operator Name: Imperial American Oil Corporation Lease Name: Imma Well #: 8-1
 Sec. 8 Twp. 12S S. R. 16 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:
 Micro, Compensated Density/Neutron, Dual Induction, Sonic

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	Sample
Name	Top	Datum
Anhydrite	1046	+838
Topeka	2808	-924
Lansing	3104	-1220
Arbuckle	3517	-1633

RECEIVED
 1-21-2003
 JAN 21 2003
 KCC WICHITA

CASING RECORD							
				New	Used		
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	24	210	common	160	3%cc,2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type	Acid, Fracture, Shot, Cement Squeeze Record	Depth
	Specify Footage of Each Interval Perforated	(Amount and Kind of Material Used)	
	Dry Hole		

TUBING RECORD		Size	Set At	Packer At	Liner Run	Yes	No
Date of First, Resumed Production, SWD or Enhr.	Producing Method						
Dry Hole	Flowing		Pumping		Gas Lift		Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio		Gravity	
	Dry Hole						

Disposition of Gas: Vented Sold Used on Lease (If vented, Sumit ACO-18.)

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval: _____

15-051-25147-00-00

ALLIED CEMENTING CO., INC. 11725

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: R

DATE <u>9/12/02</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>6:00p.m.</u>	JOB START	JOB FINISH <u>7:50p.m.</u>
LEASE <u>Ioma</u>	WELL # <u>8-1</u>		LOCATION <u>Blue Hill School 1 1/2 mi</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Murfin #10

TYPE OF JOB Surface

HOLE SIZE 12 3/4 T.D. 212'

CASING SIZE 8 5/8 DEPTH 210'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 10'

PERFS. _____

DISPLACEMENT 12 3/4 Bbl

OWNER _____

CEMENT AMOUNT ORDERED 1100 Com 3% Gel

COMMON	<u>160</u>	@	<u>6.65</u>	<u>1064.00</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>10.00</u>	<u>30.00</u>
CHLORIDE	<u>5</u>	@	<u>30.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>160</u>	@	<u>1.10</u>	<u>176.00</u>
MILEAGE	<u>A4/SV</u>		<u>1.40</u>	<u>140.00</u>
TOTAL				<u>1560.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Dan

177 HELPER Darin

BULK TRUCK

213 DRIVER Shane

BULK TRUCK

_____ DRIVER _____

REMARKS:

Cement Circulated! ✓

Thank You!

RECEIVED
 1-21-2003
 JAN 21 2003
 KCC WICHITA

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE			<u>520.00</u>	
EXTRA FOOTAGE	@			
MILEAGE	<u>22</u>	@	<u>3.00</u>	
PLUG <u>8 5/8 Wood</u>	@		<u>45.00</u>	
	@			
	@			
TOTAL				<u>631.00</u>

CHARGE TO: Imperial American

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@		
_____	@		
_____	@		
_____	@		
_____	@		

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL _____

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Bill Wynn

Thanks

Bill Wynn
PRINTED NAME

15-051-25147-00-00

ALLIED CEMENTING CO., INC. 11783

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

R

DATE <u>9-19-02</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>11:45 am</u>	JOB START <u>12:00 AM</u>	JOB FINISH <u>3:30 PM</u>
LEASE <u>IRMA</u>	WELL # <u>8-1</u>		LOCATION <u>BLUE HILL SCHOOL 1 1/2 W</u>	COUNTY <u>ELLIS</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR <u>MURFIN 16</u>
TYPE OF JOB <u>PTM</u>
HOLE SIZE <u>7 7/8</u> T.D. <u>3512</u>
CASING SIZE DEPTH
TUBING SIZE DEPTH
DRILL PIPE <u>4 1/2</u> DEPTH
TOOL DEPTH
PRES. MAX MINIMUM
MEAS. LINE SHOE JOINT
CEMENT LEFT IN CSG.
PERFS.
DISPLACEMENT

OWNER
CEMENT
AMOUNT ORDERED <u>225 60/40 6% GEL</u>
<u>1/4 1B FLO SEAL/SK</u>

EQUIPMENT

PUMP TRUCK CEMENTER <u>MARK</u>
<u>346</u> HELPER <u>DAVE</u>
BULK TRUCK
<u>213</u> DRIVER <u>SHANE</u>
BULK TRUCK
DRIVER

COMMON <u>135</u> @ <u>665</u> <u>89775</u>
POZMIX <u>90</u> @ <u>355</u> <u>31950</u>
GEL <u>11</u> @ <u>1000</u> <u>11000</u>
CHLORIDE @
<u>FLO SEAL</u> <u>56</u> @ <u>140</u> <u>7840</u>
@
@
@
HANDLING <u>225</u> @ <u>140</u> <u>24750</u>
MILEAGE <u>44/SK</u> Mile <u>19800</u>

RECEIVED
1-21-2003
JAN 21 2003

TOTAL 1851.15

REMARKS:

KCC WICHITA

SERVICE

<u>25 SKS @ 3500</u>
<u>25 SKS @ 1055</u>
<u>100 SKS @ 559</u>
<u>40 SKS @ 260</u>
<u>10 SKS @ 40</u>
<u>15 SKS @ R.H.</u>
<u>10 SKS @ M.H.</u>

DEPTH OF JOB
PUMP TRUCK CHARGE <u>63000</u>
EXTRA FOOTAGE @
MILEAGE <u>22</u> @ <u>300</u> <u>6600</u>
PLUG <u>8 5/8 DRYHOLE</u> @ <u>2300</u>
@
@

TOTAL 71900

CHARGE TO: IMPERIAL AMERICAN
STREET _____
CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

@
@
@
@
@

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
TOTAL CHARGE _____
DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Bill W...

PRINTED NAME Bill W...

thanks