

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

10/26/09

Form ACO-1
September 1999
Form Must Be Typed

Operator: License # 33344
 Name: Quest Cherokee, LLC
 Address: 211 W. 14th Street
 City/State/Zip: Chanute, KS 66720
 Purchaser: Bluestem Pipeline, LLC
 Operator Contact Person: Jennifer R. Ammann
 Phone: (620) 431-9500
 Contractor: Name: TXD
 License: 33837
 Wellsite Geologist: Ken Recoy
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>7/5/07</u>	<u>7/6/07</u>	<u>7/7/07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

CONFIDENTIAL
OCT 26 2007

KCC

API No. 15 - 133-26974-0000
 County: Neosho
 _____ SW _____ NW Sec. 24 Twp. 30 S. R. 18 East West
1980 feet from S (N) (circle one) Line of Section
660 feet from E (W) (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE (NW) SW
 Lease Name: McDermeit, Neal G. Well #: 24-3
 Field Name: Cherokee Basin CBM
 Producing Formation: multiple
 Elevation: Ground: 970 Kelly Bushing: n/a
 Total Depth: 1118 Plug Back Total Depth: 1108.75
 Amount of Surface Pipe Set and Cemented at 22 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from 1108.75
 feet depth to surface w/ 150 sx cmt.

Drilling Fluid Management Plan AKIUS 3-12-09
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennifer R. Ammann
 Title: New Well Development Coordinator Date: 10/26/07
 Subscribed and sworn to before me this 26th day of October,
 2009.
 Notary Public: Terria Klauaman
 Date Commission Expires: 8-4-2010

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received **RECEIVED**
 Geologist Report Received **KANSAS CORPORATION COMMISSION**
 UIC Distribution **OCT 29 2007**

TERRA KLAUMAN
 Notary Public - State of Kansas
 My Appt. Expires 8-4-2010

CONSERVATION DIVISION
 WICHITA, KS

JANIGIRO
Quest Cherokee, LLC

Operator Name: Quest Cherokee, LLC Lease Name: McDermeit, Neal G. Well #: 24-3
 Sec. 24 Twp. 30 S. R. 18 East West County: Neosho

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Log Dual Induction Log Gamma Ray Neutron Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name <u>See attached</u> Top Datum
---	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	22	22	"A"	5	
Production	6-3/4	4-1/2	10.5	1108.75	"A"	150	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	976-979/922-924/915-917	300gal 15%HCLw/ 22 bbls 2%kcl water, 659bbls water w/ 2% KCL, Biocide, 6300# 20/40 sand	976-979/922-924
			915-917
4	691-693/655-658/632-634	300gal 15%HCLw/ 28 bbls 2%kcl water, 628bbls water w/ 2% KCL, Biocide, 6100# 20/40 sand	691-693/655-658
			632-634
4	544-548/531-535	300gal 15%HCLw/ 42 bbls 2%kcl water, 731bbls water w/ 2% KCL, Biocide, 6300# 20/40 sand	544-548/531-535

TUBING RECORD		Size <u>2-3/8"</u>	Set At <u>1026</u>	Packer At <u>n/a</u>	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>7/30/07</u>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>n/a</u>	Gas Mcf <u>2mcf</u>	Water Bbls. <u>170.4bbls</u>	Gas-Oil Ratio	Gravity


Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

QUEST

Resource Corporation



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

SOI 621410

CONFIDENTIAL

OCT 26 2007

KCC

TICKET NUMBER 2166

FIELD TICKET REF # _____

FOREMAN Dwayne

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7-7-07	McDermitt 24-3	24	30	18	10

FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Dwayne	10:00	2:30				4.5	<i>[Signature]</i>
Maverick Drake	10:00	12:45		903197		2.75	<i>[Signature]</i>
Taylor	10:00	1:00				3	<i>[Signature]</i>
PAUL HALE	10:00	1:30		903142	932452	3.5	<i>Paul Hale</i>
Garrett Cochran	10:00	1:00				3	<i>[Signature]</i>

JOB TYPE Long string HOLE SIZE 6 3/4 HOLE DEPTH 1116.20 CASING SIZE & WEIGHT 4 1/2 10.5 #
 CASING DEPTH 1108.75 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT IN CASING .0
 DISPLACEMENT 17.67 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS:

Break circulation Pump 100# Premium gel Followed by
 5 BBL Rod and start Dye marker Pump 12 BBL Dye marker and
 Start cement Pump 150 SK Cement to get Dye marker back
 Stop and wash out Pump then Pump wiper Plug to Bottom and Set
 Flood shoe

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
	1108.75		
	5	4 1/2 Centralizers	
	1	4 1/2 Flood shoe	
901640	4.5 hr	Foreman Pickup	
903197	2.75 hr	Cement Pump Truck	
903103	3 hr	Bulk Truck	
1104	140 SK	Portland Cement	
1124	2	50/50 Blend Cement Frac Baffles	
1126	1	OWC Blend Cement 4 1/2 Flood shoe	
1110	15	Gilsonite	
1107	1 SK	Flo-Seal	
1118	1 SK	Premium Gel	
1215A	1 Gal	KCL	
1111B	3 3 SK	Sodium Silicate Cal chloride	
1123	5000 Gal	City Water	
903142	3.5 hr	Transport Truck	
902452	3.5 hr	Transport Trailer	
931500	3 hr	80 Vac	

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 29 2007

CONSERVATION DIVISION
WICHITA, KS