

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

10/17/09

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

W
M
10/21/08

Operator: License # 33856
Name: WHITE EXPLORATION, INC.
Address: 2400 N. Woodlawn, Suite 115
City/State/Zip: Wichita KS 67220
Purchaser: _____
Operator Contact Person: Kenneth S. White
Phone: (316) 682-6300
Contractor: Name: Murfin Drilling Co., Inc.
License: 30606
Wellsite Geologist: Steve Miller

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Exp., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows: OCT 17 2008
Operator: _____
Well Name: KCC
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. Plugged 7/9/08
7/9/08 7/17/08 7/9/08
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 187-21131-0000
County: Stanton
NE SE NE Sec. 23 Twp. 30 S. R. 41 East West
1720 feet from S / (N) (circle one) Line of Section
330 feet from (E) / W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: Love "A" Well #: 1
Field Name: Beauchamp North
Producing Formation: _____
Elevation: Ground: 3348 Kelly Bushing: 3359
Total Depth: 5560 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at 1670 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DA NH 12-10-08
(Data must be collected from the Reserve Pit)
Chloride content 900 ppm Fluid volume 1800 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kenneth S. White
Title: President Date: 10/17/08
Subscribed and sworn to before me this 17th day of October
2008.
Notary Public: Susan M. Way
Date Commission Expires: _____

SUSAN M. WAY
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 12-1-12

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
OCT 20 2008

CONSERVATION DIVISION
WICHITA, KS

Operator Name: WHITE EXPLORATION, INC. Lease Name: Love "A" Well #: 1
 Sec. 23 Twp. 30 S. R. 41 East West County: Stanton

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Density/Neutron Dual Induction Microlog and Sonic Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Atoka Shale</td> <td>4798</td> <td>-1439</td> </tr> <tr> <td>Morrow Shale</td> <td>4888</td> <td>-1529</td> </tr> <tr> <td>Lower Morrow Marker</td> <td>5208</td> <td>-1849</td> </tr> <tr> <td>Mississippi</td> <td>5323</td> <td>-1964</td> </tr> </table>	Name	Top	Datum	Atoka Shale	4798	-1439	Morrow Shale	4888	-1529	Lower Morrow Marker	5208	-1849	Mississippi	5323	-1964
Name	Top	Datum														
Atoka Shale	4798	-1439														
Morrow Shale	4888	-1529														
Lower Morrow Marker	5208	-1849														
Mississippi	5323	-1964														

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	1670			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

Disposition of Gas <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Sumit ACO-18.)</i>	METHOD OF COMPLETION <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____
Production Interval _____	

Attachment to ACO-1 Form for
WHITE EXPLORATION, INC.
#1 Love "A"
1720' FNL and 330' FEL
Section 23-30S-41W
Stanton County, Kansas
API# 15-187-21131-0000

Drill Stem Tests Taken

DST #2 5484' – 5502' (St. Louis)
30" – 60" – 60" – 120"

1st Open: Strong Blow off bottom of bucket in 7".
2nd Open: Strong blow off bottom of bucket immediately

Rec: 682' Gas in Pipe
60' Total Fluid (20% oil, 20% gas, 58% mud, 2% water)

IFP: 15# - 33#	ISIP: 1147#	IHP: 2635#
FFP: 25# - 44#	FSIP: 1223#	FHP: 2643#

KCC
OCT 17 2008
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 20 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

26918

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Liberal, KS

DATE <u>7-11-08</u>	SEC. <u>23</u>	TWP. <u>30</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>7:00 AM</u>	JOB FINISH <u>8:00 AM</u>
LEASE <u>Love A</u>	WELL# <u>1</u>	LOCATION <u>Johnson - 25 S, 5 W, Nitz</u>			COUNTY <u>Stanton</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Martin # 22

TYPE OF JOB 8 5/8 Surface

HOLE SIZE 12 1/4 T.D. 1673 ft

CASING SIZE 8 5/8" DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER

CEMENT

AMOUNT ORDERED 550sk Lite - 39% CC, 44%
150sk A - 39% CC

EQUIPMENT

PUMP TRUCK CEMENTER Kirby - Angel

472 HELPER Henny

BULK TRUCK

471 DRIVER Kirby

BULK TRUCK

457 DRIVER

COMMON	<u>\$50 sk</u>	@	<u>15.45</u>	<u>2317.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>23 sk</u>	@	<u>58.20</u>	<u>1338.60</u>
ASC		@		
<u>Lite</u>	<u>550sk</u>	@	<u>14.80</u>	<u>8140.00</u>
<u>Elseal</u>	<u>13816</u>	@	<u>2.50</u>	<u>345.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>728 sk</u>	@	<u>2.40</u>	<u>1747.20</u>
MILEAGE	<u>54 MI</u>		<u>.10</u>	<u>652.00</u>
TOTAL				<u>20,440.30</u>

REMARKS:

Casing on Bottom - Break Circ.

Mix 550 sk Lite @ 12.2 PPG

Mix 150 sk Common @ 14.8 PPG

Shut down - drop plug

Displace

Bump Plug - Release Pressure

Float Held

SERVICE

DEPTH OF JOB	<u>1673 ft</u>			
PUMP TRUCK CHARGE			<u>2011.00</u>	
EXTRA FOOTAGE		@		
MILEAGE	<u>90 MI</u>	@	<u>7.00</u>	
MANIFOLD	<u>+Head</u>	@	<u>113.00</u>	
		@		
TOTAL				<u>2754.00</u>

CHARGE TO: White Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

<u>8 5/8"</u>			
<u>Shoe</u>	@		<u>282.00</u>
<u>Insert Float</u>	@		<u>377.00</u>
<u>Centralizers x 3</u>	@	<u>62.00</u>	<u>186.00</u>
<u>Basket</u>	@		<u>248.00</u>
<u>Top Rubber Plug</u>	@		<u>113.00</u>

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED TOTAL 1206.00
KANSAS CORPORATION COMMISSION

TAX _____

TOTAL CHARGE OCT 20 2008

DISCOUNT _____ CONSERVATION DIVISION PAID IN 30 DAYS
WICHITA, KS

SIGNATURE Kelly Wilson

PRINTED NAME

KCC
OCT 17 2008
CONFIDENTIAL

ALLIED CEMENTING CO., LLC. 30461

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: LIBERAL KS

DATE <u>7-18-08</u>	SEC. <u>23</u>	TWP. <u>30</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>7:30 PM</u>	JOB FINISH <u>8:30 PM</u>
LEASE <u>LOVE</u>	WELL# <u>A-1</u>	LOCATION <u>Johnson Ks S-27</u>		COUNTY <u>STANLEY</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>NEW</u>				<u>1/4 white</u>			

CONTRACTOR <u>MURFIN #22</u>	OWNER <u>SAMIE</u>
TYPE OF JOB <u>PTA</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>1560'</u>
CASING SIZE <u>8 7/8 x 24</u>	DEPTH <u>1670'</u>
TUBING SIZE	DEPTH
DRILL PIPE <u>1 7/8 x 680/60'</u>	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT <u>21.0 BBL</u>	
EQUIPMENT	

CEMENT AMOUNT ORDERED <u>145 60/40 4% GEL</u>		
COMMON <u>87</u>	@ <u>15.45</u>	<u>1344.15</u>
POZMIX <u>58</u>	@ <u>8.00</u>	<u>464.00</u>
GEL <u>45K</u>	@ <u>20.00</u>	<u>900.00</u>
CHLORIDE	@	
ASC	@	
HANDLING <u>149</u>	@ <u>2.40</u>	<u>357.60</u>
MILEAGE <u>110 SKMI</u>		<u>968.50</u>
	TOTAL	<u>3217.45</u>

PUMP TRUCK CEMENTER <u>BOB</u>
<u>417</u> HELPER <u>KENNY</u>
BULK TRUCK
<u>458</u> DRIVER <u>MANNY</u>
BULK TRUCK
DRIVER

REMARKS:
Mix 50 SIL Plug @ 1700'
Mix 50 SIL Plug @ 680'
Mix 20 SK Plug @ 160'
Mix 15 SIL Plug Hat Hole
Mix 10 SIL Plug mouse Hole
Thank you

SERVICE		
DEPTH OF JOB <u>1700'</u>		
PUMP TRUCK CHARGE		<u>1017.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>65</u>	@ <u>7.00</u>	<u>455.00</u>
MANIFOLD	@	
	@	
	@	
	TOTAL	<u>1472.00</u>

CHARGE TO: Kew White Exp

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

@ RECEIVED
 KANSAS CORPORATION COMMISSION
 @
OCT 20 2008
 @

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE Kelly Wilson

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

KCC
OCT 17 2008
CONFIDENTIAL

CONSERVATION DIVISION
 WICHITA, KS

ALLIED CEMENTING CO., INC.

26918

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Liberal, KS

DATE <u>7-11-08</u>	SEC. <u>23</u>	TWP. <u>30</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>7:00 AM</u>	JOB FINISH <u>8:00 AM</u>
LEASE <u>Love A</u>	WELL # <u>1</u>	LOCATION <u>Johnson - 25 S. 5 W. Nite</u>	COUNTY <u>Stanton</u>	STATE <u>KS</u>			
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR <u>Murfin # 22</u>	OWNER
TYPE OF JOB <u>8 5/8 Surface</u>	CEMENT
HOLE SIZE <u>12 1/4</u>	T.D. <u>1673 ft</u>
CASING SIZE <u>8 5/8"</u>	DEPTH
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS.	
DISPLACEMENT	

AMOUNT ORDERED <u>550sk Lite - 39.00, 44%</u>	
<u>150sk A - 39.00</u>	
COMMON <u>\$50 sk @ 15.45</u>	<u>2317.50</u>
POZMIX @	
GEL @	
CHLORIDE <u>23 sk @ 58.20</u>	<u>1338.60</u>
ASC @	
<u>Lite 550sk @ 14.80</u>	<u>8140.00</u>
<u>Flowal 138 lb @ 2.50</u>	<u>345.00</u>
HANDLING <u>728 sk @ 2.40</u>	<u>1747.20</u>
MILEAGE <u>56 MI @ .10</u>	<u>552.00</u>
TOTAL	<u>20,440.30</u>

KCC
OCT 17 2008
CONFIDENTIAL

EQUIPMENT	
PUMP TRUCK # <u>472</u>	CEMENTER <u>Kirby - Angel</u>
BULK TRUCK # <u>471</u>	HELPER <u>Benny</u>
BULK TRUCK # <u>457</u>	DRIVER <u>Kirby</u>

REMARKS:
Casing on Bottom - Break Circ.
Mix 550 sk Lite @ 12.2 PPG
Mix 150 sk Common @ 14.8 PPG
Shut down - drop plug
Displace
Bump Plug - Release Pressure
Float Held

CHARGE TO: White Exploration
STREET _____
CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Kelly Wilson

SERVICE	
DEPTH OF JOB <u>1673 ft</u>	
PUMP TRUCK CHARGE	<u>2011.00</u>
EXTRA FOOTAGE @	
MILEAGE <u>90 MI @ 7.00</u>	<u>630.00</u>
MANIFOLD <u>Head @</u>	<u>113.00</u>
TOTAL	<u>2754.00</u>

PLUG & FLOAT EQUIPMENT	
<u>8 5/8" Shoe @</u>	<u>282.00</u>
<u>Insert Float @</u>	<u>377.00</u>
<u>Centralizers x 3 @ 62.00</u>	<u>186.00</u>
<u>Basket @</u>	<u>248.00</u>
<u>Top Rubber Plug @</u>	<u>113.00</u>

RECEIVED
KANSAS CORPORATION COMMISSION
TOTAL 1206.00
TAX _____
OCT 20 2008
TOTAL CHARGE _____
DISCOUNT _____
CONSERVATION DIVISION
WICHITA, KS
IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., LLC. 30461

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: LIBERAL KS

DATE <u>7-18-08</u>	SEC. <u>23</u>	TWP. <u>30</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>7:30 PM</u>	JOB FINISH <u>8:30 PM</u>
LEASE <u>LOVE</u>	WELL# <u>A-1</u>	LOCATION <u>Johnson Ks S-27</u>		COUNTY <u>STANBORN</u>	STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>NEW</u>		1/4 winter					

CONTRACTOR MURFIN #22 OWNER SAMIE

TYPE OF JOB PTA

HOLE SIZE 7 1/8 T.D. 1560'

CASING SIZE 8 1/2 x 24 DEPTH 1670'

TUBING SIZE DEPTH

DRILL PIPE 1 7/8 x 680/60' DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 21.0 BBL

EQUIPMENT

CEMENT AMOUNT ORDERED	<u>145</u>	<u>60/40</u>	<u>4% GEL</u>
COMMON	<u>87</u>	@ <u>15.45</u>	<u>1344.15</u>
POZMIX	<u>58</u>	@ <u>8.00</u>	<u>464.00</u>
GEL	<u>45K</u>	@ <u>20.50</u>	<u>922.50</u>
CHLORIDE		@	
ASC		@	
HANDLING	<u>149</u>	@ <u>2.40</u>	<u>357.60</u>
MILEAGE	<u>110 SK mi</u>		<u>968.50</u>
TOTAL			<u>3217.45</u>

PUMP TRUCK CEMENTER BOB

417 HELPER KENNY

BULK TRUCK

458 DRIVER MANNY

BULK TRUCK

DRIVER

REMARKS:

Mix 50 SK Plug @ 1700'
Mix 50 SK Plug @ 680'
Mix 20 SK Plug @ 160'
Mix 15 SK Plug Hat Hole
Mix 10 SK Plug mouse hole
Thank you

CHARGE TO: Kew White Exp

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	<u>1700'</u>	
PUMP TRUCK CHARGE		<u>1017.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>65</u>	@ <u>7.00</u> <u>455.00</u>
MANIFOLD	@	
TOTAL		<u>1472.00</u>

PLUG & FLOAT EQUIPMENT

@RECEIVED
 KANSAS CORPORATION COMMISSION
 @
OCT 20 2008
 @
 CONSERVATION DIVISION
 WICHITA KS

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE Kelly Wilson

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

KCC
OCT 17 2008
CONFIDENTIAL

ALLIED CEMENTING CO., INC.

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

26918
SERVICE POINT:
Liberal, KS

DATE <u>7-11-08</u>	SEC. <u>23</u>	TWP. <u>30</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>7:00 AM</u>	JOB FINISH <u>8:00 AM</u>
LEASE <u>Love A</u>		WELL # <u>1</u>	LOCATION <u>Johnson - 25 S., 5 W., N. 1/2</u>		COUNTY <u>Stanton</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Murfin # 22

TYPE OF JOB 8 5/8 Surface

HOLE SIZE 12 1/4 T.D. 1673 ft

CASING SIZE 8 5/8" DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER

CEMENT

AMOUNT ORDERED 550sk Lite - 39.00, 14.45
150sk A - 39.00

COMMON	<u>\$50 sk</u>	@	<u>15.45</u>	<u>2317.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>23 sk</u>	@	<u>58.20</u>	<u>1338.60</u>
ASC		@		
Lite	<u>550sk</u>	@	<u>14.80</u>	<u>8140.00</u>
Elo Seal	<u>13816</u>	@	<u>2.50</u>	<u>345.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>728 sk</u>	@	<u>2.40</u>	<u>1747.20</u>
MILEAGE	<u>54 MI</u>	@	<u>10</u>	<u>655.20</u>
				<u>TOTAL 20,440.30</u>

EQUIPMENT

PUMP TRUCK CEMENTER Kirby - Angel

472 HELPER Kenny

BULK TRUCK

471 DRIVER Kirby

BULK TRUCK

457 DRIVER

REMARKS:

Casing on Bottom - Break Circ.

Mix 550 sk Lite @ 12.2 PPG

Mix 150 sk Common @ 14.8 PPG

Shut down - drop plug

Displace

Bump Plug - Release Pressure

Float Held

CHARGE TO: White Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Kelly Wilson

SERVICE

DEPTH OF JOB	<u>1673 ft</u>		
PUMP TRUCK CHARGE			<u>2011.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>90 MI</u>	@	<u>7.00</u>
MANIFOLD	<u>4 Head</u>	@	<u>113.00</u>
		@	
		@	
		@	
			<u>TOTAL 2754.00</u>

PLUG & FLOAT EQUIPMENT

<u>8 5/8"</u>			
Shore		@	<u>282.00</u>
Insert Float		@	<u>377.00</u>
Centralizers x 3		@	<u>62.00</u>
Basket		@	<u>248.00</u>
Top Rubber Plug		@	<u>113.00</u>

RECEIVED TOTAL 1206.00
KANSAS CORPORATION COMMISSION

TAX _____

TOTAL CHARGE OCT 20 2008

DISCOUNT _____ CONSERVATION DIVISION ID IN 30 DAYS
WICHITA, KS

PRINTED NAME

KCC
OCT 17 2008
CONFIDENTIAL

ALLIED CEMENTING CO., LLC. 30461

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: LIBERAL Ks

DATE <u>7-18-08</u>	SEC. <u>23</u>	TWP. <u>30</u>	RANGE <u>41W</u>	CALLED OUT	ON LOCATION	JOB START <u>7:30pm</u>	JOB FINISH <u>8:30pm</u>
LEASE <u>LOVE</u>	WELL # <u>A-1</u>	LOCATION <u>Johnson Ks S-27</u>		COUNTY <u>Stanton</u>	STATE <u>Ks</u>		
OLD OR NEW (Circle one) <u>NEW</u>		<u>1/4 winter</u>					

CONTRACTOR MURFIN #22 OWNER SAMIE

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 5560' CEMENT AMOUNT ORDERED 145 60/40 4% GEL

CASING SIZE 8 7/8 24" DEPTH 1670'

TUBING SIZE DEPTH

DRILL PIPE 1700' 680' 60' DEPTH

TOOL DEPTH

PRES. MAX MINIMUM COMMON 87 @ 1545 1344'

MEAS. LINE SHOE JOINT POZMIX 58 @ 800 464'

CEMENT LEFT IN CSG. GEL 45K @ 2050 83'

PERFS. CHLORIDE @

DISPLACEMENT 21.0 BBL ASC @

EQUIPMENT

PUMP TRUCK CEMENTER BOB

417 HELPER KENNY

BULK TRUCK

458 DRIVER MANNY

BULK TRUCK

DRIVER

HANDLING 149 @ 2.40 357.80
MILEAGE 110 SKmi 968.50

TOTAL 3217.45

SERVICE

DEPTH OF JOB 1700'

PUMP TRUCK CHARGE 1017.00

EXTRA FOOTAGE @

MILEAGE 45 @ 700 455.00

MANIFOLD @

TOTAL 1472.00

PLUG & FLOAT EQUIPMENT

@
@
@
@
@

RECEIVED

KANSAS CORPORATION COMMISSION

SALES TAX (If Any)

TOTAL CHARGES OCT 20 2008

DISCOUNT CONSERVATION DIVISION 60 DAYS

WICHITA, KS

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE Kelly Wilson

KCC
OCT 17 2008
CONFIDENTIAL

REMARKS:
Mix 50 SK Plug @ 1700'
Mix 50 SK Plug @ 680'
Mix 20 SK Plug @ 60'
Mix 15 SK Plug @ 140'
Mix 10 SK Plug mouse hole
Thank you

CHARGE TO: Kew White Exp
STREET _____
CITY _____ STATE _____ ZIP _____