

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

AMENDED

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33365  
Name: Layne Energy Operating, LLC  
Address: 1900 Shawnee Mission Parkway  
City/State/Zip: Mission Woods, KS 66205  
Purchaser: \_\_\_\_\_  
Operator Contact Person: Timothy H. Wright  
Phone: (913) 748-3960  
Contractor: Name: Thornton Air Rotary  
License: 33606  
Wellsite Geologist: \_\_\_\_\_

Designate Type of Completion:  
\_\_\_\_ New Well \_\_\_\_ Re-Entry \_\_\_\_ Workover  
\_\_\_\_ Oil \_\_\_\_ SWD \_\_\_\_ SIOW \_\_\_\_ Temp. Abd.  
 Gas \_\_\_\_ ENHR  SIGW  
\_\_\_\_ Dry \_\_\_\_ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_ Deepening \_\_\_\_ Re-perf. \_\_\_\_ Conv. to Enhr./SWD  
\_\_\_\_ Plug Back \_\_\_\_ Plug Back Total Depth  
\_\_\_\_ Commingled Docket No. \_\_\_\_\_  
\_\_\_\_ Dual Completion Docket No. \_\_\_\_\_  
\_\_\_\_ Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

6/8/2007      6/12/2007      7/27/2007  
Spud Date or      Date Reached TD      Completion Date or  
Recompletion Date                Recompletion Date

API No. 15 - 049-22458-00-00  
County: Elk  
\_\_\_\_ - \_\_\_\_ - SE - NE Sec. 33 Twp. 29 S. R. 12  East  West  
1980 feet from S /  (circle one) Line of Section  
660 feet from  (circle one) E /  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
\_\_\_\_ (circle one)  NE  SE  NW  SW  
Lease Name: Unruh Well #: 8-33  
Field Name: Cherokee Basin Coal Area

Producing Formation: Cherokee Coals  
Elevation: Ground: 1089' Kelly Bushing: \_\_\_\_\_  
Total Depth: 1790' Plug Back Total Depth: 1744'  
Amount of Surface Pipe Set and Cemented at 42 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from 1744  
feet depth to Surface w/ 180 sx cmt.

Drilling Fluid Management Plan AK 4 N 3-2809  
(Data must be collected from the Reserve Pit)  
Chloride content N/A ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used: N/A - Air Drilled  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Agent Date: 10-30-07  
Subscribed and sworn to before me this 30 day of October  
20 07.

Notary Public: MacLaughlin Darling  
Date Commission Expires: 1-4-2009

**MacLAUGHLIN DARLING**  
Notary Public - State of Kansas  
My Appt. Expires 1-4-2009

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
WIC Distribution  
**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**OCT 31 2007**  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Layne Energy Operating, LLC Lease Name: Unruh Well #: 8-33  
 Sec. 33 Twp. 29 S. R. 12  East  West County: Elk

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  Compensated Density Neutron Dual Induction	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Pawnee Lime</td> <td>1366 GL</td> <td>-277</td> </tr> <tr> <td>Excello Shale</td> <td>1451 GL</td> <td>-362</td> </tr> <tr> <td>V Shale</td> <td>1525 GL</td> <td>-436</td> </tr> <tr> <td>Mississippian</td> <td>1751 GL</td> <td>-662</td> </tr> </table>	Name	Top	Datum	Pawnee Lime	1366 GL	-277	Excello Shale	1451 GL	-362	V Shale	1525 GL	-436	Mississippian	1751 GL	-662
Name	Top	Datum														
Pawnee Lime	1366 GL	-277														
Excello Shale	1451 GL	-362														
V Shale	1525 GL	-436														
Mississippian	1751 GL	-662														

CONFIDENTIAL  
OCT 30 2007  
KCC

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	11"	8.625"	24	42'	Class A	10	Type 1 cement
Casing	6.75"	4.5"	10.5	1744'	Thick Set	180	#10 KOL seal @ sx

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	See Attached Page		

TUBING RECORD	Size <u>2-3/8"</u>	Set At <u>1616'</u>	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <b>SI - waiting on pipeline</b>		Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 OCT 31 2007  
 CONSERVATION DIVISION  
 WICHITA, KS

<b>Operator Name:</b>	Layne Energy Operating, LLC.		
<b>Lease Name:</b>	Unruh 8-33		
	Sec. 33 Twp. 29S Rng. 12E, Elk County		
<b>API:</b>	15-049-22458-00-00		
<b>Shots per Foot</b>	<b>Perforation Record</b>	<b>Acid, Fracture, Shot, Cement Squeeze Record</b>	<b>Depth</b>
<b>Initial Perforations</b>			
4	V-Shale/Croweburg 1526' - 1530'	6064 lbs 20/40 sand 560 bbls water 150 gals 15% HCl acid	1526' - 1530'
4	Excello/Mulky 1451' - 1455'	5702 lbs 20/40 sand 560 bbls water 350 gals 15% HCl acid	1451' - 1455'

CONFIDENTIAL

OCT 30 2007

KCC

RECEIVED  
KANSAS CORPORATION COMMISSION  
OCT 31 2007  
CONSERVATION DIVISION  
TOPEKA, KS