

ORIGINAL
KCC
Murphy
9/17/08

Form ACO-1
September 1999
Form Must Be Typed

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 31790
Name: FREMONT EXPLORATION, INC.
Address: 12412 St. Andrews Drive
City/State/Zip: Oklahoma City, OK 73120
Purchaser: NCRA
Operator Contact Person: Tom Conroy
Phone: (405) 936-0012
Contractor: Name: WW Drilling, LLC
License: 33575
Wellsite Geologist: Tony Vail

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
6-09-08 6-18-08 7-07-08
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 179-21190-0000
County: SHERIDAN
SE SE SW NE Sec. 23 Twp. 6 S. R. 26 East West
2475 feet from S (N) (circle one) Line of Section
1485/1600 feet from (E) W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: TEEL Well #: 1-23
Field Name: Vahling
Producing Formation: LKC
Elevation: Ground: 2590 Kelly Bushing: 2595
Total Depth: 3920 Plug Back Total Depth: 3835
Amount of Surface Pipe Set and Cemented at 347 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2188 Feet
If Alternate II completion, cement circulated from 2188
feet depth to 800 w/ 480 sx cmt.

for con'td.
1

Drilling Fluid Management Plan AH. II NCR 11-6-08
(Data must be collected from the Reserve Pit) SB
Chloride content 1400 ppm Fluid volume 2000 bbls
Dewatering method used Evaporation
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Tom Conroy
Title: Agent Date: 9-17-08
Subscribed and sworn to before me this 17th day of September,
2008
Notary Public: Sandy Tarrant
Date Commission Expires: 7-27-12

SANDY TARRANT
Notary Public
State of Oklahoma
Commission # 00012405 Expires 07/27/12

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED

SEP 22 2008

KCC WICHITA

RECEIVED

SEP 22 2008

Operator Name: FREMONT EXPLORATION, INC. Lease Name: TEEL Well #: 1-23
 Sec. 23 Twp. 6 S. R. 26 East West County: SHERIDAN

KCC WICHITA

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
 (Submit Copy)

List All E. Logs Run:

Dual Induction - Laterolog
 Comp. Neutron Density
 Micro Log

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Anhydrite	2175	+420
Topeka	3430	-835
Heebner	3634	-1039
Toronto	3655	-1060
Lansing	3670	-1075

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	24	347	Common	225	3% CaCl 2% Gel
Production	7 7/8"	4 1/2"	10.5	3913	ASC	150	10% Salt

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate	3840 - 3844	Common	120	2% Salt
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	3840 - 3844	Squeeze w/120 sx	3844
2	3820 - 3833	250 Gal MCA	3833
	RBP @ 3835'		

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8"	3820'		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr. 8/13/08 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	20	None	Trace		

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled

Production Interval Other (Specify)

REMIT TO
RR 1 BOX 90 D
HOXIE KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

211

DATE <i>6/7</i>	SEC. <i>23</i>	RANGE/TWP. <i>6-26</i>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
					COUNTY <i>50</i>	STATE <i>KS</i>
LEASE <i>Teel</i>			WELL # <i>1-23</i>			

CONTRACTOR <i>W/W 4</i>	OWNER <i>Fremont</i>			
TYPE OF JOB <i>Surface</i>				
HOLE SIZE <i>12 1/4</i>	T.D. <i>348</i>	CEMENT		
CASING SIZE <i>8 5/8</i>	DEPTH	AMOUNT ORDERED		
TUBING SIZE	DEPTH			
DRILL PIPE <i>7/8</i>	DEPTH			
TOOL	DEPTH			
PRES. MAX	MINIMUM	COMMON <i>265</i>	@ <i>12.5</i>	<i>2981.25</i>
DISPLACEMENT <i>2.0 1/16</i>	SHOE JOINT	POZMIX	@	
CEMENT LEFT IN CSG.		GEL <i>5</i>	@ <i>17.5</i>	<i>87.5</i>
PERFS		CHLORIDE <i>8</i>	@ <i>52</i>	<i>416</i>
		ASC	@	
EQUIPMENT			@	
			@	
PUMP TRUCK			@	
# <i>None</i>			@	
BULK TRUCK			@	
# <i>None</i>			@	
BULK TRUCK			@	
#			@	
		HANDLING <i>2.5</i>	@ <i>1.5</i>	<i>45.0</i>
		MILEAGE <i>30</i>	@ <i>21.0</i>	<i>630.0</i>
			TOTAL	

REMARKS	SERVICE <i>Surface</i>		
	DEPT OF JOB	@	
	PUMP TRUCK CHARGE	@ <i>95.0</i>	<i>95.0</i>
	EXTRA FOOTAGE	@	
<i>Core Cement to P1</i>	MILEAGE	@ <i>6.0</i>	<i>126.0</i>
<i>Plus Down at</i>	MANIFOLD <i>Head Rental</i>	@	<i>100.0</i>
		@	
		TOTAL	

CHARGE TO: <i>Fremont</i>	
STREET	STATE
CITY	ZIP

RECEIVED
SEP 22 2008

KCC WICHITA

To: Schippers Oil Field Service LLC
You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<i>P1</i>	@ <i>67.0</i>
	@
	@
	@
	@
	TOTAL
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE

Randy Blankenship

PRINTED NAME

REMIT TO
RR 1 BOX 90 D
HOXIE KS 67740

SCHIPPERS OIL FIELD SERVICE L.L.C.

211

DATE <i>6/7</i>	SEC. <i>23</i>	RANGE/TWP. <i>6-26</i>	CALLED OUT	ON LOCATION <i>28M</i>	JOB START	JOB FINISH
					COUNTY <i>20</i>	STATE <i>KS</i>
LEASE <i>Teel</i>			WELL# <i>1-23</i>			

CONTRACTOR <i>W/W 4</i>	OWNER <i>Fremont</i>			
TYPE OF JOB <i>Surface</i>				
HOLE SIZE <i>12 1/4</i>	T.D. <i>348</i>	CEMENT		
CASING SIZE <i>8 5/8</i>	DEPTH	AMOUNT ORDERED		
TUBING SIZE	DEPTH			
DRILL PIPE <i>1 1/2</i>	DEPTH			
TOOL	DEPTH			
PRES. MAX	MINIMUM	COMMON <i>265</i>	@ <i>12.5</i>	<i>2981.25</i>
DISPLACEMENT <i>20 7/16</i>	SHOE JOINT	POZMIX	@	
CEMENT LEFT IN CSG.		GEL <i>5</i>	@ <i>17.5</i>	<i>87.5</i>
PERFS		CHLORIDE <i>8</i>	@ <i>52</i>	<i>416</i>
		ASC	@	
EQUIPMENT			@	
PUMP TRUCK			@	
# <i>Dooral</i>			@	
BULK TRUCK			@	
# <i>Wav</i>			@	
BULK TRUCK			@	
#			@	
<i>J. Hawk</i>	<i>J. Hawk</i>	HANDLING <i>2.9</i>	@ <i>1.5</i>	<i>43.5</i>
		MILEAGE <i>30</i>	@ <i>21.4</i>	<i>642</i>
			TOTAL	

REMARKS	SERVICE <i>Surface</i>		
	DEPT OF JOB	@	
	PUMP TRUCK CHARGE	@ <i>950</i>	<i>950</i>
	EXTRA FOOTAGE	@	
<i>Cement to Pit</i>	MILEAGE	@ <i>6.5</i>	<i>139.5</i>
<i>P/O's Down at</i>	MANIFOLD <i>Head Rental</i>	@	<i>100</i>
		@	
		TOTAL	

CHARGE TO: <i>Fremont</i>	
STREET	STATE
CITY	ZIP

RECEIVED
SEP 22 2008
KCC WICHITA

To: Schippers Oil Field Service LLC
You are hereby requested to rent cementing equipment and furnish staff to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<i>Pl...</i>	@ <i>67</i>
	@
	@
	@
	@
	TOTAL
TAX	
TOTAL CHARGE	
DISCOUNT (IF PAID IN 20 DAYS)	

SIGNATURE

Randy Blankenship

PRINTED NAME

ALLIED CEMENTING CO., LLC. 34753

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>7-21-2008</u>	SEC. <u>23</u>	TWP. <u>6 S</u>	RANGE <u>26W</u>	CALLED OUT	ON LOCATION	JOB START <u>5:30 PM</u>	JOB FINISH <u>6:30 PM</u>
LEASE <u>Teel</u>	WELL # <u>1-23</u>	LOCATION <u>Studley 1w 10N 1E</u>			COUNTY <u>Sheridan</u>	STATE <u>Kansas</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				<u>1/2 N & W INTO</u>			

CONTRACTOR FRITZLER Well Service (Roger) OWNER

TYPE OF JOB Cement Port Collar

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 DEPTH _____

TUBING SIZE 2" DEPTH Tool's

DRILL PIPE _____ DEPTH xPERT (Dirk)

TOOL Port Collar @ DEPTH 2188

PRES. MAX 1,000# MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

CEMENT AMOUNT ORDERED 480 sk 69 1/4 # FLO-Seal Per SK

2 - SK SAND

COMMON	<u>288</u>	@	<u>13.50</u>	<u>3,888.00</u>
POZMIX	<u>192</u>	@	<u>7.55</u>	<u>1,449.60</u>
GEL	<u>25</u>	@	<u>20.25</u>	<u>506.25</u>
CHLORIDE		@		
ASC		@		
<u>Sand</u>	<u>2</u>	@	<u>12.75</u>	<u>25.50</u>
<u>Flo Seal 120#</u>		@	<u>2.45</u>	<u>294.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>505</u>	@	<u>2.25</u>	<u>1,136.25</u>
MILEAGE <u>10/sk/mile</u>				<u>3,282.50</u>
TOTAL				<u>10582.10</u>

EQUIPMENT

PUMP TRUCK CEMENTER Glenn

398 HELPER Gary

BULK TRUCK

423 DRIVER Mike

BULK TRUCK

_____ DRIVER _____

REMARKS:

Bridge Plug @ 3500' TEST CSG + Plug to 1,000# @ 2400', SPOT 25K SAND, pull up to Port Collar @ 2188' & OPENED, mixed all Cement, Disp 1/2 gal, + Closed P. Collar, Ran @ 1/2" & washed Clean. Ran down to Bridge plug & washed OFF SAND,

SERVICE

DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	<u>1,159.00</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>65</u> @ <u>7.50</u>	<u>487.50</u>
MANIFOLD _____ @ _____	
_____ @ _____	
_____ @ _____	

CHARGE TO: Freemont Exploration Inc.

TOTAL 1646.50

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE [Signature]

RECEIVED
SEP 22 2008
KCC WICHITA

ALLIED CEMENTING CO., LLC. 34753

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>7-21-2008</u>	SEC. <u>23</u>	TWP. <u>6 S</u>	RANGE <u>26 W</u>	CALLED OUT	ON LOCATION	JOB START <u>5:30 PM</u>	JOB FINISH <u>6:30 PM</u>
LEASE <u>Teel</u>	WELL# <u>1-23</u>	LOCATION <u>Stadley 1W 10N 1E</u>			COUNTY <u>Sheridan</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)		<u>1/2 N & W INTO</u>					

CONTRACTOR FRITZLER Well Service (Roger) OWNER

TYPE OF JOB Cement Port Collar

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2 DEPTH _____

TUBING SIZE 2" DEPTH Tool's

DRILL PIPE _____ DEPTH XPERT (DIRK)

TOOL Port Collar @ DEPTH 2188

PRES. MAX 1,000# MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

CEMENT AMOUNT ORDERED 480 sk 60 140 6% GEL
1/4 # FLO-Seal Per SK
2 - SK SAND

COMMON	<u>288</u>	@	<u>13.50</u>	<u>3,888.00</u>
POZMIX	<u>192</u>	@	<u>7.55</u>	<u>1,449.60</u>
GEL	<u>25</u>	@	<u>20.25</u>	<u>506.25</u>
CHLORIDE		@		
ASC		@		
<u>Sand</u>	<u>2</u>	@	<u>12.75</u>	<u>25.50</u>
<u>Flo Seal 120#</u>		@	<u>2.45</u>	<u>294.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>505</u>	@	<u>2.25</u>	<u>1,136.25</u>
MILEAGE	<u>10/sk/mile</u>			<u>3,282.50</u>
TOTAL				<u>10582.10</u>

EQUIPMENT

PUMP TRUCK CEMENTER Glenn

398 HELPER Gary

BULK TRUCK

423 DRIVER Mike

BULK TRUCK

_____ DRIVER _____

REMARKS:

Bridge Plug @ 3500' TEST CSG +
plug to 1,000# @ 2400', SPOT 25K
SAND, pull up to Port Collar @ 2188'
& OPENED, mixed all cement, Disp
1 1/2 gal, + Closed P. Collar, Ran @ 100
& WASHED Clean, Ran DOWN TO
Bridge plug & WASHED OFF SAND,

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>1,159.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>65</u>	@	<u>7.50</u>
MANIFOLD		@	
		@	
		@	

CHARGE TO: Freamont EXPLORATION INC.

TOTAL 1646.50

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE [Signature]

RECEIVED
SEP 22 2008

KCC WICHITA

ALLIED CEMENTING CO., LLC. 31670

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

DATE <u>6-16-08</u>	SEC. <u>23</u>	TWP. <u>6s</u>	RANGE <u>26w</u>	CALLED OUT	ON LOCATION <u>6:30 p.m.</u>	JOB START <u>9:00 Am</u>	JOB FINISH <u>9:20 Am</u>
LEASE <u>Teel</u>	WELL # <u>1-23</u>	LOCATION <u>Studley 1 1/2 N 1 W 1/2 N</u>			COUNTY <u>Sheridan</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)		<u>w into</u>					

CONTRACTOR W-W Drilling Rig 4 OWNER Same

TYPE OF JOB Production

HOLE SIZE 7 7/8 T.D. 3921

CASING SIZE 4 1/2 DEPTH 3913.22

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 22.02

CEMENT LEFT IN CSG. 22.02

PERFS.

DISPLACEMENT 61.82 BBL

CEMENT

AMOUNT ORDERED 175 sks ASC 10% salt

2% gel

300 gal WFR-2 2 gal cla-pro

COMMON	@		
POZMIX	@		
GEL <u>3 sks</u>	@	<u>20.80</u>	<u>62.40</u>
CHLORIDE	@		
ASC <u>175 sks</u>	@	<u>18.60</u>	<u>3255.00</u>
	@		
<u>salt 17 sks</u>	@	<u>23.95</u>	<u>407.15</u>
	@		
<u>WFR-2 500 gal</u>	@	<u>11.27</u>	<u>635.00</u>
	@		
<u>cla-pro 2 gal</u>	@	<u>31.25</u>	<u>62.50</u>
	@		
	@		
HANDLING <u>195 sks</u>	@	<u>2.40</u>	<u>468.00</u>
MILEAGE <u>109.5/mile</u>			<u>1345.50</u>
		TOTAL	<u>6235.55</u>

EQUIPMENT

PUMP TRUCK CEMENTER Andrew

423-281 HELPER Alvin

BULK TRUCK

377 DRIVER Darrin

BULK TRUCK

DRIVER

REMARKS:

Pump 500 gal wfr-2 20 BBL
incl water plug Rat hole
with 20 sks mix 155 sks down
center wash pump and line
clean displace plug booth
LIFT 1100# land plug landed
float held
Thank you

SERVICE

DEPTH OF JOB 3913.22

PUMP TRUCK CHARGE 2011.00

EXTRA FOOTAGE @

MILEAGE 69 miles @ 7.00 483.00

MANIFOLD head rental @ 113.00

TOTAL 2607.00

CHARGE TO: Fremont Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

4 1/2

<u>1 Guide shoe</u>	@	<u>169.00</u>
<u>1 AFU Insert</u>	@	<u>254.00</u>
<u>6 Centralizers</u>	@	<u>51.00</u> <u>306.00</u>
<u>2 Baskets</u>	@	<u>169.00</u> <u>338.00</u>
<u>1 Port collar</u>	@	<u>1800.00</u>
<u>1 Rubber plug</u>		<u>62.00</u>
		TOTAL <u>2929.00</u>

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

SIGNATURE Sheldon Bell

RECEIVED
 SEP 22 2008
 KCC WICHITA

ALLIED CEMENTING CO., LLC. 31670

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>6-16-08</u>	SEC. <u>23</u>	TWP. <u>6s</u>	RANGE <u>26w</u>	CALLED OUT	ON LOCATION <u>6:30 p.m.</u>	JOB START <u>9:00 Am</u>	JOB FINISH <u>9:20 Am</u>
LEASE <u>Teel</u>	WELL # <u>1-23</u>	LOCATION <u>Studley 1 1/2 N 1 W 1/2 N</u>			COUNTY <u>Sheridan</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)				<u>W info</u>			

CONTRACTOR <u>W-W Drilling Rig 4</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Production</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>3921</u>
CASING SIZE <u>4 1/2</u>	DEPTH <u>3913.22</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>22.02</u>
CEMENT LEFT IN CSG. <u>22.02</u>	
PERFS.	
DISPLACEMENT <u>61.82 BBL</u>	

EQUIPMENT

PUMP TRUCK # <u>423-281</u>	CEMENTER <u>Andrew</u>
	HELPER <u>Alvin</u>
BULK TRUCK # <u>377</u>	DRIVER <u>Darrin</u>
BULK TRUCK #	DRIVER

CEMENT

AMOUNT ORDERED <u>175 sks ASC 10% salt</u>	
<u>20 gal</u>	
<u>300 gal WFR-2</u>	<u>2 gal cla-pro</u>
COMMON _____	@ _____
POZMIX _____	@ _____
GEL <u>3 sks</u>	@ <u>20.80</u> <u>62.40</u>
CHLORIDE _____	@ _____
ASC <u>175 sks</u>	@ <u>18.60</u> <u>3255.00</u>
<u>salt 17 sks</u>	@ <u>23.95</u> <u>407.15</u>
<u>WFR-2 500 gal</u>	@ <u>1.27</u> <u>635.00</u>
<u>cla-pro 2 gal</u>	@ <u>31.25</u> <u>62.50</u>
HANDLING <u>195 sks</u>	@ <u>2.40</u> <u>468.00</u>
MILEAGE <u>109.55/mile</u>	<u>1345.50</u>
TOTAL <u>6235.55</u>	

REMARKS:

Pump 500 gal WFR-2 20 BBL
rel water plug Rat hole
with 20 sks mix 155 sks down
center wash pump and line
clean displace plug boot
1100# land plug landed
float held
Thank you

SERVICE

DEPTH OF JOB <u>3913.22</u>	
PUMP TRUCK CHARGE	<u>2011.00</u>
EXTRA FOOTAGE _____	@ _____
MILEAGE <u>69 miles</u>	@ <u>7.00</u> <u>483.00</u>
MANIFOLD head rental	@ <u>113.00</u>
TOTAL <u>2607.00</u>	

PLUG & FLOAT EQUIPMENT

<u>4 1/2</u>	
<u>1 Guide shoe</u>	@ <u>169.00</u>
<u>1 AFU Insert</u>	@ <u>254.00</u>
<u>6 Centralizers</u>	@ <u>51.00</u> <u>306.00</u>
<u>2 Baskets</u>	@ <u>169.00</u> <u>338.00</u>
<u>1 Port collar</u>	@ <u>1800.00</u>
<u>1 Rubber plug</u>	<u>62.00</u>
TOTAL <u>2929.00</u>	

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
TOTAL CHARGES _____
DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____
SIGNATURE Sheldon Bell

RECEIVED
SEP 22 2008
KCC WICHITA

