For KCC Use: Effective Date: _

Kansas Corporation Commission OIL & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

wust be approved by KCC five	
Expected Spud Date:11/20/09	Spot Description:
month day year	SW NE SE Sec. 5 Twp. 17 S. R. 22 XE W
OPERATOR: License#	(Q/Q/Q/Q) 1,485 feet from N / X S Line of Section
Name: _REUSCH WELL SERVICE, INC.	1,100 feet from XE / W Line of Section
Address 1: PO BOX 520	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Ottawa State: KS Zip: 66067 +	County: MIAMI
Contact Person: BOB REUSCH Phone: 785.242.2043	Lease Name: REYNOLDS Well #. 10
	Field Name: PAOLA RANTOUL
CONTRACTOR: License#_ 33734	Is this a Prorated / Spaced Field?
Name: HAT DRILLING	Target Formation(s): SQUIRREL
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165
⊠Oil ✓ ☐ Enh Rec ☑ Infield ✓ ☑ Mud Rotary ✓	Ground Surface Elevation: UNKNOWN 4 1134 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 200
THE CHARACO, and well intersection as falls	Surface Pipe by Alternate: IIIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: _20
Operator:	Length of Conductor Pipe (if any): 0
Well Name:	Projected Total Depth: 700
Original Completion Date: Original Total Depth:	Formation at Total Depth: SQUIRREL
Directional Deviated and Indianated well-	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes You No If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
	(Note: Apply for Permit with DWR1 +1)
KCC DK1 #:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
KCC DK1 #:	Will Cores be taken? Yes No If Yes, proposed zone:
	Will Cores be taken?
	Will Cores be taken? If Yes, proposed zone: RECEIVED
AFFI	Will Cores be taken? If Yes, proposed zone: RECEIVED DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: MECEIVED AVIT ging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2009
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	Will Cores be taken? If Yes, proposed zone: MECEIVED DAVIT ging of this well will comply with K.S.A. 55 et. seq. Cirilling rig; WECEIVED Comply With K.S.A. 55 et. seq. KCC WICHITA
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: MECEIVED MECEIVED DAVIT ging of this well will comply with K.S.A. 55 et. seq. Cirilling rig; vicrculating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: MECEIVED MECEIVED DAVIT ging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2009 drilling rig; v circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	Will Cores be taken? If Yes, proposed zone: Compared to the top; in all cases surface pipe shall be set underlying formation. Controlled to the top is all cases and the set underlying formation. Controlled to the top is all cases and the set underlying formation. Controlled to the top is all cases and the set underlying formation. Controlled to the top is all cases and the set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? If Yes, proposed zone: CAPTICAL STATES AND
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	Will Cores be taken? If Yes, proposed zone: Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation. Compared to the top; in all cases surface pipe shall be set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of	Will Cores be taken? If Yes, proposed zone: Compared to the comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destroyable of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented to the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct to the statement	Will Cores be taken? If Yes, proposed zone: Composed zone: Composed
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the stan	Will Cores be taken? If Yes, proposed zone: Compared to the comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	Will Cores be taken? If Yes, proposed zone: Composed zone: Composed
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the standard through all unconsolidated materials plus a minimum of 20 feet into the district off the well is district office will be notified before well is either plugge for a pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the best signature of Operator or Agent: The undersided Herein and Event Agent	Will Cores be taken? If Yes, proposed zone: Composed zone: Composed
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the specific of the post of the spud date or Agent: 1. Notify the appropriate district office prior to the set of the well is appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge. The appropriate district office will be notified before well is either plugge.	Will Cores be taken? If Yes, proposed zone: RECEIVEL
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the provents of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. In the statements made herein are true and correct to the best of the statements of the operator of Agent: 11/11/09 Signature of Operator or Agent: 12/01 For KCC Use ONLY API # 15 - 12 1-28 7 43-000 Conductor pipe required 100 None feet	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED DAVIT ging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2009 drilling rig; Circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. SEC TREAS Remember to: SEC TREAS File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Title: Title: Title: Title: Title: T
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the sect of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted by that the statements made herein are true and correct to the best of the best of the post of the plant of the post o	Will Cores be taken? If Yes, proposed zone: RECEIVED No NECCIVED RECEIVED RECEIVED RECEIVED DEC 0 3 2009 Arilling rig; Aricle conclusion cannot be to the top; in all cases surface pipe shall be set underlying formation. Set office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the element of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preceded by that the statements made herein are true and correct to the best of the best of the property of the property of the statements of the property of the statement of the property	Will Cores be taken? If Yes, proposed zone: RECEIVED No NECCIVED RECEIVED RECEIVED RECEIVED DEC 0 3 2009 Arilling rig; Aricle conclusion cannot be to the top; in all cases surface pipe shall be set underlying formation. Set office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be performed by that the statements made herein are true and correct to the best of the statements of the production pipe required between the operator or Agent: For KCC Use ONLY API #15 - 12 1 - 28 7 43 - 0000 Conductor pipe required feet per ALT. II III Approved by: Put B-3-2009	Will Cores be taken? If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the statement of the operator of Agent: Torrect Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED No NECCIVED RECEIVED RECEIVED RECEIVED DEC 0 3 2009 Arilling rig; Aricle conclusion cannot be to the top; in all cases surface pipe shall be set underlying formation. Set office on plug length and placement is necessary prior to plugging; did or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be performed by that the statements made herein are true and correct to the best of the statements of the production pipe required between the operator or Agent: For KCC Use ONLY API #15 - 12 1 - 28 7 43 - 0000 Conductor pipe required feet per ALT. II III Approved by: Put B-3-2009	Will Cores be taken? If Yes, proposed zone: Chick Chick
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best of the statements of the statement of the operator of Agent: Torrect Use ONLY	Will Cores be taken? If Yes, proposed zone: Children
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of intents and intents of the posted on each of the state	Will Cores be taken? If Yes, proposed zone: RECLIVED RECLIVED MACC WICHIT/ ging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2009 Arilling rig; voirculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing slugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. SEC TREAS Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired DEC 0 3 2009 KCC WICHIT/ RECLIVED BEC 0 3 2009 KCC WICHIT/ DEC 0 3 2009 KCC WICHIT/ ACC WICHIT/ DEC 0 3 2009 KCC WICHIT/ ACC WICHIT/ WICHIT/ BEC DAYS of spud date. SEC TREAS Title: Title: SEC TREAS Title: Title: AT Well Not Drilled - Permit Expired Date: Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28743-00-00	
Operator: REUSCH WELL SERVICE, INC.	Location of Well: County: MIAMI
Lease: REYNOLDS	1,485 feet from N / X S Line of Section
Well Number: 10	1,100 feet from X E / W Line of Section
Field: PAOLA RANTOUL	Sec. <u>5</u> Twp. <u>17</u> S. R. <u>22</u> 🔀 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:	:	:			:				
 : :	: :	: :	: 	•••••	: !	: 			
		:		*******			 	EXAMPLE	
:	<u> </u>	:	; : :			• • • • • • • • • • • • • • • • • • •		EXAMPLE	
 :	········· ·		: : :			······································			
 				H95	• <u>I</u> IO	ى 		······································	
				1					
			:	******	,	•••••			
			:					SEWARD C	С

DEC 0 3 2009 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: REUSCH WELL SERVICE, INC.		License Number: 4441					
Operator Address: PO BOX 520			Ottawa KS 66067				
Contact Person: BOB REUSCH		Phone Number: 785.242.2043					
Lease Name & Well No.: REYNOLDS	10		Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Pit is: Proposed	No (bbls)	Sec. 5 Twp. 17 R. 22 East West 1,485 Feet from North / South Line of Section 1,100 Feet from East / West Line of Section MIAMI County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? DRILLING MUD Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile.	.	liner integrity, i					
		sured well owner electric log KDWR					
Producing Formation: Type of materi Number of producing wells on lease: Number of working the producing wells on lease Number of working the producing wells on lease.		rking pits to be utilized: procedure: AIR DRY AND BACK FILL					
		be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVEL 11/11/09 Date Place RECEIVEL DEC 0 3 2009 Signature of Applicant or Agent KCC WICHITA							
KCC OFFICE USE ONLY Steel Pit RFAC RFAS Date Received: 12-3-09 Permit Number: Permit Date: 12-3-09 Lease Inspection: Yes No							