For KCC Use: 12-8-2009 Effective Date: 3 District # No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 11/20/09	Spot Description:	
month day year	NW - SW - NE - SE Sec. 5 Twp. 17 S	3. R. <u>22</u> 🔀 E 🔲 W
OREDATOR: License# 4441 /		/ X S Line of Section
OPERATOR: License#	1,100 feet from X E	/ W Line of Section
Address 1: PO BOX 520	Is SECTION: Regular Irregular?	
Address 2:		warna aida)
City: Ottawa State: KS Zip: 66067 +	(Note: Locate well on the Section Plat on re	verse side)
Contact Person: BOB REUSCH	County: MIAMI	11
Phone:	Lease Name: REYNOLDS	Well #: 11
	Field Name: PAOLA RANTOUL	
CONTRACTOR: License#33734	Is this a Prorated / Spaced Field?	Yes No ~
Name: HAT DRILLING	Target Formation(s): SQUIRREL	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165	
	Ground Surface Elevation: UNKNOWN 🏎 ///9	feet MSL
⊠Oil	Water well within one-quarter mile:	☐Yes ☒No ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 150	
Seismic; # of Holes Other	Depth to bottom of usable water: 200	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
luani	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any): 0	
Well Name:	Projected Total Depth: 700	
Original Completion Date: Original Total Depth:	Formation at Total Depth: SQUIRREL	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond XOther:	A 914-1-1-1-1
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	received the second
AFF	IDAVIT	RECEIVEL
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	· VEOLIVED
It is agreed that the following minimum requirements will be met:		DEC 0 3 2009
		DEC U.3 7889
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 		
2. A copy of the approved holice of intent to drill shari be posted on each	drilling rig:	2200
3. The minimum amount of surface nine as specified below shall be set b	drilling rig; y circulating cement to the top; in all cases surface pipe	
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 	y circulating cement to the top; in all cases surface pipe	
through all unconsolidated materials plus a minimum of 20 feet into the	y circulating cement to the top; in all cases surface pipe underlying formation.	KOC WICHITA
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary pric ed or production casing is cemented in;	s KCE-WICHITA or to plugging;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary pric ed or production casing is cemented in; from below any usable water to surface within 120 DAY:	sKCGWICHITA or to plugging; S of spud date.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterr	skoewichita or to plugging; s of spud date. nate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an	skoewichita or to plugging; s of spud date. nate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an	skoewichita or to plugging; s of spud date. nate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TE	skocawichita or to plugging; s of spud date. nate II cementing ny cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an	skocawichita or to plugging; s of spud date. nate II cementing ny cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TE	skocawichita or to plugging; s of spud date. nate II cementing ny cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alternologied. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF	skocawichita or to plugging; s of spud date. nate II cementing ny cementing.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary priced or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alternologied. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TR. Remember to:	skocawichita or to plugging; s of spud date. nate II cementing ny cementing. REAS
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121-28744-00-00	y circulating cement to the top; in all cases surface pipe underlying formation. Ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterreplugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TR Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr	skocawichita or to plugging; s of spud date. nate II cementing ny cementing. REAS iiii; date;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Tor KCC Use ONLY API # 15 - 121 - 28 7 44 - OOO Conductor pipe required	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterreplugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work	skocawichita or to plugging; s of spud date. nate II cementing ny cementing. REAS iill; date; n orders; over or re-entry;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Tor KCC Use ONLY API # 15 - 121 - 28 7 44 - 00 Conductor pipe required	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterr plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed.	skocawichita or to plugging; s of spud date. nate II cementing ny cementing. REAS fill; date; n orders; over or re-entry; eted (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Tor KCC Use ONLY API # 15 - 121 - 28 7 44 - 00 Conductor pipe required	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterreplugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work	skocawichita or to plugging; s of spud date. nate II cementing ny cementing. REAS fill; date; n orders; over or re-entry; eted (within 60 days);
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 7 44 - 00 - 00 Conductor pipe required	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterr plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting s. If this permit has expired (See: authorized expiration of the submit plugging is a complete to the submit plugging or injecting s. If this permit has expired (See: authorized expiration of the submit plugging is completed.)	skocawichita or to plugging; s of spud date. nate II cementing ny cementing. REAS fill; date; n orders; over or re-entry; eted (within 60 days); alt water.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/11/09	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterr plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is comple Obtain written approval before disposing or injecting s If this permit has expired (See: authorized expiration of check the box below and return to the address below.	skocawichita or to plugging; S of spud date. nate II cementing ny cementing. REAS iill; date; n orders; over or re-entry; eted (within 60 days); alt water. tate) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 7 44 - 00 - 00 Conductor pipe required	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterr plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comple. Obtain written approval before disposing or injecting s. If this permit has expired (See: authorized expiration of the submit plugging is a complete to the submit plugging or injecting s. If this permit has expired (See: authorized expiration of the submit plugging is completed.)	skocawichita or to plugging; S of spud date. nate II cementing ny cementing. REAS iill; date; n orders; over or re-entry; eted (within 60 days); alt water. tate) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/11/09 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 121 - 28 7 44 - 00 - 00 Conductor pipe required None feet Minimum surface pipe required Approved by: 12-3-2009 This authorization expires: 12-3-20/0 (This authorization void if drilling not started within 12 months of approval date.)	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, alterr plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is comple Obtain written approval before disposing or injecting s If this permit has expired (See: authorized expiration of check the box below and return to the address below.	skocawichita or to plugging; S of spud date. nate II cementing ny cementing. REAS iill; date; n orders; over or re-entry; eted (within 60 days); alt water. tate) please
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 11/11/09	y circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary price or production casing is cemented in; from below any usable water to surface within 120 DAY: 33,891-C, which applies to the KCC District 3 area, altern plugged. In all cases, NOTIFY district office prior to an est of my knowledge and belief. SEC TF Title: SEC TF Title: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spud. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is compl. Obtain written approval before disposing or injecting so the check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	skocawichita or to plugging; S of spud date. nate II cementing ny cementing. REAS iill; date; n orders; over or re-entry; eted (within 60 days); alt water. tate) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121 - 28 744-00-00	
Operator: REUSCH WELL SERVICE, INC.	Location of Well: County: MIAMI
Lease: REYNOLDS	1,850 feet from N / N S Line of Section
Well Number: 11	1,100 feet from X E / W Line of Section
Field: PAOLA RANTOUL	Sec. <u>5</u> Twp. <u>17</u> S. R. <u>22</u> 🔀 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

 •••••				:		·
 	: :		······································	: :		
		-				
 ,				/A.=	9 110	نن ن
 					,	
 ,						
		- Andrew -				

DEC 0 3 2009
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: REUSCH WELL SERVICE, INC.			License Number: 4441		
Operator Address: PO BOX 520			Ottawa k	(S 66067	
Contact Person: BOB REUSCH			Phone Number: 785.242.2043		
Lease Name & Well No.: REYNOLDS	11		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW _ NE _ SE</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 5 Twp. 17 R. 22 East		
Settling Pit Drilling Pit	If Existing, date co	nstructea:	1,850 Feet from North / South	1	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,100 Feet from East / West		
	100	(bbls)		County	
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:	only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used DRILLING MUD	?	
Pit dimensions (all but working pits):	0 Length (fe		4	Steel Pits	
material, thickness and installation procedure		Don'th to shall	owest fresh waterfeet.		
Distance to nearest water well within one-mili		Source of info		KDWR	
Emergency, Settling and Burn Pits ONLY		Drilling, Worl	cover and Haul-Off Pits ONLY:		
Line general accounts		Type of mater	erial utilized in drilling/workover: FRESH WATER		
Number of producing wells on lease:		1	rking pits to be utilized:1		
Barrels of fluid produced daily:	100	Abandonment	procedure: AIR DRY AND BACK FIL	<u> </u>	
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the be	, G,	DEC 03 2009	
11/11/09 Date		"Zulut	Signature of Applicant or Agent	CC WICHIT	
	КСС	OFFICE USE C	ONLY Steel Pit RFAC	RFAS	
Date Received: 12-3-05 Permit Nur	nber:	Perr	nit Date: 12-3-09 Lease Inspection:	Yes No	