For KCC Use: /2-8-2009 Effective Date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Date: Month day year	SGA? Yes M No				IENT TO DRILL (5) days prior to commencing well	All blanks must be Filled
Mill Case be taken?	Eveneted Soud Date:	1			106' East & 283'	8 N
Address 1 F. O. Box 12	•	•	day	year	NW_ SE NE Sec. 7 Twp. 17	
International Control Country Co	OPERAIOR: License# Name: Globe Oper	ating, Inc	•		884 feet from	X E / W Line of Section
County. Salt Consequence State State Cup Prones 6.20. 792. 7607 County Actor County Scholar State Cup Road Drillard For. Well Drillard For. Well Drillard For. Well Drillard For. Well Class Vipe Equipment: Cable Striss a Prorated Spaced Field? Targel Formation(s): A The United Strong Grand Grand Strong Grand Strong Grand Strong Grand Strong Grand Grand Strong Grand Grand Strong Grand Grand Strong Grand Gr	Address 1: P.O.Box	12				4
Contractors Lease	_{City:} Great Bend				County: Barton	
Is this a Prorated 5 Spaced Field? True Target Formation(s) Arbuckle Target Formation(s)	Phone: 620 792 76	07	Ρ			Well #:
Weil Dillied For Weil Class: Type Equipment: Weil Class: Type Equipment: Weil Class: Wild Rotar	CONTRACTOR: License#_ Name: Royal Dri	33905 11ing Inc.			Is this a Prorated / Spaced Field?	Yes X No
Selemic Pool Exit Pool Exit Cable Pool Exit Cable Pool Exit Cable Pool Exit Cable Pool Exit				ne Equipment:	Nearest Lease or unit boundary line (in footage): _	
Disposal Mildcat Cable Other	= =		/ x	Mud Rotary		
Selection documents docu	Dispo	sal Wildca		=	200	Yes X No
Gowwo: old well information as follows:	H		****		Depth to bottom of usable water: 320	
Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date:	If OWWO: old well	information as follo	ws:		Surface Pipe by Alternate: X I I III	9 340
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: West Water Source for Drilling Operations: Bottom Hole Location: West Water Source for Drilling Operations: West Water Source for Drilling Operations: West Water Source for Drilling Operations: West Water Source for Drilling Operation on Operation Operatio	Operator:				Length of Conductor Pipe (if any):	
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operation Operations: Water Source for Drilling Operation Operation Operation or Agent: Water Source for Drilling Operation Operation or Agent: Water Source for Drilling Operation Operation or Agent: Water Source for Drilling Operation Operation or Ag	Well Name:					
Well X Farm Pond Other: DWR Permit #:	Original Completion Da	ate:	Original Tota	al Depth:		1,244
Will Cores be taken? Will Cores be taken? Will Cores be taken? More: Apply for Permit with DWR More: Apply for Permit with Apply for Permit with DWR More: Apply for Permit with App	Directional, Deviated or Ho	rizontal wellbore?		Yes X No		on believe to the second of th
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. For KCC Use ONLY API #15 - OO9 - 25369-000 Conductor pipe required					DWR Permit #:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. DEC () 3 2003 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-99 Signature of Operator or Agent: 11 In Approved by: 24 12-3-2009 This authorization expires: 16-3-2010 This authorization expires: 18-3-2010 This authorization void if drilling not started within 12 months of approval date.) Title correction to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain witnen approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Date: Date: Date: Date: D						
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. DEC 0 3 2009 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all acases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: \(\frac{12-2-9}{2} \) Signature of Operator or Agent: \(\frac{1}{2} \) And \(\frac						
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-19 Signature of Operator or Agent: 11 Approved by: 14-12-3-2009 This authorization expires: 12-3-2010 This authorization expires: 12-3-2010 (This authorization void if drilling not started within 12 months of approval date.)						RECEIVED
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: // 2-2-09 Signature of Operator or Agent: // Approved by: Put 12-3-2009 Approved by: Put 12-3-2009 This authorization expires: // 2-3-2010 This authorization void if drilling not started within 12 months of approval date.) This authorization void if drilling not started within 12 months of approval date.) I this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:						DEO 6.0 A.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12 -2 - 0 9 Signature of Operator or Agent: 11 - 12 - 13 - 14 - 14 - 14 - 14 - 14 - 14 - 14					gging of this well will comply with K.S.A. 55 et. seq.	DEC 0.3 2000
2. A copy of the approved notice of intent to drill in Shall be set by circulating fig. 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12 - 2 - 0 9	•	•				VCC MICHER
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-99 Signature of Operator or Agent: 18-2-3-2010 Conductor pipe required 19-2-3-2010 (This authorization expires: 12-3-2010 (This authorization void if drilling not started within 12 months of approval date.) This authorization void if drilling not started within 12 months of approval date.) Signature of Operator or Agent: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-2010 Signature of Operator or Agent: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-3-2010 Signature of Operator or Agent: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-3-2010 Signature of Operator or Agent: 19-3-2010 Well Not Drilled - Permit Expired Date: 19-3-3-2010	2. A copy of the appro	oved notice of inte	nt to drill s	hall be posted on each	drilling rig;	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-09 Signature of Operator or Agent: 15 and	3. The minimum amo	unt of surface pipe	e as specifi	ed below shall be set b	by circulating cement to the top; in all cases surface	pipe shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-09 Signature of Operator or Agent: 12-2-09 Signature of Operat	through all unconse	olidated materials lle. an agreement	pius a min between th	imum of 20 feet into the e operator and the disti	runderlying formation. rict office on plug length and placement is necessary	y prior to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-99 Signature of Operator or Agent: 12-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-	The appropriate dis	strict office will be	notified be	fore well is either plugg	ed or production casing is cemented in;	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 12-2-09 Signature of Operator or Agent: 12-2-2-29 Signature of Operator or Agent: 13-2-2-29 Signature of Operator or Agent: 13-2-29 Signature of Operator or Agent: 13-29 Signature of	6. If an ALTERNATE	II COMPLETION, pendix "B" - Faster	production n Kansas s	pipe shall be cemented surface casing order #1:	I from below any usable water to surface within 120 33 891-C. which applies to the KCC District 3 area.	alternate II cementing
For KCC Use ONLY API # 15 - 009 - 25369-000 Conductor pipe required	must be completed	d within 30 days of	the spud o	late or the well shall be	plugged. In all cases, NOTIFY district office prior	r to any cementing.
For KCC Use ONLY API # 15 - 009 - 25369-000 Conductor pipe required feet Minimum surface pipe required feet per ALT. IIII Approved by: Put 12 - 3 - 2009 This authorization expires: 12 - 3 - 2010 (This authorization void if drilling not started within 12 months of approval date.) File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	I hereby certify that the st	tatements made h	erein are tr	rue and correct to the b	est of my knowledge and belief.	
For KCC Use ONLY API # 15 - 009 - 25369-000 Conductor pipe required feet Minimum surface pipe required feet per ALT. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Date: 12-2-09	Signature o	f Operator	or Agent: LCD	and Staleup Title: Crou	d. Super.
API # 15 - 009 - 25369 - 000 Conductor pipe required	- voou ouv					
Conductor pipe required	009	-25369	7-00-1	Ω	• • • • • • • • • • • • • • • • • • • •	
Minimum surface pipe required 340 feet per ALT. Submit plugging report (CP-4) after plugging is completed (within 60 days); Approved by: Put 12 - 3 - 200 9 This authorization expires: 12 - 3 - 2010 (This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	API# 15	Ma			- File acreage attribution plat according to field pro	oration orders;
Approved by: Put 12 - 3 - 2009 This authorization expires: 12 - 3 - 2010 (This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	1 '''	. 1	40		 Notify appropriate district office 48 hours prior to 	workover or re-entry;
This authorization expires: 12-3-2010 (This authorization void if drilling not started within 12 months of approval date.) Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:	1	•	/	_ teet per ALT.		
This authorization expires:	1	12 2 2	DID		- If this permit has expired (See: authorized expira	ation date) please
Signature of Operator or Agent				oths of approval date.)	check the box below and return to the address b	pelow.
	Spud date:	Agent: _			, _	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 00 9-25369-00-00	
	D
Operator: Globe Operating, Inc.	Location of Well: County: Barton
Lease: Schneweis	1367 feet from X N / S Line of Section
Well Number: 5	884 feet from X E / W Line of Section
Field: Kraft Prusa	Sec. 7 Twp. 17 S. R. 11 E X W
Number of Acres attributable to well: 160 QTR/QTR/QTR of acreage: NW - SE - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Globe Operating	, Inc.	License Number: 6170					
Operator Address: P. O. Box 12 Great Bend, KS. 67530							
Contact PersonRichard Stalcup		Phone Number: (620) 792_ 7607					
Lease Name & Well No.: Schneweis	<i>#</i> 5	Pit Location (QQQQ): 106 'E & 283 'S					
Type of Pit:	Pit is:		NW - SE NE				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 7 Twp. 17 R. 11 East X West				
Settling Pit Workover Pit	If Existing, date constructed:		1367 Feet from X North / South Line of Section 884				
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from X East / West Line of Section				
		(bbis)	BartonCounty				
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
X Yes No	Yes X	No	CLAM				
Pit dimensions (all but working pits): 60 Length (feet) 60 Width (feet) N/A: Steel Pits							
Depth from ground level to deepest point:6(feet)							
material, thickness and installation procedure.		iner integrity, ir	cluding any special monitoring.				
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water 60 Source of Information: measured X_well owner, electric log KDWR					
1000 feet	60 feet	I .	red X well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Works	ver and Haul-Off Pits ONLY:				
Producing Formation:	· · · · · · · · · · · · · · · · · · ·	Type of material utilized in drilling/workover: <u>Drilling Mud</u>					
Number of producing wells on lease:		Number of working pits to be utilized: 3					
Barrels of fluid produced daily:		Abandonment procedure: <u>Haul off Free Fluids</u>					
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Allow to dry Back fill Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. DEC 0 3							
12-2-09 Signature of Applicant of Agent Suppose WICHIT							
KCC OFFICE USE ONLY							
Date Received: 12-3-69 Permit Number: Permit Date: 12-3-69 Lease Inspection: Yes No							