# For KCC Use: 12 - P - 2009 Effective Date: 3 District # 3 SGA2 Ves VNo

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 11/20/09	Spot Description:
month day year	<b>NE</b> <u>NE</u> <u>NW</u> <u>SE</u> <u>Sec. 19</u> <u>Twp. 14</u> <u>S. R. 22</u> <u>X</u> E W
4441 /	(0/0/0/0) 2,475 feet from N / S Line of Section
OPERATOR: License#	1,420 feet from E / W Line of Section
Address 1: PO BOX 520	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Ottawa State: KS Zip: 66067 +	County: JOHNSON
Contact Person: BOB REUSCH	Lease Name: WAMSLEY Well #: 1-5
Phone: 785.242.2043	Field Name: LONGANECKER
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?
Name: EVANS ENERGY DEVELOPMENT INC	Target Formation(s): BARTLESVILLE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165
Oil K Enh Rec  MInfield  Mud Rotary	Ground Surface Elevation: UNKNOWN 2017 1024 feet MSL  Water well within one-quarter mile:
Gas Storage Pool Ext. X Air Rotary	TVator from William Site quantity
Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water: 120
Seismic ; # of Holes Other	Depth to bottom of usable water: 300
Other:	Surface Dine by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
	Length of Conductor Pipe (if any): 0
Operator:	060
Well Name: Original Total Depth:	Projected Total Depth:
Original Completion Date.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR (1)  Will Cores be taken?
KCC DKT #:	
	If Yes, proposed zone:
AEEU	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugg	
	DEC 0 3 200
It is agreed that the following minimum requirements will be met:	DEO 0 0 E00
1. Notify the appropriate district office <i>prior</i> to spudding of well;	drilling rig:
3. The minimum amount of surface pipe as specified below <b>shall be set</b> by	Pull all all all all all all all all all
	y circulating cement to the top; in all cases surface pipe share becet 1101
through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe shake CetWICHI underlying formation.
4. If the well is dry hole, an agreement between the operator and the district.	ct office on plug length and placement is necessary <i>prior to plugging;</i>
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge.	ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  On a represent to Appropriate "Represent Kansas surface casing order #13".	ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33.891-C. which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  On a represent to Appropriate "Represent Kansas surface casing order #13".	ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 18th of my knowledge and belief.
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by certify that the statements made herein are true and correct to the beautiful 11/11/09.	ct office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1915 and belief.  SEC TREAS
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the because:    11/11/09	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 plugged and belief. 16 SEC TREAS 16 Title:
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the beautiful statements.  Date:  11/11/09  Signature of Operator or Agent:	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13.891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15. SEC TREAS  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the because 11/11/09  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O91-23396-00-00	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 SEC TREAS  16 Title:  16 Prill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the because of the spud date or the spud date or the well shall be placed by the statements made herein are true and correct to the because of the spud date or the well shall be placed by the spud date or the shall be pl	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 SEC TREAS  16 Title:  17 File Drill Pit Application (form CDP-1) with Intent to Drill; 18 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements of the placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well sh	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 SEC TREAS  16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File Completion Form ACO-1 within 120 days of spud date; 18 File acreage attribution plat according to field proration orders; 19 Notify appropriate district office 48 hours prior to workover or re-entry; 10 Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the because:  1 hereby certify that the statements made herein are true and correct to the because of the control of the polynomial of the	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 SEC TREAS  16 Title:  17 File Drill Pit Application (form CDP-1) with Intent to Drill; 18 File Completion Form ACO-1 within 120 days of spud date; 19 File acreage attribution plat according to field proration orders; 10 Notify appropriate district office 48 hours prior to workover or re-entry; 10 Submit plugging report (CP-4) after plugging is completed (within 60 days); 11 Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best of the best of the spud date.    I hereby certify that the statements made herein are true and correct to the best of the spud date.	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 plugged. In all cases, NOTIFY district office prior to any cementing. 16 plugged and belief.  SEC TREAS  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements of the placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statements of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the spud date or the well shall be placed by the statement of the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well sh	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 SEC TREAS  Title:  SEC TREAS  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put in the statements made herein are true and correct to the best of the best of the spud date.    I hereby certify that the statements made herein are true and correct to the best of the spud date.	ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 SEC TREAS  Title:  SEC TREAS  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


proposed acreage attribution drift for our world	
API No. 15 - 091 - 23396-00-00	
Operator: REUSCH WELL SERVICE, INC.	Location of Well: County: JOHNSON
Lease: WAMSLEY	2,475 feet from N / S Line of Section
Well Number: I-5	1,420 feet from X E / W Line of Section
	Sec. 19 Twp. 14 S. R. 22 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			on broad # \$	:		
 	:		•••••	•••••	:  :	
 		•••••		: 	:	
				0.	: 1426	•
 			-247	5	1420	
 						••••••
 				:		
:				:	. le catan	

DEC 0 3 2009

KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: REUSCH WELL SERVICE, INC.		License Number: 4441				
Operator Address: PO BOX 520			Ottawa	KS 66067		
Contact Person: BOB REUSCH			Phone Number: 785.242.2043	3		
Lease Name & Well No.: WAMSLEY I-5		Pit Location (QQQQ):				
Type of Pit:	Pit is:		NE - NW - SE			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 14 R. 22	East West		
Settling Pit	If Existing, date constructed:		2,475 Feet from North /	et from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	·	1,420 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	1	(bbls)	JOHNSON	County		
Is the pit located in a Sensitive Ground Water			Chloride concentration:	mg/l		
			(For Emergency Pits and Set	tling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	DRILLING MUD			
Pit dimensions (all but working pits):	Length (fe	eet)10	Width (feet)	N/A: Steel Pits		
	om ground level to de		A 1	No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and detencted and special monitoring.			
Distance to nearest water well within one-mile of pit  Depth to s		Depth to shallo	epth to shallowest fresh water			
Source of			rce of information:			
			Orilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of m		Type of materia	Type of material utilized in drilling/workover: FRESH WATER			
Number of producing wells on lease: Number of wo		of working pits to be utilized:1				
Barrels of fluid produced daily: Abandonment			procedure: AIR DRY AND BAC	K FILL		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must	ust be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
11/11/09 Signature of Applicant or Agent						
KCC WICHIA						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 12-3-09 Permit Num	ber:	Perm	it Date: 12-3-09 Lease Inspecti	ion: Yes No		



## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400** et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.