For KCC Use:	12-20-2009
Effective Date:	12-20-2001
District #	<u> </u>
coso IXIv	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

	NIENT TO DRILL ve (5) days prior to commencing well	blanks must be Filled
expected Spud Date: 12/10/2009	, w	
month day year	SIJ IVE	
33936 /	(0000) - NW Sec. 26 Twp. 34 S.	<u>R9</u>
CTARTER N COTTERN	990 feet from X N /	S Line of Section
		W Line of Section
ress 1: P. O. Box 670	is SECTION: X Regular Irregular?	
: Byers State: Co. Zip: 80103 + 0670	(Note: Locate well on the Section Plat on reve	rse side)
tact Person; Charles N. Griffin	County: Harper	
ne: 720/490-5648	Lease Name: KOBLITZ	Well #: 3
TRACTOR: License#	Field Name: Hibbid.	
ne; DUKE DRILLING CO., INC.	Is this a Prorated / Spaced Field?	Yes X No
	Target Formation(s): Arbuckle	200
Well Drilled For: Well Class: Type Equipment:	and the second s	990 —
XOII Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 1271	feet MSL
X Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes XX No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Selsmic ; # of Holes Other	Depth to bottom of fresh water: 120	
	Depin to pottom of usable water:	·····
If OWWO: old well information as follows:	Surface Pipe by Alternate: XII III	
	and the state of t	
Operator:Weil Name:		
Original Completion Date: Original Total Depth:	Projected Total Depth: 5100	
Onginal lotal Depth:	Formation at Total Depth: Arbuckle	
ctional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
s, true vertical depth:	X Well Farm Pond Other:	
om Hole Location:	DWR Permit #:	
DDKT #:	(Note: Apply for Permit with DWR	
C DKT #:	Will Cores be taken?	Yes X No
OKT #:	نيجيا	
C DKT #:	Will Cores be taken? If Yes, proposed zone:	
OKT #:	Will Cores be taken? If Yes, proposed zone:	
AFF undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? If Yes, proposed zone:	KANSAS CORPORATION COM
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq.	KANSAS CORPORATION COM
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq.	KANSAS CORPORATION COM NOV 2 3 2000
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq.	KANSAS CORPORATION COM NOV 2 3 2000
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. o drilling rig; by circulating cement to the top; in all cases surface pipe sha	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVIDA
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 fet into the If the well is dry hole, an agreement between the greatest and the dis-	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she is underlying formation.	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVIDA
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either pluse.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation.	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVISION Plugging;
AFF undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production nine shall be competed.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. United office on plug length and placement is necessary prior to ged or production casing is cemented in;	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVISION Plugging;
AFF undersigned hereby affirms that the drilling, completion and eventual plusagreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the if the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall a underlying formation. United of production casing is cemented in; deform below any usable water to surface within 120 DAYS of	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVISION Plugging;
AFF undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> th through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she as underlying formation. In deep composition of the comply and placement is necessary prior to get or production casing is cemented in; deform below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases. NOTIFY district office prior to a my of	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVISION Plugging;
undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she as underlying formation. In deep composition of the comply and placement is necessary prior to get or production casing is cemented in; deform below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases. NOTIFY district office prior to a my of	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVISION Plugging;
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be aby certify that the statements made herein are true and correct to the be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. Littor office on plug length and placement is necessary prior to ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any coest of my knowledge and belief.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION COM Poly 2 3 2009 CONSERVATION DIVISION DIVISION COM Poly 2 3 2009 CONSERVATION DIVISION COM CONSERVATION DIVISION COM POLY 2 3 2009 CONSERVATION DIVISION COM CONSERVATION DIVISION COM POLY 2 3 2009 CONSERVATION DIVISION COM CONSERVATION DIVISION COM POLY 2 3 2009 CONSERVATION COM POLY 2 4 2009 P
AFF undersigned hereby affirms that the drilling, completion and eventual plusagreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be bety certify that the statements made herein are true and correct to the best of the statement of Operator or Appendix.	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In all cases, we will case within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any coest of my knowledge and belief.	KANSAS CORPORATION COM NOV 23 2009 CONSERVATION DIVISION Plugging;
undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be aby certify that the statements made herein are true and correct to the best control of the statements of Operator or Appendix 11/20/2009	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In all cases, we will case within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any coest of my knowledge and belief.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION COM Poly 2 3 2009 CONSERVATION DIVISION DIVISION COM Poly 2 3 2009 CONSERVATION DIVISION COM CONSERVATION DIVISION COM POLY 2 3 2009 CONSERVATION DIVISION COM CONSERVATION DIVISION COM POLY 2 3 2009 CONSERVATION DIVISION COM CONSERVATION DIVISION COM POLY 2 3 2009 CONSERVATION COM POLY 2 4 2009 P
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i> if through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be aby certify that the statements made herein are true and correct to the best of the control of the statements of the spud data or the well shall be safely certify that the statements made herein are true and correct to the best of the spud data or the well shall be safely certify that the statements made herein are true and correct to the best of the spud data or the well shall be safely certify that the statements made herein are true and correct to the best of the spud data or the well shall be safely certify that the statements made herein are true and correct to the best of the spud data or the well shall be safely certify that the statements made herein are true and correct to the safely certify the safely cert	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In all cases, well and placement is necessary prior to form below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any country of the plugged. In all cases, NOTIFY district office prior to any country to the plugged. Title: A Benermber to: File Drill Pit Application (form CDP-1) with Intent to Drill:	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISIONI DIVI
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be aby certify that the statements made herein are true and correct to the best of the complete that the statements of Operator or Agent: Sally R. Texture of Operator or Agent: **CCC Use ONLY**	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In all cases surface pipe she are described or production casing is cemented in; deform below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate or plugged. In all cases, NOTIFY district office prior to any country country in the strict of the prior to any country in the strict of the prior to any country in the strict of the prior to any country. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISIONI DIN DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIN
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be aby certify that the statements made herein are true and correct to the best completed. Signature of Operator or Agent: Sally R. Text. The control of t	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe she a underlying formation as the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases surface pipe she are a underlying formation. Title: A tributation of the top; in all cases	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISIONI DI
undersigned hereby affirms that the drilling, completion and eventual plusagreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the if the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggiff an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be aby certify that the statements made herein are true and correct to the best of the statements of the production of the statements of the statements of the spud date or the well shall be statements of the statement of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. Interconflict on plug length and placement is necessary prior to ged or production casing is cemented in; def from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any contest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration one. Notify appropriate district office 48 hours prior to workover.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION DIVISION COM Popugging: spud date. Il cementing ementing.
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be eaby certify that the statements made herein are true and correct to the best completed. Signature of Operator or Agent: Sally R. The conductor pipe required feet per ALTERNATE in the productor pipe required feet per ALTERNATE in the productor pipe required feet per ALTERNATE in the statements feet per ALTERNATE in the productor pipe required feet per ALTERNATE in the statements feet per ALTERNATE in the productor pipe required feet per ALTERNATE in the productor pipe required feet per ALTERNATE in the statements feet per ALTERNATE in the productor pipe required feet per part pipe productor pipe req	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation casing is cemented in; d from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any consest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION DIVISION COM Popugging: spud date. Il cementing ementing. Il cementing. Spent Or re-entry; (within 60 days):
undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be eby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be shall be shall be eater than the statements of the spud date or the well shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed within 30 days of the spud date or the well shall be shall be shall be completed by the shall be posted to the shall be completed by the shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In all cases and placement is necessary prior to get of from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any country to the plugged. In all cases, NOTIFY district office prior to any country knowledge and belief. Title: All Parks Remember to: File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt well.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION DIVISION COM CONSERVATION DIVISION DIVISION DIVISION COM Plugging: Spud date. Il cementing ementing. Spent Spent Spent Within 60 days); ater.
undersigned hereby affirms that the drilling, completion and eventual plu agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be eby certify that the statements made herein are true and correct to the best completed. Signature of Operator or Agent: Sally R. The completed of the proved by: While I also the completed of the proved by: While I also I also the completed of the proved by: While I also I a	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In this production casing is cemented in; of from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any consist of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration one. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt well fithis permit has expired (See: authorized expiration date).	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION DIVISION COM CONSERVATION DIVISION DIVISION DIVISION COM Plugging: Spud date. Il cementing ementing. Spent Spent Spent Within 60 days); ater.
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be eby certify that the statements made herein are true and correct to the best of the statements of Operator or Agent: Sally R. To the contract of the provided by: **RCC Use ONLY** **RCC Use ONLY** **If 15 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 16 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 17 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 5 00 - 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 on the provided by: **If 18 - O 7 7 - 2 16 6 00 o	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In this part to the top; in all cases surface pipe share a underlying formation. In this permit and placement is necessary prior to get of plugged. In all cases, NOTIFY district 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any countries of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration or notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt with this permit has expired (See: authorized expiration date) check the box below and return to the address below.	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION DIVISION COM CONSERVATION DIVISION DIVISION DIVISION COM Plugging: Spud date. Il cementing ementing. Spent Spent Within 60 days); ater.
undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the object of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be eaby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be set that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be set of the statements of the spud date or the well shall be set of the spud date or the set of the spud d	Will Cores be taken? If Yes, proposed zone: FIDAVIT Ligging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe share a underlying formation. In this production casing is cemented in; of from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate of plugged. In all cases, NOTIFY district office prior to any consist of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration one. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt well fithis permit has expired (See: authorized expiration date).	KANSAS CORPORATION COM NOV 2 3 2009 CONSERVATION DIVISION DIVISION DIVISION COM CONSERVATION DIVISION DIVISION DIVISION COM Plugging: Spud date. Il cementing ementing. Spent Spent Within 60 days); ater.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

A == .12
Location of Well: County:
feet from N / S Line of Section
feet from E / W Line of Section
Sec Twp S. R

Is Section: Regular or Inregular
If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		qq	ć 371				:
	:	L	371	7'		:	:
••••••	: 	·	: :		: :	:	:
••••••	 E						
		:				:	:
·	*******		***********			***************************************	**********
	*******		•••••				
			••••••			*******	•••••
:				:			

RECEIVED KANSAS CORPORATION COMMISSION

NOV 23 2009



NOTE: In all cases locate the spot of the proposed drilling locaton.

Harper County

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	3	ouomit in Duplica	ace
Operator Name: CHARLES N. GRIFF	IN		License Number: 33936
Operator Address: P. O. Box 670, B	yers, Colorado	80103-0670	
Contact Person: Charles N. Griffi	in		Phone Number: 720/490–5648
Lease Name & Well No.: Koblitz	#3		Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit X Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water	Pit is: X Proposed If Existing, date of the pit capacity: 480 Area? Yes	0 (bbls)	Sw NE NW Sec. 26 Twp. 34S R. 9 East X West 990 Feet from X North / South Line of Section 3717 Feet from X East / West Line of Section Harper County Chloride concentration: mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
(a) Dot working pits).	00 Length (fe	eepest point:	Native mud and clay OO Width (feet) N/A: Steel Pits 4 (feet) No Pit edures for periodic maintenance and determining
Distance to nearest water well within one-mile NH feet Depth of water well	·		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workov	over and Haul-Off Pits ONLY:
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of material	ring pits to be utilized: 1 RECEIVED
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	A1_ Orill pits must be	Llowed to dry then backfill NOV 23
I hereby certify that the above statem	ents are true and co	prrect to the best o	of my knowledge and belief. CONSERVATION D. WICHITA, KS
11/20/2009 Date	Sa	OD R. Sign	nature of Applicant or Agent
Date Received: 11/23/09 Permit Number		FFICE USE ONL	THE REAL PROPERTY OF THE PERTY
- Trumbe		Permit D	Date: 12-15-09 Lease Inspection: X Yes No



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

December 15, 2009

Charles N. Griffin PO Box 670 Byers, CO 80103-0670

RE: Drilling Pit Application

Koblitz Lease Well No. 3 NW/4 Sec. 26-34S-09W Harper County, Kansas

Dear Sir or Madam:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a hauloff pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File



Mark Parkinson, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

ents:
,

- (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
- (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
- (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation;
 - (2) a \$2,500 penalty for the second violation; and
 - (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: Yes 🔲 No 💮
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes \square No \square If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another <u>producing</u> lease or unit operated by the same operator: so No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.