15-163-19437-000Form CP-4 Rev. 12-15-80

WELL PLUGGING RECORD

Make Required Affidavit	1 .	YINUX	Rooks		SEC	13 TWP. 10	RGE. 20 XXX/				
CA ST GA	I	COUNTY Rooks SEC. 13 TWP. 10 RGE. 20 XXX/W Location as in quarters or footage from lines: 330' FSL & 330' FEL of NE/4									
1											
To Contain		.ease Owner									
	1 1		•			Well No. 1					
		Office Address Box 287, Great Bend, Kansas 67530									
100		haracter (of Well (Complet	ed as Oil	Gas or Dry	Hole): 0i1				
3	[ate Well (Completed	l Ju	ine 25, 19	49					
	11						1982				
		Application for plugging filed October 14, 1982 Plugging commenced March 8, 1983									
		lugging co									
Locate Well	T.	eason for			metr or bi	oducing form	rate tou				
correctly on above				eted	·						
Section Platt.	. W	las permis	sion obta	ined fr	om the Cor	nservation Di	vision or it's				
	A	gent's bei	f <mark>ore pl</mark> ug	ging wa	s commence	ed? Yes	the state of the s				
ame of Conservation Ag	ent w	ho superv	ised plug	ging of	this well	Dennis F	lame1				
roducing formation	TKC		Depth to	top_348	bott	com 3551 1	.D. <u>37</u> 75				
how depth and thickness	s of	all water	oil and	gas fo	rfs plugg	ed off r	BTD 3195				
	ì		,	قد دين		•					
IL, GAS OR WATER RECOR				• .			Casing Recor				
ormation		Content	From	То	Size	Put in	Pulled Out				
Surface Production		Water 1 & Water	0'		5 8 5/8" 5½"	225'					
TIOGUCLION		ı w waler		3//0	<u> </u>	3770 '					
r other plugs were used ofeet for ea	e met d, st ach p	hod or met ate the ch lug set	thods use paracter of MIRU WS	d in in of same DD Unit	troducing and depth	it into the placed, fro	hold. If cement m feet				
luid was placed and the rother plugs were used to feet for early swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hu	met i, stach p ied hru, mped Ha psi	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5	MIRU WS nto well avy mud, ease wate 5" csg & 200#. Cons. 300 psi	d in in of same DD Unit - unsuc rubber, er down pumped in to 8	troducing and depth cessful wood & c csg - wen 250 sx 50 5/8" - puress - 10	it into the placed, from sand pump to WIH w/3" sand to n vac. Results of the place	hold. If cemen fee 3' Ran d pump to 350' pump to 3195' 1 WS Unit Dug 46% gel & 4 sx 0-50 Pozmix				
luid was placed and the rother plugs were used of the forest swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400	met i, stach p ied hru, mped Ha psi	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5	MIRU WS nto well avy mud, ease wate 5" csg & 200#. Cons. 300 psi	d in in of same DD Unit - unsuc rubber, er down pumped in to 8	troducing and depth cessful wood & c csg - wen 250 sx 50 5/8" - puress - 10	it into the placed, from sand pump to WIH w/3" sand to n vac. Results of the place	hold. If cemen fee a 3'. Ran d pump to 350'. pump to 3195'. WS Unit. Dug. 1/6% gel & 4 sx 10-50 Pozmix				
luid was placed and the other plugs were used to feet for each swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hu	met i, stach p ied hru, mped Ha psi	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5	MIRU WS nto well avy mud, ease wate 5" csg & 200#. Cons. 300 psi	d in in of same DD Unit - unsuc rubber, er down pumped in to 8	troducing and depth cessful wood & c csg - wen 250 sx 50 5/8" - puress - 10	it into the placed, from sand pump to WIH w/3" sand to n vac. Results of the place	hold. If cemen fee 3' Ran d pump to 350' pump to 3195' 1 WS Unit Dug 46% gel & 4 sx 0-50 Pozmix				
luid was placed and the or other plugs were used of the forest swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hu	met i, stach p ied hru, mped Ha psi	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5	MIRU WS nto well avy mud, ease wate 5" csg & 200#. Cons. 300 psi	d in in of same DD Unit - unsuc rubber, er down pumped in to 8	troducing and depth cessful wood & c csg - wen 250 sx 50 5/8" - puress - 10	it into the placed, from sand pump to WIH w/3" sand to n vac. Results of the place	hold. If cements fee a 3' Ran d pump to 350' pump to 3195' WS Unit Dug 46% gel & 4 sx 0-50 Pozmix				
luid was placed and the other plugs were used of eet for easy swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hucsg off 4½' below GL	e met d, st d, st ech p ied hru mped Ha psi lls.	hod or met ate the ch lug set to pump in Rec. hea 40 Bbl le llib to 5 ISIP - 2 Max press	MTRU WS nto well avy mud, ease wate 6" csg & 200#. Con s 300 psi on 8 5/8	d in in of same DD Unit - unsuc rubber, r down pumped in to 8 . SI I	troducing and depth Ran 4½" cessful. wood & cess - wen 250 sx 50 5/8" - puress - 10 Well P&A	it into the placed, from sand pump to with w/3" sand to on vac. Reduced to the placed at the sand to the placed at the sand to	hold. If cemen fee fee fee fee fee fee fee fee fee f				
luid was placed and the other plugs were used of eet for easy swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hucsg off 4½' below GL	e metd, stach pied hru. mped Halls. We	hod or met ate the ch lug set to pump in Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate	MTRU WS. nto well avy mud. ease wate 200#. Con s. 300 psi on 8.5/8	d in in of same DD Unit - unsuc rubber, r down pumped in to 8 . SI I	troducing and depth Ran 4½" cessful. wood & cess - wen 250 sx 50 5/8" - puress - 10 Well P&A	it into the placed, from sand pump to with w/3" sand to on vac. Reduced to the placed at the sand to the placed at the sand to	hold. If cements m feet a 3' Ran d pump to 350'. pump to 3195'. WS Unit Dug 46% gel & 4 sx 50-50 Pozmix 8 5/8" & 5½"				
luid was placed and the or other plugs were used of the forest forest swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hucsg off 4½' below GL	e metd, stach pied hru. mped Halls. We	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5 LISIP - Max press eld plate scription Hall	MTRU WS nto well avy mud, ease wate 6" csg & 200#. Con s 300 psi on 8 5/8	d in in of same DD Unit - unsuc rubber, r down pumped in to 8 . SI I " csg. sary, us Service	troducing and depth Ran 44" cessful. wood & c csg - wen 250 sx 50 5/8" - pubress - 10 Well P&A	it into the placed, from sand pump to with w/3" sand to on vac. Reduced to the placed at the sand to the placed at the sand to	hold. If cemen fee fee fee fee fee fee fee fee fee f				
Tuid was placed and the or other plugs were used to feet for each of the swab bar to 360'. True to 1300' - fell to to to to 1300' - fell to to to to 1300' - fell to to to 1300' - fell to to to to 1300' - fell to 1300' - fell to to 1300' - fell	e metd, stach pied hru. mped Halls. We	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5 LISIP - Max press eld plate scription Hall	MTRII WS nto well avy mud, ease wate 200#. Con s 300 psi on 8 5/8	d in in of same DD Unit - unsuc rubber, r down pumped in to 8 . SI I " csg. sary, us Service	troducing and depth Ran 44" cessful. wood & c csg - wen 250 sx 50 5/8" - pubress - 10 Well P&A	it into the placed, from sand pump to with w/3" sand to on vac. Reduced to the placed at the sand to the placed at the sand to	hold. If cemen fee fee fee fee fee fee fee fee fee f				
TATE OF Kansas	e metd, stach pied hru. mped Halpsi	hod or met ate the ch lug set. to pump in Rec. hea 40 Bbl le llib to 5 LISIP - Max press eld plate scription Hall	is necessiburton at Barton	d in in of same DD Unit - unsuc rubber, r down pumped in to 8 . SI I " csg. sary, us Service Kansas	troducing and depth Ran 4½" cessful. wood & cess - wen 250 sx 50 5/8" - puress - 10 Well P&A	it into the placed, from placed, from placed, from with w/3" sand pump to the placed of the placed o	hold. If cements m feet o 3' Ran d pump to 350'. pump to 3195'. I WS Unit. Dug 1/6% gel & 4 sx 10-50 Pozmix 8 5/8" & 5½"				
luid was placed and the other plugs were used of eet for easy swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hulls and 2 sx hulls csg off 4½' below GL. (If additional ame of Plugging Contractions of Contractions Contractions of Contract	e met d, st d, st ech p ied hru mped Hal psi lls. We ctor	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - 2 Max press ald plate scription Hall Grea	is necessiburton at Bend, Barton (employed)	d in in of same DD Unit - unsuc rubber, r down pumped in to 8 . SI I " csg. sary, us Service Kansas	troducing and depth Ran 4½" cessful. wood & cess - wen 250 sx 50 5/8" - puress - 10 Well P&A see BACK of es 67530, ss. where) or (it into the placed, from placed, from placed, from with w/3" sare mt. Ran sand ton vac. Responsed 80 sx 50 psi. Cut. 3-11-83 this sheet)	hold. If cemen fee fee fee fee fee fee fee fee fee f				
luid was placed and the rother plugs were used of eet for each swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hur csg off 4½' below GL. (If additional contract of the contr	e metted, stack poied hru, mped hal psi lls.	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate scription Hall Grea OUNTY OF first duly	is necessiburton at Bend, Barton (employers worn or contained	d in in of same DD Unit - unsuc rubber, or down pumped in to 8 . SI I	troducing and depth Ran 4 !!! cessful. wood & cess - wen 250 sx 50 5/8" - puress - 10 Well P&A see BACK of es 67530, ss. wher) or (says: The log-of-	it into the placed, from placed, from placed, from wather the placed pump of the placed placed property of the placed pla	hold. If cement feet feet feet feet feet feet feet f				
luid was placed and the cother plugs were used of feet for early swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hurs csg off 4½' below GL	e metted, stack poied hru, mped hal psi lls.	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate scription Hall Grea OUNTY OF first duly	is necessiburton at Bend, Barton (employers worn or contained	d in in of same DD Unit - unsuc rubber, or down pumped in to 8 . SI I	troducing and depth Ran 4 !!! cessful. wood & cess - wen 250 sx 50 5/8" - puress - 10 Well P&A see BACK of es 67530, ss. wher) or (says: The log-of-	it into the placed, from placed, from placed, from wather the placed pump of the placed placed property of the placed pla	hold. If cemen fee a 3' Ran d pump to 350' pump to 3195' WS Unit. Dug 1/6% gel & 4 sx 10-50 Pozmix 8 5/8" & 5½"				
luid was placed and the rother plugs were used feet for early swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hurs csg off 4½' below GL CSG	e metted, stack poied hru, mped hal psi lls.	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate scription Hall Grea OUNTY OF first duly	is necessiburton at Bend, Barton (employers worn or contained	d in in of same DD Unit - unsuc rubber, or down pumped in to 8 in SI I Company to Service Kansas ee of own oath, dend the So help	troducing and depth Ran 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	it into the placed, from sand pump to the placed, from sand pump to the sand pump to the sand pump to the sheet pumped 80 sx to psi. Gut 3-11-83 this sheet pumped so the sheet pumped so	hold. If cemen fee of 3' Ran de pump to 350' pump to 3195'				
luid was placed and the or other plugs were used o feet for early swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hurs csg off 4½' below GL	e metted, stack poied hru, mped hal psi lls.	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate scription Hall Grea OUNTY OF first duly	is necessiburton at Bend, Barton (employers worn or contained	d in in of same DD Unit - unsuc rubber, or down pumped in to 8 in SI I Company to Service Kansas ee of own oath, dend the So help	troducing and depth Ran 4 "Cessful. Wood & Cess - Wen 250 sx 50 5/8" - puress - 10 Well P&A Rese BACK of es 67530, ss. When you can be log-of one God. Rature)	it into the placed, from placed	hold. If cemen fee a 3' Ran d pump to 350' pump to 3195' l WS Unit. Dug 1/6% gel & 4 sx 10-50 Pozmix 8 5/8" & 5½" ator) of the owledge of the scribed well as				
TATE OF Kansas C. D. Dohrer Sud was placed and the protect of the plugs were used to the plugs of the plugs with the plugs of the pl	e metted, stack poied hru, mped hal psi lls.	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate scription Hall Grea OUNTY OF first duly	is necessiburton at Bend, Barton (employers worn or contained	d in in of same DD Unit - unsuc rubber, or down pumped in to 8 in SI I Company to Service Kansas ee of own oath, dend the So help	troducing and depth Ran 4 "Cessful. Wood & Cess - Wen 250 sx 50 5/8" - puress - 10 Well P&A Rese BACK of es 67530, ss. When you can be log-of one God. Rature)	it into the placed, from placed	hold. If cemen fee a 3' Ran d pump to 350' pump to 3195' l WS Unit. Dug 1/6% gel & 4 sx 10-50 Pozmix 8 5/8" & 5½" ator) of the owledge of the scribed well as				
TATE OF Kansas C. D. Dohrer Co Manage Contract (If additional contra	e met d, st d, st ach p ied hru mped Hal psi lls. We al de tor eing eatter are	hod or met ate the che ate the che che che che che che che che che c	is necessiburton at Bend, Barton (employer sworn or contained	d in in of same DD Unit - unsuc rubber, or down pumped on to 8 . SI rubber sary, us Service Kansas ee of own oath, d-and the So help (Signal)	troducing and depth Ran 4 "cessful. wood & cess wen 250 sx 50 5/8" - puress - 10 Well P&A Rese BACK of es 67530 ss. where) or (says: The log-of me God. ature) Box	it into the placed, from placed, from placed, from placed, from placed, from placed, grant placed, g	hold. If cement feet a 3' Ran feet a 3' Ran feet a 350' Possible feet a 5' Possible feet				
luid was placed and the or other plugs were used o feet for easy was bar to 360'. Tr CO to 1300' - fell to COND pump truck & pure out bradenhead. Connot hulls. Max press 400 w/6% gel and 2 sx hulls with the same of Plugging Contract and of Plugging Contract Contrac	e met d, st d, st ach p ied hru mped Hal psi lls. We al de tor eing eatter are	hod or met ate the ch lug set. to pump ir Rec. hea 40 Bbl le llib to 5 ISIP - Max press ald plate scription Hall Grea OUNTY OF first duly	is necessiburton at Bend, Barton (employer sworn or contained	d in in of same DD Unit - unsuc rubber, or down pumped on to 8 . SI rubber sary, us Service Kansas ee of own oath, d-and the So help (Signal)	troducing and depth Ran 4 "Cessful. Wood & Cess - Wen 250 sx 50 5/8" - puress - 10 Well P&A Rese BACK of es 67530, ss. When you can be log-of one God. Rature)	it into the placed, from placed	hold. If cement feet as a second feet as				
luid was placed and the other plugs were used of eet for early swab bar to 360'. True Co to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hulls ame of Plugging Contractions of Plugging Contract	e met d, st d, st ach p ied hru mped Hal psi lls. We al de tor eing eatter are	hod or met ate the che ate the che che che che che che che che che c	is necessiburton at Bend, Barton (employer sworn or contained	d in in of same DD Unit - unsuc rubber, or down pumped on to 8 . SI rubber sary, us Service Kansas ee of own oath, d-and the So help (Signal)	troducing and depth Ran 4 "cessful. wood & cess wen 250 sx 50 5/8" - puress - 10 Well P&A Rese BACK of es 67530 ss. where) or (says: The log-of me God. ature) Box	it into the placed, from sand pump to WIH w/3" sand to make the sand the s	hold. If cements fee a 3' Ran d pump to 350'. pump to 3195'. WS Unit. Dug 46% gel & 4 sx 10-50 Pozmix 8 5/8" & 5½" rator) of the bwledge of the scribed well as end, Kansas 675 38) 19 83				
luid was placed and the other plugs were used of eet for early swab bar to 360'. True CO to 1300' - fell to Conn pump truck & pure out bradenhead. Conn hulls. Max press 400 w/6% gel and 2 sx hulls ame of Plugging Contract of Contract Con	e met d, st d, st ech p ied hru. mped psi lls. We eitor One are	hod or met ate the che ate the che che che che che che che che che c	is necessiburton at Bend, Barton (employer sworn or contained or this me this	d in in of same DD Unit - unsuc rubber, er down pumped in to 8 . SI I CSS. sary, us Service Kansas ee of own oath, d-and th So help (Signal)	troducing and depth Ran 4 "cessful. wood & cess wen 250 sx 50 5/8" - puress - 10 Well P&A Rese BACK of es 67530 ss. where) or (says: The log-of me God. ature) Box	it into the placed, from sand pump to the placed, from sand pump to the sand pump to the sand ton vac. Response to the sand sand ton vac. Response to the sand ton vac. Response to the sand to the sa	hold. If cements feet a 3' Ran d pump to 350'. pump to 3195'. WS Unit. Dug 6% gel & 4 sx 0-50 Pozmix 8 5/8" & 5½" rator) of the byledge of the scribed well as end, Kansas 675 ss)				

STATE CORPORATION COMMISSION
03-15-83
MAR 1 5 1983

FORM.TION RECORD 15-163-19437-000

TURLATIUN 1		TOP	BOTTOL.	FORMATION	TOP	BOTTOM
Surface Clay & Shale	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	200			
Shale		200	975	•		
Shale & Shells		975	1655	and the second of the second		•
Anhydrite		1655	1690	·		
Shale & Shells Shale & Lime	, ,	1690	1010	The second of the second of the second		
		1810	2035			
Brkn. Line & Shale Line - Shale		2035	2300	a Maria de Carlos de		
Time - Suate		2300	2440	and the state of t		
Shale	:	2440	2550		4.4	
Shale & Line		2550	2595			
Brkn. Line		2595	2745	Committee Tone		
Line & Shale		2745	2798			•
Sticky Shale	1	2796	2880	Books	3420	
Shale	, , , , ,	2880	2935		.3463	
Lime & Shale		2935	2990		3696	• •
Brkm, Lime & Shale		2990	3148	Weathered Singum	3742	
Lime & Shale		3178	3211		3754	•
Line	~ -	3211	3325	Arbackle	3770	-
Line & Shale	i	3325	3357	化铁铁矿 网络克雷斯 医二氯甲酚	ı	
Line	,	3357	3442			
Line & Chert		3442	3472			
Line		3472	3500			
Lime & Shale		3500 3516	3516 3567		• • •	
Lime - Cherty		3567	3602	t in the second		
Line		3602	3643			*
Lime & Shale	: 1 1	3643	3735	A STATE OF THE STA		•
Shale		3735	3758		•	•
Lime & Shale		3756	3767	The state of the s	1 191	
Shale		3767	3770	A		
Limo Arbeskle		3770	3775 T.D.	and the standard and the	Λ	
	-\ :	J115	2112		L. ·	<i>[]</i>
20th July.		್ರಾಗ್	ran Link Lyin	C) W/VWW	Door	
The second secon	or to distribute absence		47 •	no describe or service of a management of the first of the	E 200	
1 March 1 Con		/	fig.	The state of the state of the state of	TE CORPORA	The state of the s

CONSERVATION DIVISION
Wichita, Kansas