KANSAS CORPORATION COMMISSION RIGINAL
OIL & GAS CONSERVATION DIVISION

Form ACO-1 October 2008 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728	API No. 15 - 011-23570-00-00
Name: Roger Kent dba R.J. Enterprises	Spot Description:
Address 1: 22082 NE Neosho Road	NW_NW_SW_NE_Sec. 20 Twp. 24 S. R. 21 VEast West
Address 2:	3,795 Feet from North / South Line of Section
City: Garnett State: KS Zip: 66032 + 1918	2,475 Feet from 🕢 East / 🗌 West Line of Section
Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 785 ) 448-6995 or 448-7725	□ne □nw ☑se □sw
CONTRACTOR: License # 3728	County: Bourbon
Name: Roger Kent dba R.J. Enterprises	Lease Name: Franklin Well #: 1-A
Wellsite Geologist: n/a	Field Name:
Purchaser: n/a	Producing Formation: Bartlesville
Designate Type of Completion:	Elevation: Ground: 1,011 ft. Kelly Bushing: n/a
✓ New Well Re-Entry Workover	Total Depth: 689 ft. Plug Back Total Depth: 682.5 ft.
✓ Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes 📝 No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other (Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:surface
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 682.5 ft. w/ 90 sx cmt.
Operator:	Drilling Fluid Management Plan AH II NCC 11-24-09
	(Data must be collected from the Reserve Pit)
Well Name: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: Drilled with fresh water - air dry
Plug Back: Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
July 21, 2009 July 23, 2009 July 23, 2009	QuarterSecTwpS. R ☐ East ☐ West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidential report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate to are complete and correct to the best of my knowledge.  Signature:	he oil and gas industry have been fully complied with and the statements herein  KCC Office Use ONLY
	1 1/
DONNA MA	NDA Letter of Confidentiality Received
Subscribed and sworn to before me this day day and sworn to before me this	MERCE , If Denied, Yes Date:
20 0 9 My Appl. Exp.	Wireline Log Received RECEIVED
Notary Public: Wanna Manda	Geologist Report Received NOV 1 6 2009
Date Commission Expires: Thankle, 2011	KCC WICHITA

Operator Name: Roger Kent dba R.J. Enterprises			Lease i	Name: _f	ranklin		Well #:		
Sec. 2 Twp. 24	S. R. <u>21</u>	✓ East	West	County	County: Bourbon				
INSTRUCTIONS: Shottime tool open and clo recovery, and flow rate surveyed. Attach final	sed, flowing and shi s if gas to surface to	ut-in press est, along	ures, whether s	hut-in pres	sure read	ched static level,	hydrostatic press	sures, bottom h	ole temperature, flu
Drill Stem Tests Taken	,		′es ☑ No		<b></b> ✓L	og Formation	n (Top), Depth ar	d Datum	☐ Sample
, (Attach Additional Sheets)			Name			Тор	Datum		
Samples Sent to Geole Cores Taken	ogical Survey		′es ☑No ′es ☑No					·	
Electric Log Run (Submit Copy)	·	\	es No		See 2	attached log			
List All E. Logs Run: Gamma Ray/I	Neutron/CCL								
		Rep		RECORD	✓ Neurface, inte	ew Used	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing et (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface		7"				20'	oil well cement	90	Kol Seal
production		2-7/8"				682.5'		SECTO	S-5 gel
·	<b>1</b>						a		Bentonite
	<u>'</u>		ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Туре	e of Cement	#Sacks	Used		Type and F	ercent Additives	
Shots Per Foot	PERFORAT	ION RECOR					d Depth		
32	628' - 643'	Joseph							
	· -		·						
								······································	
TUBING RECORD:	Size:	Set At	:	Packer A	t:	Liner Run:	] Yes   No		
Date of First, Resumed I	Production, SWD or Er	nhr.	Producing Meth	hod:	Flowing	g Pumpin	g Gas Lil	t Othe	er (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bt	ols. (	Sas-Öil Ratio	Gravity
DISPOSITIO	N OF GAS:			METHOD OF		TION:		PRODUCTIO	ON INTERVAL:
Vented Sold	_		Open Hole [ Other (Specify) _	Perf. [	Dually	Comp. Com	nmingled		

## R.J. Enterprise

## Franklin 1-A

				start 7-21-09
				finish 7-23-09
3	soil	3		
3	sandstone	6		
30	lime	36		
4	shale	40		
5	lime	45		
6	shale	51		
49	lime	100		
167	shale	267		
19	lime	286		set 20' of 7"
68	shale	<b>354</b> ,	,	ran 682.5' of 2 7/8
29	lime	383		consolidated cemented
42	shale	425		to surface
20	lime	445		
6	shale	451		
6	lime	457		
98	shale	555		
2	lime	557		
60	shale	617		
9	sandy shale	626		
11	oil sand	637	good show	
2	bk sand	639	good show	
4	oil sand	643	good show	
5	dk sand	648		
41	shale	689	T.D.	

RECEIVED

MOW 1 & 2009

KCC WICHITA



## **REMIT TO**

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 Main Office P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

R. J. ENTERPRISE % ROGER KENT 22082 NE NEOSHO RD GARNETT KS 66032 (785)448-6995 FRANKLIN 1-A 23457

23457 07-23-09

Part Number Description Qty Unit Price Tota 1126 OIL WELL CEMENT 90.00 16.0000 1440.0 1110A KOL SEAL (50# BAG) 360.00 .3900 140.4 1118A S-5 GEL/ BENTONITE (50#) 200.00 .1600 32.0 1105 COTTONSEED HULLS 25.00 .3700 9.2 4402 2 1/2" RUBBER PLUG 2.00 22.0000 44.0 Description Hours Unit Price Tota CEMENT PUMP 485 1.00 870.00 870.0 485 EQUIPMENT MILEAGE (ONE WAY) 60.00 3.45 207.0 543 TON MILEAGE DELIVERY 297.00 1.16 344.5

RECEIVED
NOV 1 6 2009
KCC WICHITA

Parts: Labor: Sublt:	1665.65 .00 .00	Freight: Misc: Supplies:	.00 .00	Tax: Total: Change:	104.94 3192.11 .00	AR	3192.1
				=======		======	

Signed\_\_\_

Date\_