KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECA IN PROD. DEFT.

ORIGINAL Form ACO-1 /2

October 2008

Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #32073	API No. 15 - 15-001-29924-00-00
Name: Thompson oil company	Spot Description:
Address 1: 2260 North Dakota Road	SE_SE_SW_SE_Sec. 5 Twp. 24 S. R. 19 Fast West
Address 2:	165 Feet from North / South Line of Section
City: lola . State: ks Zip: 66749 +	1485 Feet from East / West Line of Section
Contact Person: Jerome Thompson	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 363-1045	NE □NW ØSE □SW
CONTRACTOR: License # 33977	County: Allen
Name: EK Energy inc	Lease Name: Monfort well #: A-6
	Field Name: Iola
Wellsite Geologist:	Producing Formation: Tucker
Purchaser: Pacer	1
Designate Type of Completion:	Elevation: Ground: 1090 est Kelly Bushing: 1094
New Well Re-Entry Workover	Total Depth: 1032 Plug Back Total Depth: 1032
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20ft Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coel Bed Methane) Temp. Abd.	If yes, show depth set:Feet
Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 1020
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 130 sx cmt.
Operator:	Daillian Fluid Management Plan
Well Name:	Drilling Fluid Management Plan AI+ II NW2 12-2-09 (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to SWD	
Plug Back: Plug Back Total Depth	Dewatering method used:
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
	Operator Name:
Dual Completion	Lease Name: License No.:
08/10/2009 08/12/2009 08/12/2009	QuarterSecTwpS. R
Spud Date or Date Reached TD Completion Date or	County: Docket No.:
Recompletion Date Recompletion Date	550.5.10
Kansas 67202, within 120 days of the spud date, recompletion, workover or or of side two of this form will be held confidential for a period of 12 months if rec	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST rm with all temporarily abandoned wells.
	the oil and gas industry have been fully complied with and the statements herein
are complete and correct to the best of my knowledge.	
Signature: Yuang C Unapper	KCC Office Use ONLY
Title: owner Date: 4-28-7	2009 N
Subscribed and sworn to before me this 28^{th} day of Septembe	Letter of Confidentiality Received
09 CONTROL DELOTE THE BRIDGE D CAY OF THE CONTROL O	, If Denied, Yes Date:
20 <u>C.</u> () Cora of M. ()	Wireline Log Received
Notary Public: WWW 1WWW	Geologist Report Received —— UIC Distribution RECEIVED
Date Commission Expires: 03-08-2013	UIC Distribution

DARCEL NELSON
Notary Public - State of Kansas
My Appt. Expires 03-08-2013

KCC WICHITA

Side Two

Operator Name: Thom	pson oil company	<u> </u>	Lease	e Name: _	Monfort		Well #: _A-6)
Sec. 5 Twp. 24			Coun	ty: Allen				
NSTRUCTIONS: Show ime tool open and close ecovery, and flow rates surveyed. Attach final g	ed, flowing and shut if gas to surface tes	in pressures, whether t, along with final char	shut-in pre	ssure rea	ched static level,	hydrostatic	pressures, bottom	hole temperature, fluid
Orill Stem Tests Taken (Attach Additional Sh	reets)	☐ Yes ☑ No			og Formatio	n (Top), Dep	th and Datum	Sample
Samples Sent to Geolog	gical Survey	☐ Yes 🗹 No		Nam	e		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☐ Yes ☑ No		See a	attached drillers	log		
ist All E. Logs Run:								ı
		CASIN	G RECORD		ew Used			
	Size Hole	Report all strings se Size Casing		surface, inte	ermediate, producti Setting	on, etc. Type o	f # Sacks	Type and Percent
Purpose of String	. Drilled	Set (In O.D.)	Lbs	s. / Ft.	Depth	Cemen		Additives
surface	12.25	8-5/8	22		20ft	portland	5	type 2
longstring	6.75	4.5	9.5		1020	portland	130	type 2
	1	ADDITIONA	AL CEMENT	ING / SQL	JEEZE RECORD	<u> </u>		1
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone	Depth Top Bottom	Type of Cement	#Sack	ks Used		Туре	and Percent Additives	s ·
Shots Per Foot		N RECORD - Bridge Plu		· · · · · · · · · · · · · · · · · · ·			ement Squeeze Reco	rd
	Specify F	ootage of Each Interval Po	erforated		(An	nount and Kind	of Material Used)	Depth
								RECEIVED
								OCT 0 2 2009
							K	CC WICHITA
TUBING RECORD:	Size:	Set At:	Packer	At:	Liner Run:] Yes [₹	☑ No	
Date of First, Resumed Pr waiting on electric	oduction, SWD or Enh	Producing Me	ethod:	Flowing	g Pumpin	N □ G	as Lift Oth	ner (Explain)
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf	Wate	er Bt	ds.	Gas-Oil Ratio	Gravity
DISPOSITION Vented Sold (If vented, Subm.	✓ Used on Lease	✓ Open Hole	METHOD O		_	ımingled	PRODUCTI	ON INTERVAL:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Drillers Log

Company: Thompson Oil

Farm Monfort Well No: A-6

API: 15-001-29924-0000

Surface Pipe: 20'

Contractor EK Energy LLC

License# 33977 County: Allen

Sec 5 Twp: 24 Range: 19E

Location: 165 FSL Location: 1485 FEL Spot: SE-SE-SW-SE

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	3	Drilled 12 ¼ Hole set 20′ 8 5/8 CEMENTED 5 SX
24	LIME	27	Drilled 6 ¾ Hole
107	SHALE	134	
211	LIME	345	
3	SHALE	348	Started 8-10-09
7	LIME	355	Finished 8-12-09
201	SHALE	556	
21	LIME	577	T.D. Hole 1032'
60	SHALE	637	T.D. Pipe 1020'
28	LIME	665	
34	SHALE	699	
31	LIME	730	
10	SHALE	740	
5	LIME	745	
91	SHALE	836	
2	LIME	838	
172	SHALE	1010	
10	SAND & SHALE	1020	
12	OIL SAND	1032	
,			

RECEIVED OCT 0 2 2009 KCC WICHITA

Invoice

Lone Jack Oil Company 509 East Walnut Blue Mound, KS 66010

Date	Invoice #	1
8/14/2009	880	1

Bill To	
Jerry Thompson	
Thompson Oil	
2260 North Dakota Rd.	
Iola, KS 66749	

	10 (1804) 10 (1804)	P.O. No.	Terms	Project
				. 12
Quantity	Descripti	ion	Rate	Amount
1	Monfort Lease 8/12/09, Well #A-6, circulated 130	sacks of cement to surfa	ce, 600.0	0 600.00
	pumped 650 gallons of water behingsales Tax		6.3	0% 37.80
		8-20-09 CK 5393		ŧ.
		(1185.2	5	
:				
				PECTIVED
·.				0CT 0 2 2009
				CC WICHITA
ank you fo	or your business.		Total	\$637.80

... 802 N. Industrial Rd. P.O. Box 664 Kola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:

CA001 CASH CUSTOMER

TH7/20 JERRY THOMPSON BILL TO:2260 N DAKOTA RD DEL TO:2200 N TO SOUTH DAKOTA W 1/4 N SD

WARNING			PROPERTY DA	MAGE RELEASE	Excessive Wat	ter is Detrimental to Con	crete Performance
08-12-09	Foday	<u>1</u>	6.50 yd	10406		4.00 in	24607
	To Date	1	6.50 yd				
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12:49:43p	NELL	6.50 yd	13.00 yd	% CAL 0.00	BT - 34	% AIR 0.00	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				LULH, K	5 55/47		

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The ordiver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the other is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any demage that may occur to the premises and/or adjacent property, bulldings, sidewalks, driveways, curbs, etc., by the delivery of this materiat, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not fitter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver

f delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

Excess Delay Time Charged @ \$50/HR. UNIT PRICE QUANTITY CODE DESCRIPTION EXTENDED PRICE 76.00 494.00 WELL (10 SACKS PER UNIT) WELL 6.50 RECEIVED 1.00 50.00 50.00 1.00 TRUCKING CHARGE TRUCKING

OCT 0 2 2009

KCC WICHITA

			<u> </u>	NGC VVI			
RETURNED TO PLANT	LEFT JOB 🤸	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	,	·
2:13	1:59	1:50	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION :		Tax % 6.300	544.00 34.27
LEFT PLANT_	ARRIVED JOB_	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE		578.27
1:14	1.30	1:31	The state of the state of	The second of th		ADDITIONAL CHARGE 1	578.27 ———
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
						GRAND TOTAL	

802 N. Industrial Rd. P.O. Box 664 Jola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:

CA001

-08-12-09 -- Foday

CASH CUSTOMER

Pavless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own-power. Due to delivery at owner's or intermediary's direction seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customers risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lier on the property which is the subject of this contract.

TH7/20 JERRY THOMPSON BILL TO:2250 N DAKOTA RD DEL TO:2200 N TO SOUTH DAKOTA W 1/4 N SD

•				IOLA, KS	66749		
, TIME	FORMULA	LOAD SIZE	YARDS ORDERED	海(10) (1886)	DRIVER/TRUCK	4 #	PLANT/TRANSACTION #
		S. S. Santanian (1980)		% CAL	ВТ	% AIR	
12:57:03p	WELL	6.50 yd	13.00 yd	0.00	34	0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	2	13.00 yd			· ·	

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE **LOADING** STARTS.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks,

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

13.00 vd

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent properly, buildings, sideways,
curbs, etc. by the delivery of this material, and that you
also agree to help him remove rund from the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of his truck and this supplier for any and all damage to the premises
"and/or-adjacent properly which may be claimed by anyone to have
arisin out, of delivery of this order.

4.00 in **Excessive Water is Detrimental to Concrete Performance** H₂0 Added By Request/Authorized By

WEIGHMASTER

Excess Delay Time Charged @ \$50/HR. QUANTITY ... CODE EXTENDED PRICE WELL, (10 SACKS PER UNIT) 13.00 76.00 WELL 494.00 DELAY EXPLANATION CYLINDER TEST TAKEN RETURNED TO PLANT LEFT JOB FINISH UNLOADING TIME ALLOWED SubTotal \$ 494.00 Tax % 6.300 SLOW POUR OR TUM
 TRUCK AHEAD ON JOB 31.12 4. CONTRACTOR BROKE DOWN $(\mathsf{T})\mathsf{tal}_{\Lambda}$ 525.12 FFT PLANT START UNLOADING TIME DUE der s 11*03.3*9 **ADDITIONAL CHARGE 1** TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME** ADDITIONAL CHARGE 2 GRAND TOTAL