

#### Kansas Corporation Commission Oil & Gas Conservation Division

### ORIGIN-A Nust Be Typed

KCC WICHITA

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #4058   | API No. 15 - 077-21,653-00-00  |
|---|--|
| Name: American Warrior, Inc.  | Spot Description:  |
| Address 1: _P. O. Box 399   | SW_NW_NW_SE_Sec. 35_Twp. 33_s. R. 6 East West  |
| Address 2:  |  |
| City: Garden City State: KS Zip: 67846 +  |  |
| Contact Person: Kevin Wiles, Sr.  | Footages Calculated from Nearest Outside Section Corner:   |
| Phone: (620) 275-2963   | □NE □NW VSE □SW  |
| CONTRACTOR: License # _5929   | County: HARPER   |
| Name: Duke Drilling Co., Inc.   | Lease Name: PULLIAM Well #: 2-35   |
| Wellsite Geologist: JIM DILTS   | Field Name:WILDCAT   |
| Purchaser: None   | Producing Formation: NONE  |
| Designate Type of Completion:   | Elevation: Ground: 1286' Kelly Bushing: 1294'  |
| New Well Re-Entry Workover  | Total Depth: 4545' Plug Back Total Depth: N/A  |
| Oil SWD SIOW  | Amount of Surface Pipe Set and Cemented at: 251 Feet   |
| Gas ENHR SIGW   | Multiple Stage Cementing Collar Used? Yes No   |
| CM (Coal Bed Methane) Temp. Abd.  | If yes, show depth set:Feet  |
| Dry Other   | If Alternate II completion, cement circulated from:  |
| (Core, WSW, Expl., Cathodic, etc.)  | feet depth to: sx cmt.   |
| If Workover/Re-entry: Old Well Info as follows:   |  |
| Operator:   | Drilling Fluid Management Plan  (Data must be collected from the Reserve Pit)  11.5-09   |
| Well Name:  | 11-3-01  |
| Original Comp. Date: Original Total Depth:  | Chloride content: 13,000 ppm Fluid volume: 240 bbls  |
| Deepening Re-perf Conv. to Enhr Conv. to SWD  | Dewatering method used: HAULED OFF SITE  |
| Plug Back:Plug Back Total Depth   | Location of fluid disposal if hauled offsite:  |
| Commingled Docket No.:  Dual Completion Docket No.:   | Operator Name: AMERICAN WARRIOR, INC.  |
| Dual Completion   | Lease Name: WOLFF License No.: 4058  |
| 7-17-09 7-23-09 7-24-09 (PLUGGED)   | Quarter Sec. 2 Twp.34 S. R. 6 East West  |
| Spud Date or Date Reached TD Completion Date or   | County: HARPER Docket No.: D-30,358  |
| Recompletion Date Recompletion Date   |  |
| INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for | nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confident report shall be attached with this form. ALL CEMENTING TICKETS MUST with all temporarily abandoned wells. |
| All requirements of the statutes, rules and regulations promulgated to regulate the complete and correct to the best of my/knowledge.   | ne oil and gas industry have been fully complied with and the statements herein  |
| Signature: / / Ally 6 / Yw  | KCC Office Use ONLY  |
| Title: Compliance Coordinator Date: 10-28-09  | $\mathcal{N}$  |
| act auch  | Letter of Confidentiality Received   |
| Subscribed and sworn to before me this 28 day of UCHOVIII.  | If Denied, Yes Date:   |
| 20.09   | Wireline Log Received  |
| Notary Public: August 1   | Geologist Report Received RECEIVED   |
| Date Commission Expires MARY L. WATTS   | UIC Distribution   |
| My Appt. Exp. 8-7-2010  |  |

| Operator Name: An                                       | nerican Warrior,  | Inc.   | Lease                                  | Name: _  | PULLIAM          |                      | Well #: _2-3    | 35                            |
|---|---|--|--|----------|------------------|----------------------|-----------------|-------------------------------|
|   | 33 S. R. 6  |  | County                                 | ,: HAF   | RPER             |                      |                 |                               |
| time tool open and c<br>recovery, and flow ra           | show important tops ar<br>closed, flowing and shu<br>ates if gas to surface to<br>al geological well site | it-in pressures, wheth<br>est, along with final cl | ner shut-in pres                       | sure rea | ched static lev  | el, hydrostatic pre  | ssures, bottom  | hole temperature, fluid       |
| Drill Stem Tests Take                                   |   | ☐ Yes 🗹 No   | 0                                      |          | .og Format       | ion (Top), Depth     | and Datum       | Sample                        |
| Samples Sent to Ge                                      | ological Survey   | Yes No   | O                                      | Nan      | ne               |                      | Тор             | Datum                         |
| Cores Taken<br>Electric Log Run<br>(Submit Copy)        |   | Yes No   | 0                                      | Wait     | ting on Jim [    | Dilts                |                 |                               |
| List All E. Logs Run:                                   |   |  | -                                      |          |                  |                      |                 |                               |
|   | nsated Porosit<br>le Compensate   |  |  |          |                  |                      |                 |                               |
|   |   |  | SING RECORD set-conductor, su          |          | ew Used          | ction, etc.          |                 |                               |
| Purpose of String                                       | Size Hole<br>Drilled  | Size Casing<br>Set (In O.D.)                       | Weig                                   | ght      | Setting<br>Depth | Type of<br>Cement    | # Sacks<br>Used | Type and Percent<br>Additives |
| Surface Pipe  | 12-1/4"   | 8-5/8"   | 23#                                    |          | 251'             | 60/40 Poz            | 200             | 3%CC; 2% gel                  |
|   |   |  | :                                      |          |                  |                      |                 |                               |
|   |   |  |  |          |                  |                      |                 |                               |
|   |   | ADDITIO  | NAL CEMENTIN                           | NG / SQI | JEEZE RECOR      | D                    |                 |                               |
| Purpose: Depth Type of Cement Top Bottom Protect Casing |   | #Sacks   | #Sacks Used Type and Percent Additives |          |                  |                      | 5               |                               |
| Plug Back TD Plug Off Zone                              |   |  |  |          |                  |                      |                 |                               |
| Shots Per Foot  |   | ON RECORD - Bridge<br>Footage of Each Interval     |  |          |                  | acture, Shot, Ceme   |                 |                               |
|   | P&A   | Colage of Each line val                            | T enorated                             |          |                  | Amount and Kind of P | nateriai Oseu)  | Depth                         |
|   |   |  |  |          |                  |                      |                 |                               |
|   |   |  |  | *        | -                |                      | RE              | CEIVED                        |
|   |   |  |  |          |                  |                      | OC              | T 3 0 2009                    |
|   |   |  |  |          |                  |                      | 1/6 6           |                               |
| TUBING RECORD:  | Size:   | Set At:  | Packer At                              | :        | Liner Run:       | Yes N                |                 | WICHITA                       |
| Date of First, Resumed N/A                              | Production, SWD or Enh  | nr. Producing                                      | -                                      | Flowing  | g 🔲 Pump         | ing Gas L            | ift Oth         | er (Explain)                  |
| Estimated Production<br>Per 24 Hours                    | Oil E<br>N/A  | Bbls. Gas  | Mcf<br>A                               | Wate     | er I             | Bbls.                | Gas-Oil Ratio   | Gravity                       |
| DISPOSITI   | ON OF GAS:  |  | METHOD OF                              | COMPLE   | TION             |                      | PPODUCTY        | ON INTERVAL:                  |
| Vented Solo   |   | Open Hole  | Perf.                                  | Dually   |                  | ommingled            | FRODUCTIO       | JIV IIV I E IN VAL.           |
| (If vented, Su  | bmit ACO-18.)   | Other (Specify                                     | DRY HOLE                               | Ē        |                  | _                    |                 |                               |

## ALLIED CEMENTING CO., LLC. 32644

| REMITTO P.O. BOX 31<br>RUSSELL, KA                         | NSAS 676       | 65                 |  | SERV         | ICE POINT:                          | ne Lodge                |
|--|----------------|--------------------|--|--------------|-------------------------------------|-------------------------|
| DATE 7-24-209 SEC.   | TWP.           | RANGE W            | CALLED OUT AM  | ON LOCATION  | JOB START A                         | OB FINISH               |
| OI, PULLIAM  |                | ^                  | 11   | 1 / 100 -    | COUNTY                              | STATE                   |
| LEASE HIAM WELL#   | 2-35           | LOCATION A         | nthony, Ks   | · 4 E,       | Harper                              | Kansas                  |
| OLD OR NEW (Circle one)                                    |                | 25, 1/2            | Es Ninto   |              | <b>'</b>                            |                         |
| CONTRACTOR DUK   | ے سے ک         |                    | $\bigcirc$ OWNER $A_{m}$   | erican U     | Ware:                               | n K                     |
| TYPE OF JOB  | y Plug         |                    |  |              |                                     | M                       |
| HOLE SIZE 7 7/8  | T.D            |                    | CEMENT   |              |                                     | 19301                   |
| CASING SIZE 8 18   |                | PTH 250            | AMOUNT ORI   |              |                                     | 19                      |
| TUBING SIZE DRILL PIPE 4 /2                                | DEI            |                    |  | 60:40        | :4% Ge                              | <u> </u>                |
| TOOL   | DEF            | TH /050'           |  | <del></del>  |                                     |                         |
| PRES. MAX 250  |                | NIMUM              | $\overline{}$ common $A$   | 93 sx        | @ 15-45                             | א אכעונ                 |
| MEAS. LINE   |                | DE JOINT           | POZMIX   | 62 5K        | @ <i>\3.5</i> 72<br>@ <i>\8.6</i> 0 | 1436.8.                 |
| CEMENT LEFT IN CSG.  |                | 220011             | GEL  | 5 5X         | @ 20-80                             | 104.00                  |
| PERFS.   |                |                    | CHLORIDE   | <u> </u>     | @                                   | 101.                    |
| DISPLACEMENT From  | + MU           | d                  | ASC  |              | @                                   |                         |
|  | IPMENT         |                    |  |              | @ Dr.                               |                         |
| _  |                |                    |  |              | @ MECEIVE                           | :D                      |
| PUMP TRUCK CEMENT  | ER Z           | Baldina            | <del></del>  |              | @OCT 200                            |                         |
| #414-302 HELPER  | •              | e Felio            | <del></del>  |              | @                                   | J09                     |
| BULK TRUCK   | <del>- 0</del> | <u> </u>           | <del></del>  | <i>K</i>     | EC MICH                             |                         |
| #364 DRIVER  | Scott          | triddy             |  |              | @                                   | IA                      |
| BULK TRUCK   |                | 7                  |  |              | @                                   |                         |
| # DRIVER   | ·              | 244                | HANDLING   | 155 5X       | @ <u></u>                           | 272.00                  |
|  |                |                    | MILEAGE  | 155 1.10 /2  | % <u>Z-40</u>                       | <u>372-00</u><br>387.50 |
| REN  | AARKS:         |                    |  |              | TOTAL                               | 2796-3°                 |
|  |                |                    |  |              | IOIAL                               | 2110-3                  |
| KUMA 35 5x -   | 1050           | ,                  | <del></del>  | SERVIC       | TC .                                |                         |
| <u> </u>   | 700            | •                  |  | - SERVIC     | <u> </u>                            |                         |
| <u>35_ xx -</u>  | 300            | •                  | DEPTH OF JOB   | 1050         |                                     |                         |
| <u>~~</u>  | 30'            | 11                 | PUMP TRUCK (   | CHARGE       | 1017.                               | 00                      |
| - 13 5x -  | KAT H          | 10/5/              | EXTRA FOOTA  |              | @                                   |                         |
| 10 Sx - 1  | MOUSE          | e Hole             | MILEAGE  | <u> </u>     | @ <b>7.60</b>                       | 175-00                  |
|  |                |                    | MANIFOLD   |              | @                                   |                         |
|  |                |                    |  |              | @                                   |                         |
| CHARGE TO: <u>Ameri c</u>                                  | /-             | )                  |  | (            | @                                   |                         |
|  |                |                    | ······   |              |                                     |                         |
| STREET   |                | <u> </u>           |  |              | TOTAL _                             | 1192.00                 |
| CITYSTA  | TE             | ZIP                |  |              |                                     |                         |
|  |                |                    | — PL   | UG & FLOAT E | QUIPMENT                            | 1                       |
|  |                |                    |  |              |                                     |                         |
| •  |                |                    | 1- TWF   |              | @                                   | 68-00                   |
| To Alliad Carry at 1 20 To                                 | r. ~           |                    |  | @            | @                                   |                         |
| To Allied Cementing Co., Li                                |                |                    |  | @            | <u> </u>                            |                         |
| You are hereby requested to                                | rent ceme      | nting equipment    |  |              | <u> </u>                            |                         |
| and furnish cementer and he contractor to do work as is li | iper(s) to a   | assist owner or    |  |              | <u> </u>                            |                         |
| done to satisfaction and supe                              | ervision of    | owner coart        | ,  |              | mom · -                             | 18 00                   |
| contractor. I have read and u                              | uderstand      | the "CENED AT      |  |              | IUIAL _                             | 68,00                   |
| TERMS AND CONDITION  | S" listed o    | n the reverse sid  | e. SALES TAX (If A   | ny)          |                                     |                         |
|  |                | 010 10 1010180 510 |  | The same of  |                                     | •                       |
| DINITED AT A A ST  |                |                    | TOTAL CHARGE   | 2            |                                     |                         |
| RINTED NAME  | <del></del>    |                    | _ DISCOUNT   |              | IF PAID I                           | N 30 DAYS               |
| IGNATURE   | . /            | 1                  | A CONTRACTOR OF THE PARTY OF TH |              |                                     |                         |
| IGNATURE ( Kolon V / In                                    | m Kn           | - In               |  |              |                                     |                         |

# ALLIED CEMENTING CO., LLC. 042977

| REMIT TO P.O. BOX 31<br>RUSSELL, KANSAS 67665  | SERVICE POINT: Medicineloges  |
|--|---|
| DATE 07/17/09 SEC. TWP. RANGE 06 W   | CALLED OUT ON LOCATION JOB START JOB FINISH   |
| DATE 07/17/09 35 335 06W   | 9:00 Pm 11:30 Pm 12:90 Am 12:15 A1  |
| LEASE Pulliam WELL# 2-35 LOCATION AWTHON   | Ny () Mc Donalds 45 Harbon 165  |
| OLD OR NEW (Circle one)  | Vinto   |
| CONTRACTOR Duke #2   | OWNER American Manion 950   |
| TYPE OF JOB Surface  | 109   |
| HOLE SIZE $/2/$ T.D. $25/$   | CEMENT  |
| CASING SIZE 1858 DEPTH 250   | AMOUNT ORDERED 2005X 60:40:2  |
| TUBING SIZE DEPTH  | get + 3% cc   |
| DRILL PIPE DEPTH   |   |
| TOOL DEPTH   | COMMON C/455A 120 @ 15.45 1854.00   |
| PRES. MAX 250 MINIMUM —  |   |
| MEAS. LINE SHOE JOINT N/4 CEMENT LEFT IN CSG. /57  | POZMIX <u>80 @ 64000</u>  |
| PERFS.   | GEL <u>3 @ 26.80                                    </u>  |
| DISPLACEMENT / 5 BG/s Fresh H 32   | CHLORIDE <u>G</u> @ <u>58.75</u> <u>349.26</u> ASC  |
|  | @   |
| EQUIPMENT  | @ DPa-  |
|  | @ RECEIVED  |
| PUMPTRUCK CEMENTER P. Felis  | @NCT 2 0 2222   |
| #4/4-302 HELPER D Franklin   | @ 200 <b>9</b>  |
| #353 DRIVER D. Wright  | KEC MICHE   |
| #353 DRIVER D. Waght BULK TRUCK  | @ WICHIA  |
| # DRIVER   | @   |
| # DRIVER   | HANDLING 200 @ 2.40 4 6.00  |
|  |   |
| Place on Bottom Breat Cler Puma Sources  | MILEAGE 700/25/.10 50000 TOTAL 3885.6   |
| Pipe on BHM, Brent Circ, Pump Spreas,  | MILEAGE 700/25/.10 50000  TOTAL 3885.6  SERVICE   |
| Pipe on BHM, Brent Clay, Pump Spread,<br>Nix 200 SX 60:40:3% ou + 2% get, Stopp<br>Release Plug, Start Dxp W Fresh HZo<br>Wash up on Plug, See inchesce in PST.  | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 251   |
| Pipe on BHM, Brent Clas, Pump Spread, Dix 200 5x 60:40:3% cu + 2% gcf, Stop &  | MILEAGE 700/25/.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE 10/8.00   |
| Pipe on BHM, Brent Clay, Pump Spread,<br>Nix 200 SX 60:40:3% ou + 2% get, Stopp<br>Release Plug, Start Dxp W Fresh HZo<br>Wash up on Plug, See inchesce in PST.  | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @   |
| Pipe on BHM, Brent Clay, Pump Spread,<br>Nix 200 SX 60:40:3% ou + 2% get, Stopp<br>Release Plug, Start Dxp W Fresh HZo<br>Wash up on Plug, See inchesce in PST.  | MILEAGE 700/251.10 500.00  TOTAL 38\$5.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 7.00 175.00   |
| Pipe on BHM, Brent Clay, Pump Spread,<br>Nix 200 SX 60:40:3% ou + 2% get, Stopp<br>Release Plug, Start Dxp W Fresh HZo<br>Wash up on Plug, See inchesce in PST.  | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 75 @ 7.00 175.00  MANIFOLD @  |
| Pipe on BHM, Brent Clas, Pump Spread, Nix 200 5x 60:40:3% ou + 2% gcf, Stop for Release Plug, Start Dxp W Fresh HZO Wash up on Plug, See incherce in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Circ  | MILEAGE 700/251.10 50000  TOTAL 38\$5.6  SERVICE  DEPTH OF JOB 251  PUMP TRUCK CHARGE 70/8.00  EXTRA FOOTAGE @  MILEAGE 7.00 175.00  MANIFOLD @  @  |
| Pipe on BHM, Brent Clas, Pump Spread, Nix 200 5x 60:40:3% ou + 2% gcf, Stop for Release Plug, Start Dxp W Fresh HZO Wash up on Plug, See incherce in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Circ  | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 75 @ 7.00 175.00  MANIFOLD @  |
| Pipe on BHM, Brent Clas, Pump Spread, Mix 200 sx 60:40:3% ou + 2% get, Stop for Release Plug, Start Drop W Fresh HZO Wash up on Plug, See incherce in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Circ   | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 75 @ 7.00 175.00  MANIFOLD @  @  @  @  @  @  @  @  @  @  @  @  @  |
| Pipe on BHM, Brent Clas, Pump Spread, Nix 200 5x 60:40:3% ou + 2% gcf, Stop for Release Plug, Start Dxp W Fresh HZO Wash up on Plug, See incherce in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Circ  | MILEAGE 700/251.10 50000  TOTAL 38\$5.6  SERVICE  DEPTH OF JOB 251  PUMP TRUCK CHARGE 70/8.00  EXTRA FOOTAGE @  MILEAGE 7.00 175.00  MANIFOLD @  @  |
| Pipe on BHM, Brent Clas, Pump Spaces, Mix 200 sx 60:40:3% ou + 2% get, Stop for Release Plug, Start Drop W Fresh HZO Wash up on Plug, See increase in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Cies  CHARGE TO: American Wharian  STREET  STREET  | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 75 @ 7.00 175.00  MANIFOLD @  @  @  @  @  @  @  @  @  @  @  @  @  |
| Pipe on BHM, Brent Clas, Pump Spread, Mix 200 sx 60:40:3% ou + 2% get, Stop for Release Plug, Start Drop W Fresh HZO Wash up on Plug, See incherce in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Circ   | MILEAGE 700/251.10 50000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 75 @ 7.00 175.00  MANIFOLD @  @  @  @  @  @  @  @  @  @  @  @  @  |
| Pipe on BHM, Brent Clas, Pump Spaces, Mix 200 sx 60:40:3% ou + 2% get, Stop for Release Plug, Start Drop W Fresh HZO Wash up on Plug, See increase in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Cies  CHARGE TO: American Wharian  STREET  STREET  | MILEAGE 700/251.10 500.00  TOTAL 3885.6  SERVICE  DEPTH OF JOB 251  PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 7.00 175.00  MANIFOLD @  @  TOTAL 1193.00   |
| Pipe on BHM, Brent Clas, Pump Spaces, Mix 200 sx 60:40:3% ou + 2% get, Stop for Release Plug, Start Drop W Fresh HZO Wash up on Plug, See increase in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Cies  CHARGE TO: American Wharian  STREET  STREET  | MILEAGE 700/25/.10 50000 TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 17.5.00 MANIFOLD @ @ TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  |
| Pipe on BHM, Brent Clas, Pump Spaces, Mix 200 sx 60:40:3% ou + 2% get, Stop for Release Plug, Start Drop W Fresh HZO Wash up on Plug, See increase in PSI, Slow Rate, Stop Pump, Shutin, Release Line PSI, Cement Did Cies  CHARGE TO: American Wharian  STREET  STREET  | MILEAGE 700/25/.10 500.00  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @ MILEAGE 7.50 175.00  MANIFOLD @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  1- Wooden P/42 @ 680 68.00  |
| Pipe on BHM, Brent Class, Pump Spaces,  Mix 200 sx 60:40:3% out 2% get, Stop for  Celease Plug, Start Dxp W Fresh H20  Wash up on Plug, See increase in PST,  Slow Rate, Stop Pump, Shutin, Release  Line PST, Cement Did Cies  CHARGE TO: American Wharian  STREET  CITY STATE ZIP  | MILEAGE 700/25/.10 50000 TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 17.5.00 MANIFOLD @ @ TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  |
| Pipe on B++m, Brent Clas, Pump Spaces,  Mix 200 sx 60:40:3% of + 2% get, Stopped  Celeuse Plug, Start Dxp W/Fresh H-20  Wash up on Plug, See incherce in PST,  Slow Rate, Stop Pump, Shutin, Redence  Line PSE, Cement Did Circ.  CHARGE TO: American Warrion  STREET  CITY STATE ZIP  To Allied Cementing Co., LLC.   | MILEAGE 750/25/.15 500.00  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @  MILEAGE 7.00 175.00  MANIFOLD @  @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  |
| Pipe on Bttm, Brent Clay, Pump Spaces, Nix 200 SX 60:40:3% of + 2% get, Stopped Sclease Plug, Start Dxp W/Fresh H-20 Wash up on Plug, See inchesce in PST, Slow Rate, Stop Pump Shutin, Release Line PST, Cement Did Ciec  CHARGE TO: STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment  | MILEAGE 750/25/.15 500.00  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @ MILEAGE 7.00 175.00  MANIFOLD @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  1 Wooden P/112 @ 6800 68.00  @  @  @  @  @  @  @  @  @  @  @  @   |
| Pipe on Bttm, Brent Clay, Pump Spaces, Mix 200 sx 60-40:3% ou + 2% gel, Stopk Release Plug, Start Dsp W Fresh H-20 Wash up on Plug, See incherce in PST, Slow Rate, Stop Pump Shutin, Release Line PST, Cement Did Circ  CHARGE TO: STATE ZIP  To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or            | MILEAGE 700/25/.10 500000 TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 175.00 MANIFOLD @  ### TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  #### A Company of the company of |
| CHARGE TO: American Warrier  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was  | MILEAGE 700/25/.10 500000 TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 175.00 MANIFOLD @  ### TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  #### A Company of the company of |
| CHARGE TO: American Wallier  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or   | MILEAGE 700/25/.10 500000  TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00  EXTRA FOOTAGE @ MILEAGE 7.00 175.00  MANIFOLD @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT  |
| CHARGE TO: American Warion  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL"   | MILEAGE 700/25/.10 50000 TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 17.5.00 MANIFOLD @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT   |
| CHARGE TO: American Wallier  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or   | MILEAGE 700/25/.10 500000 TOTAL 38\\$5.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 175.00 MANIFOLD @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT   |
| CHARGE TO: American Washin, Release  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side. | MILEAGE 700/25/.10 50000 TOTAL 3885.6  PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 175.00 MANIFOLD @ @ @ TOTAL 1193.00  PLUG & FLOAT EQUIPMENT   |
| CHARGE TO: American Warion  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL"   | MILEAGE 700/25/.10 500000 TOTAL 38\\$5.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE /0/8.00 EXTRA FOOTAGE @ MILEAGE 7.00 175.00 MANIFOLD @  TOTAL 1193.00  PLUG & FLOAT EQUIPMENT   |
| CHARGE TO: American Washin, Release  To Allied Cementing Co., LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side. | MILEAGE 700/25/.10 50000 TOTAL 3885.6  SERVICE  DEPTH OF JOB 25/ PUMP TRUCK CHARGE 6 EXTRA FOOTAGE 6 MILEAGE 75 @ 7.00 175.00 MANIFOLD 6  PLUG & FLOAT EQUIPMENT  PLUG & FLOAT EQUIPMENT  TOTAL 4800  SALES TAX (If Any) TOTAL CHARGES  |