## Kansas Corporation Commission Oil & Gas Conservation Division

ORIGINAL

Form ACO-1 October 2008 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 6766	API No. 15 - 037-22081-00-00
Name: N & W Enterprises, Inc	Spot Description:
Address 1:1111 S Margrave	SENWSec. 29Twp. 28_S. R. 22
Address 2:	
City: Fort Scott State: KS zip: 66701 +	
Contact Person: Tom Norris	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 223-6559	□NE NNW ☑SE □SW
CONTRACTOR: License #_33734	County: Crawford
Name: Hat Drilling LLC	Lease Name: Hammerbacher Well #: Inj #1
Wellsite Geologist:RECEIVED	Field Name: Walnut SE
Purchaser: Plains Marketing KANSAS CORPORATION COMMISSI	Producing Formation: Bartlesville
Design at Time of Occasionium.	Elevation: Ground: 946 Kelly Bushing:
New Well Re-Entry	Total Depth: 438 Plug Back Total Depth: 432
Oil SIAD SION -	Amount of Surface Pipe Set and Cemented at: 20 Feet
OII SWD SIOW CONSERVATION DIVISION Gas FINHR SIGW WICHITA, KS	Multiple Stare Comparing Called Head?
CM (Coal Bed Methane) Temp. Abd.	Multiple Stage Cementing Collar Used? Yes No
Dry Other	If yes, show depth set:Feet
(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 438
If Workover/Re-entry: Old Well Info as follows:	feet depth to: Top w/ 68 sx cmt.
Operator:	Drilling Fluid Management Plan AH II NUR 11-4-09
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back:Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	
Dual Completion Docket No.:	Operator Name:
Other (SWD or Enhr.?)	Lease Name: License No.:
09/30/09 10/01/09 10/07/09  Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or color side two of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information lested in writing and submitted with the form (see rule 82-3-107 for confiden- I report shall be attached with this form. ALL CEMENTING TICKETS MUST m with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate the are complete and correct to the best of my knowledge.	e oil and gas industry have been fully complied with and the statements herein
Signature: Worker & Janus	KCC Office Use ONLY
Title: President Date: 10/30/2009	/ //
Subscribed and sworn to before me this 30 hay of Octoher	Letter of Confidentiality Received
20/19	if Denied, Yes Date:  Wireline Log Received
Vicinii VIII	Geologist Report Received
Notary Public: Manual Parce	UIC Distribution (W/)3)
Date Commission Expires: 04/24/04/3	(40)
HOTARY PUBLIC - State  VIRGINIA L. A  My Appl. Exp. 44	OF Marsas NORRIS

## Side Two

Operator Name: N & W Enterprises, Inc			Lease N	Lease Name: Hammerbacher Well #: Inj #1						
Sec. 29 Twp	28 S. R. 22	✓ East  ☐ West	County:							
time tool open and c recovery, and flow ra	losed, flowing and shu	nd base of formations per at-in pressures, whether s est, along with final chart report.	shut-in pressu	ure read	ched static level	hydrostatic pres	sures, bottom	hole tem	oerature, fluid	
Drill Stem Tests Taken				✓Lo	og Formatio	n (Top), Depth a	epth and Datum		Sample	
Samples Sent to Ge	Samples Sent to Geological Survey			Name Bartlesville		Top <b>404</b>			Datum 114	
Cores Taken Electric Log Run (Submit Copy)		Ves ☑ No ☑ Yes ☐ No				•				
List All E. Logs Run:										
Gamma Ray	Neutron								,	
				<u> </u>						
		CASING Report all strings set-	RECORD conductor, surf	Net ace, inte	_	on, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weigh Lbs. / F		Setting Depth	Type of Cement	# Sacks Used		and Percent	
Surface	12"	8 5/8	1.5		20'	Portland #1	6	NA		
Production	5 7/8"	2 7/8"	6.4		432'	60/40 poz	65	2%ge	2%gel 5% salt	
	`	ADDITIONAL	CEMENTING	3 / SOU	EE7E DECODD					
Purpose: Depth Type of Cement			1	#Sacks Used Type and Percent Additives				<u> </u>		
Perforate Protect Casing Plug Back TD	Top Bottom									
Plug Off Zone			<u></u>				***			
Shots Per Foot		ON RECORD - Bridge Plug Tootage of Each Interval Per			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) De				Depth	
2	2" DML-RTG			Acid Ball off					404-414	
			<del></del>			Ri	ECEIVED			
***************************************					4	MANSAS CORP	ORATION COMM	IISSION		
			····			NOV	<b>0 2</b> 2009			
TURNO DECORD						CONSER	ATION DIVIS	HON		
TUBING RECORD: 2	Size: 7/8	Set At: 432	Packer At: na		Liner Run:	Wic Yes ✓ No	CHITA KS	,,,,,,,		
Date of First, Resumed	Production, SWD or Enh	r. Producing Meth		Flowing	Pumpin	g Gas Lit	t 📝 Oth	er (Explain)		
Estimated Production Per 24 Hours	Oil B	Bbls. Gas	Mcf	Water	Bb	ls. (	Gas-Oil Ratio		Gravity	
DISPOSITI	ON OF GAS:	N	ETHOD OF CO	OMPLET	FION:		PRODUCTION	ON INTER\	/AL:	
Vented Solo	Used on Lease	Open Hole Other (Specify)	Perf.	Dually 0	Comp. Com	mingled		· · · · · · · · · · · · · · · · · · ·		



LOCATION OX Yaug
FOREMAN Alan Madou

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

## FIELD TICKET & TREATMENT REPORT

620-431-9210	or 800-467-8676			CEMEN					
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY	
10-7-09	5624	Hamm	or back	ier IM	JI NW	29 28	22	CR	
CUSTOMER	12.10						TD: 101/ #	201/50	
MAILING ADDRI		1/ses		-	TRUCK#	DRIVER	TRUCK#	DRIVER	
IVIAILING ADDRI	A A				5)6	A'anM			
CITY	Margra	STATE	ZIP CODE	-	368	BenH			
	0	_	1.		369	Chuckh			
FOLK	Scott	<u> </u>	66071	_	5418	Arlen N	9c. ,		
JOB TYPE 10	ns string	HOLE SIZE	35/8	_ HOLE DEPTH	1 <u>438</u>	CASING SIZE & V	VEIGHT	<u> </u>	
CASING DEPTH	1 <u>432</u>	DRILL PIPE	<del></del>	_TUBING		<del></del>	OTHER		
SLURRY WEIGHT SLURRY VOL WATER gal/sk CEMENT LEFT						CEMENT LEFT in	CASING 1/25		
DISPLACEMEN'	T_2 1/2	DISPLACEMEN	t PSI <u>700</u>	MIX PSI	300	RATE 4	pm	<u></u>	
REMARKS:	Establi	shed	rate.	Mix	ed + c	umsed	68 3	x 60140	
POZ.	20% ael	5%	salt.	Circa	ulated.	coment.	F/48	400	
DUM	o. Pum	000 0	lugt	o cas	ing Ti	D. We	U helo	1 700	
IPSI	Sex.	float	10	sed i	salve.				
· u	Vell was	s' floi	i) ne	befor	e cen	ienting	. See.	med	
10	be 97		axx	· / .					
		77							
used	More	Come	ut bu	Weich	2 back	then	expecte	2	
			7	3		1	1	11 1	
						//	len 1	ales	
ACCOUNT CODE	QUANITY	or UNITS	DE	ESCRIPTION of	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL	
5401	1	***************************************	PUMP CHARG	SE .		**************************************		870 00	
5406	Va p	£ 84	MILEAGE					91.60	
T 402	4	32'	005	ine +	ootage				
5407A	120	7.31	# C. A	14:16	<u> </u>	<del></del>		150,00	
35026	177	2 /2	80 :	1 p. 1	<del>/</del>		-	141.00	
JUVAC	1	~ ///	000	46	1 <del>5 (1 (2 </del>	· · · · · · · · · · · · · · · · · · ·		1-1100	
1111	1	35 #	Salt					4195	
11183	1.6	7#		<del>-</del>			<u> </u>		
11100			ge.					18.72	
1131	6	<u>5512</u>	601	40 102		000		695.50	
4402		1	21/8	Plue			MAPR	22.00	
				, 0		YUM			
•					RECEI KANSAS CORPORAT	ON COMMISSION			
		. A	1021t	15					
		WO	なして	) (3	NOV 0	<b>2</b> 2009			
				· · · · · · · · · · · · · · · · · · ·	• •				
					CONSERVA	TION DIVISION			
					WICE	ITA, KS			
						6,3%	SALES TAX	49.03	
Ravin 3737			<b></b>			0,00	ESTIMATED		
	T. 1)		+1				TOTAL	2084,7	
AUTHORIZTION	Tom No	11.5 M	14 201	WILLES			DATE		