

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: 6044
Name: Stelbar Oil Corporation, Inc.
Address 1: 1625 N. Waterfront Parkway, Suite 200
Address 2: _____
City: Wichita State: KS Zip: 67206 + _____
Contact Person: Roscoe Mendenhall
Phone: (316) 440-7605
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)
Bartlesville Sd. Depth to Top: 2803' Bottom: 2805' T.D. 2904'
_____ Depth to Top: _____ Bottom: _____ T.D. _____
_____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - 035-23463 - 00 00
Spot Description NE-SW-NW
Sec. 10 Twp. 30 S. R. 4 East West
1190 4078 Feet from 40 North South Line of Section
960 4167 Feet from East West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Cowley
Lease Name: Daves Unit Well #: 34
Date Well Completed: 8/18/1984
The plugging proposal was approved on: 8/10/2009 (Date)
by: Duane Krueger (KCC District Agent's Name)
Plugging Commenced: 8/11/2009
Plugging Completed: 8/12/2009

KCC DISTRICT AGENT
PERCEPS

Show depth and thickness of all water, oil and gas formations.

| Oil, Gas or Water Records | | Casing Record (Surface, Conductor & Production) | | | |
|---------------------------|-------------------|---|--------|---------------|------------|
| Formation | Content | Casing | Size | Setting Depth | Pulled Out |
| Bartlesville Sand | Oil and Saltwater | Surface | 8-5/8" | 209' | None |
| | | Production | 5-1/2" | 2904' | 238' |
| | | | | | |
| | | | | | |

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

RIH with 2-3/8" tubing to 2803' and spot 30 sacks of Class A cement containing 4% gel and 3% CC. POOH with tubing. Set CIBP at 270' KB in 5-1/2" casing. Cut off casing at 242' KB depth and pull 238' of 5-1/2" casing. Remove casinghead. RIH with 2-3/8" tubing to CIBP at 270' KB and circulate 90 sacks Class A cement to surface.

RECEIVED
AUG 25 2009

Plugging Contractor License #: 6044 Name: Stelbar Oil Corporation, Inc. **KCC WICHITA**
Address 1: 1625 N. Waterfront Parkway, Suite 200 Address 2: _____
City: Wichita State: Kansas Zip: 67206 + _____
Phone: (316) 264-8378
Name of Party Responsible for Plugging Fees: Stelbar Oil Corporation, Inc.
State of Kansas County, Sedgwick, ss.
Roscoe Mendenhall Employee of Operator or Operator on above-described well,
(Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Signature: Roscoe Mendenhall

KCC



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 230823

Invoice Date: 08/13/2009 Terms:

Page 1

STELBAR OIL CORP., INC.
SUITE 200
1625 N. WATERFRONT PARKWAY
WICHITA KS 67206-6602
(316) 264-8378

DAVES UNIT #34
21243
08-11-09

| Part Number | Description | Qty | Unit Price | Total |
|-------------|-----------------------------|--------|------------|--------|
| 1104S | CLASS "A" CEMENT (SALE) | 30.00 | 12.7000 | 381.00 |
| 1118A | S-5 GEL/ BENTONITE (50#) | 120.00 | .1600 | 19.20 |
| 1102 | CALCIUM CHLORIDE (50#) | 100.00 | .7100 | 71.00 |
| 1107 | FLO-SEAL (25#) | 25.00 | 1.9700 | 49.25 |
| Description | | Hours | Unit Price | Total |
| 442 | MIN. BULK DELIVERY | 1.00 | 296.00 | 296.00 |
| 446 | P & A OLD WELL | 1.00 | 590.00 | 590.00 |
| 446 | EQUIPMENT MILEAGE (ONE WAY) | 30.00 | 3.45 | 103.50 |

RECEIVED
AUG 25 2009
KCC WICHITA

| | | | | | | | |
|--------|--------|-----------|-----|---------|---------|----|---------|
| Parts: | 520.45 | Freight: | .00 | Tax: | 30.19 | AR | 1540.14 |
| Labor: | .00 | Misc: | .00 | Total: | 1540.14 | | |
| Sublt: | .00 | Supplies: | .00 | Change: | .00 | | |

Signed _____

Date _____

BARTLESVILLE, OK
918/338-0808

ELDORADO, KS
316/322-7022

EUREKA, KS
620/583-7664


GILLETTE, WY
307/686-4914

MCALISTER, OK
918/426-7667

OTTAWA, KS
785/242-4044

THAYER, KS
620/839-5269

WORLAND, WY
307/347-4577



ENTERED

TICKET NUMBER 21243
LOCATION Eldorado #80
FOREMAN Jim Thomas

FIELD TICKET & TREATMENT REPORT
CEMENT

PO Box 884, Chanute, KS 66720
820-431-9210 or 800-467-8678

| DATE | CUSTOMER # | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|----------------------------------|------------|--------------------|---------|----------|---------|--------|
| 8-11-09 | 7396 | Daves Unit #34 | 10 | 30S | 4E | Cowley |
| CUSTOMER | | | TRUCK # | DRIVER | TRUCK # | DRIVER |
| Stelhar Oil Corp Inc. | | | | Jacob | 416 | |
| MAILING ADDRESS | | | | Greg | 412 | |
| 1625 N Waterfront Pkwy Suite 200 | | | | | | |
| CITY | STATE | ZIP CODE | | | | |
| Wichita | Ks | 67206-6602 | | | | |

JOB TYPE Plug
 CASING DEPTH
 SLURRY WEIGHT
 DISPLACEMENT
 HOLE SIZE 1 7/8"
 DRILL PIPE
 SLURRY VOL
 DISPLACEMENT PSI
 HOLE DEPTH 3012.5 ft
 TUBING 2 7/8"
 WATER gal/sk
 MIX PSI
 CASING SIZE & WEIGHT 4 1/2"
 OTHER
 CEMENT LEFT IN CASING
 RATE
 REMARKS: Safety Meeting fig up + Pumped 3000 class A 4% gel 3% cell 1% poly-
 Flake + disp. Cement to 2013 ft. Wash up rig down.

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL |
|--------------|-------------------|------------------------------------|-----------------|---------|
| 5405A | 1 | PUMP CHARGE | 570.00 | 570.00 |
| 5406 | 30 | MILEAGE | 3.45 | 103.50 |
| 11045 | 30 sks | Class A | 12.70 | 381.00 |
| 1108A | 120 lbs | gel | 116 | 13.92 |
| 1102 | 100 lbs | calcium Chloride | .71 | 71.00 |
| 5407 | 1 | min. Bulk Del. | 216.00 | 216.00 |
| 1107 | 25 lbs | Flo-Seal | 1.97 | 49.25 |
| Subtotal | | | | 1540.41 |
| | | | SALES TAX | 30.19 |
| | | | ESTIMATED TOTAL | 1570.60 |

RECEIVED
 AUG 25 2009
 KCC WICHITA
 DATE 8-11-09

Revin 5737
 AUTHORIZATION Rob Williams

030803
 TITLE _____



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 230825

Invoice Date: 08/13/2009 Terms:

Page 1

STELBAR OIL CORP., INC.
SUITE 200
1625 N. WATERFRONT PARKWAY
WICHITA KS 67206-6602
(316) 264-8378

DAVES UNIT #34
21246
08-12-09

| Part Number | Description | Qty | Unit Price | Total |
|-------------|------------------------------|-------|------------|---------|
| 1104S | CLASS "A" CEMENT (SALE) | 90.00 | 12.7000 | 1143.00 |
| | | Hours | Unit Price | Total |
| 290 | P & A OLD WELL | 1.00 | 590.00 | 590.00 |
| 290 | EQUIPMENT MILEAGE (ONE WAY) | 30.00 | 3.45 | 103.50 |
| 434 | 80 BBL VACUUM TRUCK (CEMENT) | 4.00 | 94.00 | 376.00 |
| 502 | MIN. BULK DELIVERY | 1.00 | 296.00 | 296.00 |

RECEIVED
AUG 25 2009
KCC WICHITA

| | | | | | | | |
|--------|---------|-----------|-----|---------|---------|----|---------|
| Parts: | 1143.00 | Freight: | .00 | Tax: | 66.29 | AR | 2574.79 |
| Labor: | .00 | Misc: | .00 | Total: | 2574.79 | | |
| Sublt: | .00 | Supplies: | .00 | Change: | .00 | | |

Signed _____

Date _____

BARTLESVILLE, OK
918/338-0808

ELDORADO, KS
316/322-7022

EUREKA, KS
620/583-7664

GILLETTE, WY
307/686-4914

MCALESTER, OK
918/426-7667

OTTAWA, KS
785/242-4044

THAYER, KS
620/839-5269

WORLAND, WY
307/347-4577



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 21246
LOCATION Edorado #80
FOREMAN Jim Thomas

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

| DATE | CUSTOMER # | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|---|--------------------|------------------------|--------------------------------|----------|---------|--------|
| 8-12-09 | 7396 | Dave Unit #34 | 10 | 305 | 4E | Cowley |
| CUSTOMER Stelbar Oil Corp. Inc | | | TRUCK # | DRIVER | TRUCK # | DRIVER |
| MAILING ADDRESS 1125 N. Water Front Pkwy Suite 200 | | | | Bill | 210 | |
| CITY Wichita | STATE Ks | ZIP CODE 67206-6602 | | Jerald | 502 | |
| | | | | Greg | 434 | |
| JOB TYPE Plug | HOLE SIZE 7 7/8 | HOLE DEPTH | CASING SIZE & WEIGHT 5 1/2" | | | |
| CASING DEPTH | DRILL PIPE | TUBING 2 7/8 | OTHER | | | |
| SLURRY WEIGHT | SLURRY VOL | WATER gal/sk | CEMENT LEFT in CASING | | | |
| DISPLACEMENT | DISPLACEMENT PSI | MIX PSI | RATE | | | |

REMARKS: Safety Meeting. Rig up to 2 7/8" tubing. Pump 90 sks Class A, & disp. cement circulated in the cellar. Wash up & Rig down.
Ran 2 7/8" Tubing to 2704 Cast Iron Bridge Plug at 2704.

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE | TOTAL |
|--------------|-------------------|------------------------------------|-----------------|---------|
| 0400A | 1 | PUMP CHARGE | 570.00 | 570.00 |
| 5400 | 30 | MILEAGE | 3.45 | 103.50 |
| 11045 | 90 sks | class A | 12.70 | 1143.00 |
| 5502C | 4 hrs | 8000L Jack Truck | 74.00 | 296.00 |
| 5407 | 1 | min. Bulk Del. | 276.00 | 276.00 |
| | | | RECEIVED | |
| | | | AUG 25 2009 | |
| | | | KCC WICHITA | |
| | | | Subtotal | 2508.50 |
| | | | SALES TAX | 106.09 |
| | | | ESTIMATED TOTAL | 2614.59 |

Rev'n 3737

AUTHORIZATION

Rob Williams

TITLE

030800

DATE

LOG-TECH
 1013 240th Ave.
HAYS, KANSAS 67601
 (785) 625-3858

28569

Date 8-12-09

CHARGE TO: Delmar Oil Corp
 ADDRESS _____
 R/A SOURCE NO. _____ CUSTOMER ORDER NO. 000
 LEASE AND WELL NO. Davis unit # 34 FIELD _____
 NEAREST TOWN Rock, KS COUNTY Cowley STATE KS
 SPOT LOCATION NE 30-4W SEC. 10 TWP. 30S RANGE 7E
 ZERO GL CASING SIZE 5.5" WEIGHT _____
 CUSTOMER'S T.D. _____ LOG TECH _____ FLUID LEVEL _____
 ENGINEER D. Beaudry - A. Beaudry OPERATOR C. BATES

| PERFORATING | | | | | |
|-------------|-----------|-------|----|--------|--|
| Description | No. Shots | Depth | | Amount | |
| | | From | To | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| DEPTH AND OPERATIONS CHARGES | | | | | | |
|----------------------------------|------|----------|---------------|---------------|-------------|----|
| Description | From | Depth To | Total No. Ft. | Price Per Ft. | Amount | |
| | | | | | 5.5" C.S.P. | |
| Depth Charge @ 200' @ 70 | 0 | 200 | 200 | 10.00 | 2000 | 00 |
| 200' @ 70 | | 270 | 270 | | | |
| 200' @ 70 | | 263 | | | | |
| 200' @ 70 | | 263 | | | | |
| Cost 9.5" casing - (Banner) @ 22 | 0 | 892 | | 1.50 | 1338 | 00 |
| Depth Charge @ 22 | | 892 | | 1.50 | 1338 | 00 |
| | | | | | | |
| | | | | | | |

| MISCELLANEOUS | | | |
|----------------|------------------|--------|--------|
| Description | Quantity | Amount | |
| Service Charge | From Rental 5.16 | | 950.00 |
| T.J. | | | |
| A.O.L. | | | |
| S.J. | | | |
| F.J. | T.W.T. | | |

RECEIVED

AUG 25 2009

PRICES SUBJECT TO CORRECTION BY BILLING DEPARTMENT

RECEIVED THE ABOVE SERVICES ACCORDING TO THE TERMS AND CONDITIONS SPECIFIED ON THE REVERSE SIDE TO WHICH WE HEREBY AGREE.

| | | |
|-----------|------|----|
| Sub Total | 9700 | 00 |
| Tax | | |
| | | |
| | | |

KCC WICHITA

Customer Signature _____ Date _____