


WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bittling Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Flat

Rooks

County, Sec. 21 Twp. 10S Rge. (E) 20 (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines 2310' from South & 2310' from West lines
Lease Owner Continental Oil Company
Lease Name J. Keller Well No. 1
Office Address Drawer 1267, Ponca City, Oklahoma
Character of Well (completed as Oil, Gas or Dry Hole) Dry
Date well completed 1-2-53
Application for plugging filed 1-30-53
Application for plugging approved 1-7-53
Plugging commenced 1-2-53
Plugging completed 1-2-53
Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production 19...
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes - telephone

Name of Conservation Agent who supervised plugging of this well Eldon Petty - Hays, Kansas
Producing formation Conglomerate Depth to top 3735 Bottom 3801 Total Depth of Well 3801 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Conglomerate	Dry	3735	3801	10 3/4	230'	None

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from... feet to... feet for each plug set.
Filled hole with heavy mud to 220'; set plug and dumped 20 sacks cement.
Filled hole with heavy mud to 35'; set plug and capped with 10 sacks cement.
P&A 1-2-53.

RECEIVED
STATE CORPORATION COMMISSION
2-3-53
FEB 2 1953
CONSERVATION DIVISION
WICHITA, KANSAS

Name of Plugging Contractor Anschutz Drilling Company
Address 709 Union Nat'l. Bank Bldg.
Wichita, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.
F.L. Dunn (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

JMW-JMW
State Corp. Comm. (Signature) F.L. Dunn
TCD Box 161, Great Bend, Kansas
File (Address)

SUBSCRIBED AND SWORN TO before me this 30th day of January, 1953

My commission expires August 25, 1956 Notary Public.

PLUGGING
FILE SEC 21 T 10 R 20W
BOOK PAGE 21 LINE 9

NEW WELL COMPLETION AND/OR ABANDONMENT RECORD

A. F. E. No. 5-45-2013

1 Dist. **West Kansas** Field **Marquette S.W.** Lease **J. Keller** Well No. **1**
 2 Co. **Rocks** State **Kansas** Contractor **Inschutz Drig. Co.** T.D. **3801** P.D. _____ ft.
 3 Landing Flange Elev. **2172** ft. Depth Measured From **ITS**; Height of Measuring Point from Landing Flange **6** ft.
 4 Date: Spudded **12-16-52** Drilling Completed **1-2-53** Tested **RTA 1-2-53** Rig Released **RT 1-3-53**

CASING, LINER AND TUBING RECORD

SIZE O. D. IN.	WT. LB./FT.	THREADS NO. & TYPE	GRADE AND MAKE	NEW OR S. H.	E. L. L. W. SMLS.	DEPTH SET FT.	MEASUREMENTS INC. THREADS			TOP OF LINER	NO. OF JOINTS	HOLE SIZE
							QUANTITY SET	QUANTITY PULLED	QUANTITY LEFT IN HOLE			
10 3/4	40	8VT		OR	IN	235	232'11"	None	232'11"		11	13 1/8 3/4

CEMENTING RECORD

METHOD	MAKE AND TYPE CEMENT	SACKS USED	SQUEEZED AWAY	NO. OF BATCHES	FINAL PRESSURE	SLURRY WT. LB./GAL.	HOURS SET	DEPTH		REMARKS: TEMP. CALIPER. OTHER LOGS
								FROM	TO	
Howee	Portland	200		1	300	15	24	0	235	Surface casing

ACIDIZATION AND SHOT RECORD

DATE	PRODUCTION OR P. I.		HOW TEST MADE	GAL. ACID	SHOT QTS.	DEPTH		NAME OF ZONE	TYPE FORMATION	REMARKS
	BEFORE	AFTER				FROM	TO			
None										

SECTION PERFORATED

NAME OF PAY	DEPTH		SIZE OF HOLE	HOLES PER FOOT	DATE	SERVICE CO. OR TYPE SLOTS	REMARKS
	FROM	TO					
None							

PRODUCING EQUIPMENT

29 RODS: Number _____ Size _____ in., Number _____ Size _____ in., Total Singles _____ Length _____ ft.
 30 PUMP: Size _____ Plunger Diam. _____ Make _____ Type _____
 31 PUMPING UNIT: Make _____ Type _____ Stroke _____ in. @ _____ SPM; Beam Capacity _____ lb.
 32 Torque @ 20 SPM _____ in. lbs.; Gear Box _____ H.P., Prime Mover Make _____
 33 H.P. @ _____ RPM. Other Remarks _____
 34 GAS ANCHOR _____
 35 OTHER LIFT EQUIPMENT _____
 36 _____ {ALSO SEE SKETCH} {ON REVERSE SIDE}
 37 PACKER: Set at _____ ft. Make _____

PRODUCING STRATA

NAME	TOP	BASE	POROSITY %	PERM. ND.	NET THICKNESS FT.	REMARKS: STATE CONTENTS OF ALL PRODUCING STRATA, O. G. & W. GIVING FLUID CONTACTS, D. S. T., ETC.
Lansing	3474	3699				Dry
Conglomerate	3734	3801				Dry

REMARKS: Drilled to 3539'. Attempted to set packer 3498' to 3539'. Packer did not hold. Ran log Lansing 3515' to 3537'; tool open 1 hour; rec. 213' salt water; RT 1220', RT 07. Deepened to total depth of 3801'. Ran logs. No commercial show of oil was encountered. RT 1-2-53.

Filled hole with mud to 220'; set plug and dumped 20 sacks cement. Filled hole with heavy mud to 35'; set plug and capped with 10 sacks.

Material left in hole cleared on RT 4637A.

Location: 2310' from south and 2310' from east lines of Sec. 21, T10, R20, Rocks County, Kansas.

56 Estimate Total Cost \$ **16,425** Conoco Interest **100**% Operated by **Continental Oil Company**
 57 Potential **Dry** b/d-Mcf/d @ _____ #TP and #CP on _____ Hr. Test Meas. Est. Allowable. _____ b/d
 58 Other Production or Well Test Results _____

60 Signed *[Signature]* District Superintendent
 61 Signed *[Signature]* Division Superintendent
 62 Signed _____ Region Manager
 63 Signed _____ District Engineer
 64 Prepared by *[Signature]* Date **January 30, 1953**

DISTRIBUTED TO
 Mgr. P. & D. **103** Acct'g **EHL**
 Region **State Corp.** District **FLD**
 Others **LLP**

State Corp. Comm.

DRILLER'S LOG

Continental Oil Company
 #1 J. Keller
 2310' from SL - 2310' from WL
 21-10S-20W
 Rooks County, Kansas

<u>FROM</u>	<u>TO</u>	
0	415	Shale & shells
0	235	Reaming
415	870	Shale
870	1000	Sand & shale
1000	1160	Shale & shells
1160	1355	Sand
1355	1610	Shale & red bed
1610	1665	Red bed
1665	1703	Anhydrite
1703	2195	Shale & shells
2195	2965	Lime & shale
2965	3100	Shale
3100	3384	Lime & shale
3384	3718	Lime
3718	3780	Lime & shale
3780	3801	Lime, shale & chert
	3801	TOTAL DEPTH
		D&A

COMMENCED: 12-16-52
 COMPLETED: 1-2-53

CASING RECORD

Set 10-3/4" surface casing at 230 feet with 200 sacks cement and 2 cc.

STATE OF KANSAS)
) SS
 COUNTY OF SEDGWICK)

I hereby affirm that the above and foregoing is a true and correct copy of the log of the #1 J. Keller located 2310' from SL, 2310' from WL, Section 21-10S-20W, Rooks County, Kansas.

ANSCHUTZ DRILLING COMPANY

BY:

Leon L. Mehler
 Leon L. Mehler

Subscribed and sworn to before me this 6th day of January, 1953.



Jacquelin Kenna
 Notary Public

My Commission Expires: May 2, 1956

RECEIVED
 STATE CORPORATION COMMISSION
 JAN 12 1953
 CONSERVATION DIVISION
 Wichita, Kansas

PLUGGING
 FILE SEC 21-10-R-202
 BOOK PAGE 21 LINE 9