

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: 5663
Name: Hess Oil Company
Address 1: P.O. Box 1009
Address 2: _____
City: McPherson State: Ks. Zip: 67460 + 1009
Contact Person: Bryan Hess
Phone: (620) 241-4640
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - 113-20,799-00-00
Spot Description: E/2 NW NW NE
E/2 NW NW NE Sec. 1 _____ Twp. 20 S. R. 2 East West
330 Feet from North / South Line of Section
2,145 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: McPherson
Lease Name: Minnie Johnson Well #: B-3
Date Well Completed: _____
The plugging proposal was approved on: _____ (Date)
by: Greg Evers (KCC District Agent's Name)
Plugging Commenced: 10-2-09
Plugging Completed: 10-6-09

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out
			8-5/8"	165'	None
			5-1/2"	3425'	1624'

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugged off bottom with sand to 2885' and 5 sacks cement. Cut casing loose @1624', pulled up to 459', pumped 35 sxs. cement, pulled up to 250' and circulated 140 sxs. 60/40 pos. 4 % gel. Laid down rest of casing. Plugging Complete.

RECEIVED
OCT 16 2009

Plugging Contractor License #: 31529 Name: Mike's Testing & Salvage, Inc.
Address 1: P.O. Box 467 Address 2: _____
City: Chase State: Kansas Zip: 67524 + 0467
Phone: (620) 938-2943
Name of Party Responsible for Plugging Fees: Hess Oil Company

KCC WICHITA

State of Kansas County, Rice, ss.
Mike Kelso
(Print Name) Employee of Operator or Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Signature: [Signature]



TREATMENT REPORT

Acid Stage No.

API 15-113-207990000

Date 10-6-09 District G.B. F. O. No. C32946
 Company Hess Oil
 Well Name & No. Minnie Johnson B-3
 Location 1-20-2W Field
 County McPherson State KS

Type Treatment: Amt. Type Fluid Sand Size Pounds of Sand
 Bkdown..... Bbl./Gal.
 Bbl./Gal.
 Bbl./Gal.
 Bbl./Gal.
 Flush..... Bbl./Gal.
 Treated from.....ft. to.....ft. No. ft.
 from.....ft. to.....ft. No. ft.
 from.....ft. to.....ft. No. ft.

Casing: Size 5 1/2" Type & Wt. Set at.....ft.
 Formation..... Perf. to.....ft.
 Formation..... Perf. to.....ft.
 Formation..... Perf. to.....ft.
 Liner: Size..... Type & Wt. Top at.....ft. Bottom at.....ft.
 Cemented: Yes/No. Perforated from.....ft. to.....ft.
 Tubing: Size & Wt..... Swung at.....ft.
 Perforated from.....ft. to.....ft.

Actual Volume of Oil/Water to Load Hole:.....Bbl./Gal.
 Pump Trucks No. Used: Std. 320 Sp..... Twin.....
 Auxiliary Equipment
 Packer:..... Set at.....ft.
 Auxiliary Tools
 Plugging or Sealing Materials: Type.....

Open Hole Size..... T.D.ft. P.D. to.....ft.(in).....lb.

Company Representative Kelso Treater Nathan W.

TIME a.m /p.m.	PRESSURES		Total Fluid Pumped	REMARKS
	Tubing	Casing		
<u>1:00</u>	<u>-</u>	<u>5 1/2"</u>		<u>On location. Rig up.</u>
				<u>Mix 35 sks. @ 400 gal. 40% gel.</u>
				<u>@ 450'.</u>
				<u>Mix 140 sks. @ 750'. Circulated</u>
				<u>to surface.</u>
				<u>Thank You!</u>
				<u>Nathan W.</u>

RECEIVED
 NOV 03 2009
 KCC WICHITA



McPherson Concrete Products

116 N Augustus
PO Box 369
McPherson, KS 67460
Phone: (620) 241-4362
Fax: (620) 241-5254

COPY

INVOICE

Invoice No. 10017448
Date 10/14/2009
Order No.
Shipper ID S0018106
Order Type Sales Order
Customer ID HESOI

BILL TO: Hess Oil Co. PO Box 905 McPherson, KS 67460	SHIP TO: 23rd & Iron Horse Hess Oil Co. 10/07/09
--	--

Minnie Johnson #3
~~North #3~~
~~South #3~~

PAGE 1

F.O.B. POINT Jobsite Location	SHIP VIA Our Truck	ORDERED BY	CUSTOMER P.O. NO.
ORDER DATE 10/14/2009	TERMS Net 30 Days	SALES PERSON	CONTRACT NUMBER
LINE 00002	PART NUMBER 23 Sack 10% Sand Slurry Mix	UNITS YD	QTY SHIPPED 2.00
		PRICE 171.20	DISC % 0.00
			EXT. PRICE 342.40

8549
OCT 19 2009

★ cement to top off Minnie Johnson #3

RECEIVED
NOV 09 2009
KCC WICHITA

Sales Total	342.40
Shipping & Handling	0.00
Misc. Charges	0.00
Tax Total	21.57
	<hr/>
	363.97
Less Paid Amount	0.00
TOTAL	363.97