Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4
December 2003
Type or Print on this Form
Form must be Signed
All blanks must be Filled

Lease Operator: M.A. Yo	ost Operations, Inc.	API Number: 15 - 145-21,355-000						
Address: P.O. Box 811, I	Russell, KS 67665	Lease Name: Nelson "A"						
Phone: (785) 483 -6	3455 Opera	Well Number: #3						
		Spot Location (QQQQ): SE SE NE						
(Oil, Gas D&A, SWD, ENHR,	Water Supply Well, Catho	odic, Other)	(If S	SWD or ENHR)	4,290' Feet from North / South Section Line			
The plugging proposal was	s approved on:	330' Feet from ✓ East / ☐ West Section Line Sec. 23 Twp. 20 S. R. 16 ☐ East ✓ West						
by: Steve Durrant								
Is ACO-1 filed? Yes	No If not, is	well log attacl	ned? ✓ Ye	es 🗸 No	County: Pawnee			
Producing Formation(s): Lis	st All (If needed attach a	nother sheet)		* .	1	d: March 2001		
_Arbuckel	Depth to Top:	3 <u>795</u> Botto	om: <u>2798</u>	T.D. 3860	Plugging Commenced: 10/26/09 Plugging Completed: 10/28/09			
	Depth to Top:	Botto	om:	T.D				
	Depth to Top:	Botto	om:	T.D				
Show depth and thickness	of all water, oil and ga	s formations.						
Oil, Gas or W				Casing Record (S	Surface Conductor & Production)			
Formation	Content	From	То	Size	Put In	Pulled Out		
			_	8 5/8"	1,068'			
				5 1/2"	3,860'	2,020'		
	d 5 sacks cement with	bailer. Pulled	slips; Had 18	stretch. Cut surf	face off 4' below ground	lug set. d. Ripped casing at 2,410', 2,240' and of 100# hulls. Pulled to 40'; Pumped		
20 sacks to surface.								
						RECEIVED		
Name of Plugging Contracto	or: Quality Well Service	ce, Inc.			License #: 3192	DEC 0.7 2009		
Address: 190 US Highw	yay 56, Ellinwood,	KS 67526						
Name of Party Responsible	for Plugging Fees: M.	A. Yost Op	erations, li	nc.		KCC WICHITA		
	County, _							
Marcia A. B		facts stateme	nts, and matte	X(KEXA)XXXXXXXXXX ers.herein.contain	ር/እሱጅ/ኢት(ኢት) ኢትr (Operator) ed and the log of the a	on above-described well, being first duly above-described well is as filed, and the		
same are true and correct, s			11	1		A		
, , , , , , , , , , , , , , , , , , ,	Conto of Vancas	(Signature)_		arcia	a. Blund	lon		
My Appt. Expires	March, 7, 2011			_	ell, KS 67665)		
	SUBSCRIBED and S				December Commission Expires:	3/7/2011		
	_ www	Notary Pu	blic -	Му (commission Expires:			

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025 Cell 785-324-1041 Home Office P.O. Box 32 Russell, KS 67665

No. 3977

Cen 703-324-1041										
	Sec.	Twp.	Range		County	State	On Location	Finish		
Date 10-28-09	23	20	16	Pa	whee	Ks		2:30		
Lease NPLon A	\ <u>v</u>	Vell No.	3	Locati	on		·			
Contractor Quality Well Service					Owner					
Type Job PTA					To Quality Oilwell Cementing, Inc.					
Hole Size	T.D.			You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.						
Csg. 51/2	Depth			Charge MA Yost Opera hous						
Tbg. Size	Depth			Street						
Tool	Depth			City State						
Cement Left in Csg.	Shoe Joint			The above was done to satisfaction and supervision of owner agent or contractor						
Meas Line Displace					CEMENT /5gel on side					
	EQUIPN				Amount Ordered 130 SKs 100/40 496					
Pumptrk 6 No. Ceme Helper	r				Common					
Bulktrk 10 No. Driver		ćh.			Poz. Mix			′ 1		
Bulktrk No. Driver	Te	rome			Gel.					
JOB SEI	RVICES	& REMAI	RKS		Calcium					
Remarks:					Hulls 200	4				
1st pumped 1sqel 50sks 100# hulls.					Salt					
@ 1100			700-770	V.,	Flowseal		C _			
					· · · · · · · · · · · · · · · · · · ·					
and burned 50	SKS	100 2	# hulls.				. &			
@ 400'			·							
		- Nillian	,		Handling					
rd pumped 20.	sKs ?	ก 4	01		Mileage					
					3					
Managar San						FLOAT EQUIPME	ENT	*		
			•		Guide Shoe	12071 - 4011 87	ENI			
	· · · · · · · · · · · · · · · · · · ·			7	Centralizer					
					Baskets		R	CEIVED		
	. 88 6				AFU Inserts			C 0 7 2009		
					5/2 W	per alua	7	2, 2,000		
						P3	KC¢	WICHITA		
	4840					<i>*</i> *				
×.	****									
					Pumptrk Charg	ge	dis x C Y Y			
					Mileage 30	1,00	de sid			
		~					Tax			
$\sim \Lambda$							Discount			
Signature Daniel 1	Riaa	ly					Total Charge			
	-	/					L			

QUALITY OILWFLL CEMENTING, INC.

Phone 785-483-2025 Cell 785-324-1041 Home Office P.O. Box 32 Russell, KS 67665

No. 3977

Cell 785-324-1041			•							
	Sec.	Twp.	Range		County	State	On Location	Finish		
Date 10-28-09	23	20	16	Pa	Whee	Ks		2:30		
Lease Nelson A	v	Vell No.	3	Locati						
Contractor Quality	Wel	1 Ser	viće		Owner					
Type Job PTA					To Quality Oilwell Cementing, Inc.					
Hole Size	T.D.			You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.						
Csg. 51/2	Depth			Charge MA Yost Opera hous						
Tbg. Size	Depth			Street						
Tool	Depth			City State						
Cement Left in Csg.	Shoe Joint			The above was done to satisfaction and supervision of owner agent or contractor						
Meas Line	Displace)		CEMENT /5gol on side						
	EQUIPM				Amount Ordered 1205Ks 100/40 496					
Pumptrk 6 No. Cemer Helper		ruich			Common					
Bulktrk /O No. Driver	Ri				Poz. Mix			· :		
Bulktrk No. Driver	Tel	ome			Gel.					
JOB SEF	RVICES	& REMAP	RKS		Calcium					
Remarks:					Hulis 200	1#				
1st pumped 1590	1 50	OSKS	100# hull	' J.	Salt	·				
@ 1100'					Flowseal					
ord, i										
pumped 50	SKS	100 4	+ hulls.							
Q 400°							C v	.		
~d					Handling					
pumped 205	Ks &	D 40	<u>, </u>		Mileage					
								4		
						FLOAT EQUIPME	2	*		
					Guide Shoe					
		· · · · · · · · · · · · · · · · · · ·			Centralizer					
					Baskets		NEU NEU	EIVED		
	- 3 4				AFU Inserts		DEC	0 7 2009		
					5//2 W	per alva	2/00			
	201 (20)						NUC	MICHITA		
						<u>#</u> #				
	3500							, , , , , , , , , , , , , , , , , , , ,		
***				1	Pumptrk Char	g e	No.			
					Mileage 36	<u> </u>				
		· · · · · · · · · · · · · · · · · · ·					Tax			
A A			****				Discount	· · · · · · · · · · · · · · · · · · ·		
ignature of auch	Rad	4					Total Charge			