

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710
Name: Laymon Oil II, LLC
Address 1: 1998 Squirrel Road
Address 2: _____
City: Neosho Falls State: KS Zip: 66758 + 7124
Contact Person: Kenneth Laymon
Phone: (620) 963-2495
CONTRACTOR: License # 32710
Name: company tools
Wellsite Geologist: none
Purchaser: Coffeyville Resources
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
 Oil _____ SWD _____ SLOW
_____ Gas _____ ENHR _____ SIGW
_____ CM (Coal Bed Methane) _____ Temp. Abd.
_____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
_____ Plug Back: _____ Plug Back Total Depth
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____
10/06/2009 10/08/2009 11/02/2009
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 207-271515-0000
Spot Description: _____
se .se .se .ne Sec. 8 Twp. 25 S. R. 16 East West
2805 Feet from North / South Line of Section
280 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Woodson
Lease Name: Light C Well #: 23-09
Field Name: Owl Creek
Producing Formation: Squirrel
Elevation: Ground: _____ Kelly Bushing: _____
Total Depth: 1000 Plug Back Total Depth: 998
Amount of Surface Pipe Set and Cemented at: 40' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 40
feet depth to: surface w/ 10 sx cmt.

Drilling Fluid Management Plan Alt II nrc 12-4-09
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Asst OWNER Date: 11/16/2009
Subscribed and sworn to before me this 16 day of NOVEMBER,
2009.
Notary Public: Regina Laymon
Date Commission Expires: 07-21-13



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
_____ Geologist Report Received
_____ UIC Distribution

RECEIVED

NOV 30 2009

KCC WICHITA

Operator Name: Laymon Oil II, LLC Lease Name: Light C Well #: 23-09
 Sec. 8 Twp. 25 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| | |
|---|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Drillers Log & Gamma Ray Neutron CCL | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|---|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 10 1/4" | 8 5/8" | 24# | 40' | common | 10 | |
| Production | 6 1/14" | 2 7/8" | 6.7# | 998' | common | 150 | |
| Tubing | | 1" | 1.8# | 993' | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|---|---|---------|
| 2 | 938 - 943 | frac w/100 gal 15% HCL acid & 80 sks sand | 937-950 |
| 2 | 945 - 951 | | |
| | | | |
| | | | |

| | | | |
|---|----------------|---|-----------------------------------|
| TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ | | Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No | |
| Date of First, Resumed Production, SWD or Enhr. 11/02/2009 | | Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) | |
| Estimated Production Per 24 Hours | Oil Bbls. 1 | Gas Mcf | Water Bbls. Gas-Oil Ratio Gravity |

| | | |
|---|--|--|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____ | PRODUCTION INTERVAL: _____ _____ |
|---|--|--|

**Kelly Down Drilling Co. Inc
1998 Squirrel Road
Neosho Falls, KS 66758**

620-963-2495

fax 620-963-2921

Laymon Oil II, LLC
1998 Squirrel Road
Neosho Falls, KS 66758

Light C #23-09
API: 15-207-27515
Spud Date: 10/06/09
Comp Date: 10/08/09
8/25/16 WO CO

| Formation | From | To |
|--------------|------|------|
| Soil & Clay | 0 | 16 |
| Shale | 16 | 90 |
| Lime & Shale | 90 | 545 |
| Lime | 545 | 555 |
| Big Shale | 555 | 670 |
| Lime & Shale | 670 | 936 |
| Cap Rock | 936 | 937 |
| Sand Lower | 937 | 950 |
| Shale | 950 | 1000 |
| Total Depth | | 1000 |

Set 40' of 8 5/8" surface, cemented w/10 sks.
Ran 998' of 2 7/8" pipe.
Seating nipple @ 935'.

RECEIVED
NOV 30 2009
KCC WICHITA

Iola, Kansas, 8/10, 1909

Received of

THE NEW KLEIN LUMBER CO., INC.
BUILDING MATERIALS

365-2201

50 Sack P Cement

10 Sack Light C - #WSW-1 449.50
32 #1

10 Sack Light C - #23-09 482.31

Paid By

cash

RECEIVED

NOV 30 2009

KCC WICHITA

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON OIL, L.L.C.
1998 SQUIRREL RD.

#18532
11/4/09

LRI/22
LAYMON OIL
54 W TO QUAIL N 1/2

NEOSHO FALLS KS
66758

YATES CENTER, KS 66783

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | YARDS DEL. | BATCH# | DRIVER/TRUCK | PLANT/TRANSACTION # |
|-----------|---------|------------|---------------|------------|---------|---------------|---------------------|
| 02:24:00p | WELL | 7.50 yd | 15.00 yd | 23.50 yd | 11436 | BT 34 | |
| DATE | LOAD # | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER | |
| 10-07-09 | 1 | 7.50 yd | 11436 | | 4.00 in | 25416 | |

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: _____

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By _____

GAL X _____

WEIGHMASTER _____

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: _____

X

| QUANTITY | CODE | DESCRIPTION | UNIT PRICE | EXTENDED PRICE |
|-----------------|----------|--------------------------|------------|-------------------|
| 7.50 | WELL | WELL (10 SACKS PER UNIT) | 76.00 | 570.00 |
| 2.00 | TRUCKING | TRUCKING CHARGE | 50.00 | 100.00 |
| 2.25 | | | | 112.50 |

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED |
|-------------------|--------------|------------------|---|--------------|
| 5:27 | 4:45 | 4:35 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER | |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | | TIME DUE |
| 2:51 | 3:10 | 3:17 | | |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME |
| 2:25 | | | | |

Subtotal \$ 672.50
Tax \$ 6.25
Total \$ 678.75
Order \$ 712.21

ADDITIONAL CHARGE 1 _____

ADDITIONAL CHARGE 2 _____

GRAND TOTAL ▶ 725.50

RECEIVED
NOV 30 2009
KCC WICHITA

802 N. Industrial Rd.
 P.O. Box 664
 Iola, Kansas 66749
 Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
 Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
 Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

1 A005
 LAYMON OIL, L.L.C.
 1998 SQUIRREL RD.

1A1/22
 LAYMON OIL
 54 W TO QUAIL N 1/2

NEOSHO FALLS KS
 66758

YATES CENTER, KS 66783

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | DRIVER/TRUCK | PLANT/TRANSACTION # | |
|-------------|---------|------------|---------------|--------------|---------------------|---------------|
| 08:37-10:11 | WELL | 7.50 yd | 15.00 yd | BT 34 | 25417 | |
| DATE | LOAD # | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 10-07-09 | 2 | 15.00 yd | 11437 | | 4.00 | 25417 |

WARNING
IRRITATING TO THE SKIN AND EYES
 Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
 (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
 Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to be signed out of delivery of this order.

X _____

Excessive Water is Detrimental to Concrete Performance
 H₂O Added By Request/Authorized By
 GAL X _____

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: X _____

| QUANTITY | CODE | DESCRIPTION | UNIT PRICE | EXTENDED PRICE |
|----------|------|--------------------------|------------|----------------|
| 7.50 | WELL | WELL (10 SACKS PER UNIT) | 15.00 | 112.50 |

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED |
|-------------------|--------------|------------------|--|--------------|
| 5:27 | 4:45 | 4:35 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER | |
| | ARRIVED JOB | START UNLOADING | | TIME DUE |
| | | | | DELAY TIME |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | |

| | |
|---------------------|--------|
| Sub Total | 570.00 |
| Tax @ 6.30% | 35.91 |
| Total | 605.91 |
| Order # | 25417 |
| ADDITIONAL CHARGE 1 | |
| ADDITIONAL CHARGE 2 | |
| GRAND TOTAL | |

RECEIVED
 NOV 30 2009
 KCC WICHITA