

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM

ORIGINAL 11/14/09

Form ACO-1
September 1999
Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5363
Name: Berexco Inc.
Address: P. O. Box 20380
City/State/Zip: Wichita, KS 67208
Purchaser: Central Crude Corp.
Operator Contact Person: Bruce Meyer
Phone: (316) 265-3311
Contractor: Name: Beredco Inc.
License: 5147
Wellsite Geologist: Bruce Reed

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

18 July 2007 26 July 2007 21 August 2007
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 051-25661-00-00
County: Ellis
SE NE NE Sec. 32 Twp. 12 S. R. 17 East West
1150 feet from S / N (circle one) Line of Section
330 feet from E W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Staab Well #: 8
Field Name: Schmeidler

Producing Formation: Arbuckle
Elevation: Ground: 2131' Kelly Bushing: 2142'
Total Depth: 3670' Plug Back Total Depth: 3673'
Amount of Surface Pipe Set and Cemented at 270 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1399 Feet
If Alternate II completion, cement circulated from 1399
feet depth to surface w/ 375 sx cmt.

Drilling Fluid Management Plan AF-1110 319-09
(Data must be collected from the Reserve Pit)
Chloride content 54,000 ppm Fluid volume 400 bbls
Dewatering method used evaporation
Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Richard C. Smith
Title: ENGINEERING TECHNICIAN Date: 14/NOV/07
Subscribed and sworn to before me this 14th day of November

2007
Notary Public: Diana E. Bell
Date Commission Expires: Aug 10, 2011

DIANA E. BELL
Notary Public - State of Kansas
My Appt. Expires 8-10-11

KCC Office Use ONLY
 Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 15 2007
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Berexco Inc. Lease Name: Staab Well #: 8
 Sec. 32 Twp. 12 S. R. 17 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Micro Resistivity Log, Radiation Guard Log, Gamma-Ray CCL Log	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Topeka</td> <td>3104'</td> <td>(-962')</td> </tr> <tr> <td>Heebner</td> <td>3354'</td> <td>(-1212')</td> </tr> <tr> <td>Toronto</td> <td>3886'</td> <td>(-1244')</td> </tr> <tr> <td>Lansing</td> <td>3399'</td> <td>(-1257')</td> </tr> <tr> <td>Arbuckle</td> <td>3660'</td> <td>(-1518')</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	Topeka	3104'	(-962')	Heebner	3354'	(-1212')	Toronto	3886'	(-1244')	Lansing	3399'	(-1257')	Arbuckle	3660'	(-1518')
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																				
Name	Top	Datum																				
Topeka	3104'	(-962')																				
Heebner	3354'	(-1212')																				
Toronto	3886'	(-1244')																				
Lansing	3399'	(-1257')																				
Arbuckle	3660'	(-1518')																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	20	270'	Comm	200	3% cc, 2% gel
production	7 7/8"	5 1/2"	14	3664	Lite, ASC	125, 75	2%gel, 1/4# flake
D-V tool				1399	60/40 POZ	375	6% gel, 1/4# flak

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

CONFIDENTIAL
 NOV 14 2007
 KCC

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 spf	Perf 3664'-3673' (open hole)	500 gallons 15% NEFE	3664'-73'

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		2 7/8"	3668'	no pkr		
Date of First, Resumed Production, SWD or Enhr.			Producing Method			
21 August 2007			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	12	no gas	45		24	

Disposition of Gas Vented Sold Used on Lease (If vented, Sumit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval 3664' - 3673'

RECEIVED
 KANSAS CORPORATION COM.

NOV 15 2007

ALLIED CEMENTING CO., INC.

33302

Ft

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <i>7-26-07</i>	SEC. <i>32</i>	TWP. <i>12</i>	RANGE <i>17</i>	CALLED OUT	ON LOCATION	JOB START <i>12:15PM</i>	JOB FINISH <i>1:00PM</i>
LEASE <i>STAAB</i>	WELL # <i>8</i>	LOCATION <i>CATHERINE 2 3/4 N 1/4 W</i>			COUNTY <i>ELLIS</i>	STATE <i>KANSAS</i>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR *Beredco Dalg. Rig #10*

TYPE OF JOB *PRODUCTION STRING (D-V)*

HOLE SIZE *7 7/8* T.D. *3674'*

CASING SIZE *5 1/2 New* DEPTH *3663*

TUBING SIZE *1 1/2 #* DEPTH

DRILL PIPE DEPTH

TOOL *D-V (2-STAGE TOOL)* DEPTH *@ 1399'*

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT *34 1/4 / 8 BL*

OWNER

CEMENT

AMOUNT ORDERED *375 SK 60/40 6 1/2 GEL*

1/4 # F10-Seal Per SK.

COMMON	<i>225 SK</i>	@ <i>11.10</i>	<i>2497.50</i>
POZMIX	<i>150 SK</i>	@ <i>6.20</i>	<i>930.00</i>
GEL	<i>20 SK</i>	@ <i>16.65</i>	<i>333.00</i>
CHLORIDE		@	
ASC		@	
F10-Seal	<i>100 LB</i>	@ <i>2.00</i>	<i>200.00</i>
		@	
		@	<i>CONFIDENTIAL</i>
		@	<i>NOV 14 2007</i>
		@	<i>KCC</i>
		@	
HANDLING	<i>395 TOTAL SK</i>	@ <i>1.90</i>	<i>750.50</i>
MILEAGE	<i>28 Ton Mile</i>	@ <i>.09¢</i>	<i>995.40</i>
TOTAL			<i>5706.40</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Glenn*

398 HELPER *GARY*

BULK TRUCK

396 DRIVER *CHRIS*

BULK TRUCK

DRIVER

REMARKS:

TOP STAGE

Mix all Cement & Displace Plug LAND @ 1600' - Closed D-V TOOL

10 SK @ Mouse Hole

15 SK @ Rat Hole

THANK'S

CHARGE TO: *Berexco Inc.*

STREET

CITY STATE ZIP

Cement Did Circulate

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE *Annus Kimes*

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE *955.00*

EXTRA FOOTAGE @

MILEAGE *28* @ *- NC -*

MANIFOLD @

~~_____~~

~~_____~~ TOTAL *955.00*

~~_____~~

PLUG & FLOAT EQUIPMENT

@

@

@

@

@

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

PRINTED NAME RECEIVED
KANSAS CORPORATION COMMISSION

NOV 15 2007

ALLIED CEMENTING CO., INC. 33301

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>7-26-07</u>	SEC. <u>32</u>	TWP. <u>12</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION	JOB START <u>9:00 AM</u>	JOB FINISH <u>9:30 AM</u>
LEASE <u>STAAB</u>	WELL # <u>8</u>	LOCATION <u>CATHERINE 2 3/4 N 1/4 W</u>			COUNTY <u>Ellis</u>	STATE <u>KANSAS</u>	
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR Berexco Dalg, Rig #10

TYPE OF JOB PRODUCTION STRING (D-V)

HOLE SIZE 7 7/8 T.D. 3674'

CASING SIZE 5 1/2 New DEPTH 3663'

TUBING SIZE 14 # DEPTH

DRILL PIPE DEPTH

TOOL LATCH DOWN PLUG ASSY DEPTH 3581

PRES. MAX / MINIMUM

MEAS. LINE / SHOE JOINT 85'

CEMENT LEFT IN CSG. 85'

PERFS.

DISPLACEMENT 87.38 / BBL

OWNER _____

CEMENT AMOUNT ORDERED 75 SK ASC 2% GEL

125 SK Lite w/ 1/4 # F10-Seal PER SK.

EQUIPMENT

PUMP TRUCK CEMENTER Glenn

398 HELPER GARY

BULK TRUCK

410 DRIVER CHA'S

BULK TRUCK

378 DRIVER Rocky

COMMON	@		
POZMIX	@		
GEL		<u>2 SK @ 16.00</u>	<u>33.30</u>
CHLORIDE	@		
ASC		<u>75 SK @ 13.10</u>	<u>982.50</u>
Lite		<u>125 SK @ 9.35</u>	<u>1168.75</u>
F10-Seal		<u>50 # @ 2.00</u>	<u>100.00</u>
	@		
	@		
	@		
	@		
	@		
HANDLING		<u>202 Total SK @ 1.90</u>	<u>383.80</u>
MILEAGE		<u>28 Ten Mile @ 09¢</u>	<u>509.04</u>
TOTAL			<u>3177.39</u>

REMARKS:

BOTTOM STAGE

OPEN TRI-Plex Shoe @ 1200 #

LAND LATCH DOWN PLUG @ 1250 # (HELD)

OPEN DV-TOOL @ 900 #

CIRCULATED 2 1/2 HRS,

BETWEEN STAGES. THANK'S

CHARGE TO: Berexco Inc.

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>1610.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>28</u>	@	<u>6.00 168.00</u>
MANIFOLD	@	
	@	
	@	

PLUG & FLOAT EQUIPMENT

<u>TRI-Plex Shoe</u>	@	<u>1550.00</u>
<u>LATCH DOWN PLUG ASSY</u>	@	<u>410.00</u>
<u>D-V 2 STAGE TOOL</u>	@	<u>4000.00</u>
<u>3- BASKETS</u>	@	<u>165.00 495.00</u>
<u>3- CENTRALIZERS</u>	@	<u>50.00 150.00</u>
TOTAL		<u>6605.00</u>

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Dennis Kinner

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION
PRINTED NAME _____
NOV 15 2007
CONSERVATION DIVISION
WICHITA KS

ALLIED CEMENTING CO., INC. 25138

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell, K

DATE <i>7-18-07</i>	SEG <i>32</i>	TWP. <i>12</i>	RANGE <i>17</i>	CALLED OUT	ON LOCATION <i>6:00pm</i>	JOB START	JOB FINISH <i>6:50pm</i>
LEASE <i>St AB</i>		WELL# <i>8</i>	LOCATION <i>Catharine 2 1/2 N</i>			COUNTY <i>Ellis</i>	STATE <i>K</i>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR *Beredco*

TYPE OF JOB *Surface*

HOLE SIZE *2 1/2* T.D. *271*

CASING SIZE *8 5/8* 20" DEPTH *276*

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. *15*

PERFS. _____

DISPLACEMENT *16 1/2 bbls*

OWNER _____

CEMENT AMOUNT ORDERED *200 lb Com 3-2*

COMMON	<i>200</i>	@	<i>11.10</i>	<i>2220.00</i>
POZMIX		@		
GEL	<i>4</i>	@	<i>16.65</i>	<i>66.60</i>
CHLORIDE	<i>6</i>	@	<i>46.60</i>	<i>279.60</i>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<i>210</i>	@	<i>1.90</i>	<i>399.00</i>
MILEAGE	<i>SK/mi/09</i>			<i>472.00</i>
TOTAL				<i>3437.00</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

366 HELPER *Roger*

BULK TRUCK

410 DRIVER *Doug*

BULK TRUCK

_____ DRIVER _____

REMARKS:

Surface set @ 270

Cement w 200 lb Com 3-2

Pump plus w 16 1/2 bbls of water

Cement did circ.

CHARGE TO: *Beredco*

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE *875.00*

EXTRA FOOTAGE _____ @ _____

MILEAGE *25* @ *6.00* *150.00*

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL *965.00*

PLUG & FLOAT EQUIPMENT

18 1/2 wood @ _____ *60.00*

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL *60.00*

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE *Mary B. Jurba*

RECEIVED
PRINTED NAME _____ CORPORATION COMMISSION
NOV 15 2007
CONSERVATION DIVISION
WICHITA, KS