



Operator Name: Beredco Inc. Lease Name: Miller Farms C Well #: 2  
 Sec. 21 Twp. 22 S. R. 34  East  West County: Finney

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  Compensated Neutron / SSD Log, Micro Log, Dual Induction Log, Borehole Compensated Sonic / ITT Log, Sonic Cement Bond Log	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input checked="" type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Topeka</td> <td>3434'</td> <td>(-470')</td> </tr> <tr> <td>Heebner</td> <td>3760'</td> <td>(-796')</td> </tr> <tr> <td>KS City</td> <td>4146'</td> <td>(-1182')</td> </tr> <tr> <td>Marmaton</td> <td>4282'</td> <td>(-1318')</td> </tr> <tr> <td>Mississippian</td> <td>4706'</td> <td>(-1742')</td> </tr> </table>	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	Topeka	3434'	(-470')	Heebner	3760'	(-796')	KS City	4146'	(-1182')	Marmaton	4282'	(-1318')	Mississippian	4706'	(-1742')
<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample																				
Name	Top	Datum																				
Topeka	3434'	(-470')																				
Heebner	3760'	(-796')																				
KS City	4146'	(-1182')																				
Marmaton	4282'	(-1318')																				
Mississippian	4706'	(-1742')																				

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	24#	1682'	Lite	650	2%cc, 1/4# flakes
					Cl. A Comm	150	2% cc
(See sheet 3 for prod. csg).							

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 spf	Perfs 4722' - 4725' (St. Louis)	300 gals 15% NEFE-HCL	4722'-25'
4 spf	Perfs 4262' - 4266' (Marmaton)	500 gals 15% NEFE-HCL	4262'-66'
4 spf	Perfs 4312' - 4316' (Marmaton)	500 gals 15% NEFE-HCL	4312'-16'

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8"	SN @4765'	no pkr	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumed Production, SWD or Enhr. <b>06 September 2007</b>	Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	---

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	3.5	no gas	64.5	no gas	

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Sumit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	4312' - 4725'

**CONFIDENTIAL**  
 NOV 14 2007  
 KCC

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 NOV 15 2007  
 CONSERVATION DIVISION  
 WICHITA, KS

THREE  
Side Two

Operator Name: Beredco Inc. Lease Name: Miller Farms C Well #: 2  
Sec. 21 Twp. 22 S. R. 34  East  West County: Finney

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
(Attach Additional Sheets)  
Samples Sent to Geological Survey  Yes  No  
Cores Taken  Yes  No  
Electric Log Run  Yes  No  
(Submit Copy)  
List All E. Logs Run:  
See sheet 2 for list of logs run.

Log Formation (Top), Depth and Datum  Sample  
Name Top Datum  
See sheet 2 for these  
Formation Tops.

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Production	7 7/8"	5 1/2"	15.5#	4849'	60/40 POZ	70	8%gel, 1/4# flake
(SEE SHEET 2 FOR SURF. CSG.)					ASC	225	10%cc, 5#Gilsoni
DV Tool				3221'	60/40 POZ	350	8%gel, 1/4# flake

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				CONFIDENTIAL NOV 14 2007 KCC

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See sheet 2 for this information.		

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Grayh

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Sumit ACO-18.)  
METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)  
Production Interval

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 15 2007  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC.

28899

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

OAKLEY

DATE <u>7-19-07</u>	SEC. <u>21</u>	TWP. <u>22.5</u>	RANGE <u>34W</u>	CALLED OUT	ON LOCATION <u>8:00 AM</u>	JOB START <u>10:30 AM</u>	JOB FINISH <u>12:00 PM</u>
MILLER FARMS "E" LEASE		WELL # <u>2</u>	LOCATION <u>Holcomb 10N-3W-1/2W-1/2W-S 2N</u>		COUNTY <u>FINNEY</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Bereco #1

TYPE OF JOB SURFACE

HOLE SIZE 12 1/4" T.D. 1682'

CASING SIZE 8 5/8" DEPTH 1682'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 42.16

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT 105 BB's

OWNER SAMS

CEMENT

AMOUNT ORDERED 150 SKS COM 3% CC

600 SKS LITE 3% CC 1/4" # FLO-SEAL

EQUIPMENT

PUMP TRUCK # 422 CEMENTER TERRY HELPER WAYNE

BULK TRUCK # 394 DRIVER LONNIE

BULK TRUCK # 373 DRIVER DARRIN

COMMON	<u>150 SKS</u>	@	<u>12 60</u>	<u>1890 00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>24 SKS</u>	@	<u>46 60</u>	<u>1118 40</u>
ASC		@		
LITE	<u>600 SKS</u>	@	<u>11 30</u>	<u>6780 00</u>
FLO-SEAL	<u>150 #</u>	@	<u>2 00</u>	<u>300 00</u>
HANDLING	<u>661 SKS</u>	@	<u>1 90</u>	<u>1255 90</u>
MILEAGE	<u>94 PER SK/ mile</u>			<u>4461 75</u>
TOTAL				<u>15806 05</u>

REMARKS:

MIX 600 SKS LITE 3% CC 1/4" # FLO-SEAL  
150 SKS COM 3% CC. DISPLACE 105  
BB's WATER. Plug adjust LAND  
FLOAT didn't Hold

CEMENT did cure.

THANK YOU

CHARGE TO: BEREXCO INC.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>1682'</u>		
PUMP TRUCK CHARGE			<u>1610 00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>75 MI</u>	@	<u>6 00</u> <u>450 00</u>
MANIFOLD		@	
HEAD RENTAL		@	<u>100 00</u>
TOTAL <u>2160 00</u>			

8 5/8" PLUG & FLOAT EQUIPMENT

1- Guide Shoe			<u>250 00</u>
1- AFU INSERT	@		<u>335 00</u>
3- CENTRALIZERS	@	<u>55 00</u>	<u>165 00</u>
1- BASKET	@		<u>200 00</u>
1- Rubber Plug	@		<u>100 00</u>
TOTAL <u>1070 00</u>			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE Dennis Wilson

Dennis Wilson  
PRINTED NAME

CONFIDENTIAL  
NOV 14 2007  
KCC

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 15 2007  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., INC. 25999

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

NOV 14 2007

SERVICE POINT:

Oakley

DATE <u>7-29-07</u>	SEC. <u>21</u>	TWP. <u>22s</u>	RANGE <u>34 SW</u>	CALLED OUT <u>KCC</u>	ON LOCATION <u>5:00pm</u>	JOB START <u>11:00pm</u>	JOB FINISH <u>12:00 a.m.</u>
LEASE <u>Miller Farms</u>	WELL # <u>2</u>	LOCATION <u>Holcomb</u>		COUNTY <u>Osage</u>		STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>							

CONTRACTOR Berexco Drilling Rig #1 OWNER same

TYPE OF JOB Production (Bottom stage)

HOLE SIZE 7 7/8" T.D. 4850'

CASING SIZE 5 1/2" DEPTH 4849'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL DV TOOL DEPTH 3221'

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 42.60'

CEMENT LEFT IN CSG. 42.60'

PERFS. \_\_\_\_\_

DISPLACEMENT 114.46 BBL

EQUIPMENT 37,800 water  
76,666 mud

PUMP TRUCK # 423-281 CEMENTER Andrew HELPER Alan

BULK TRUCK # 394 DRIVER Lonnie

BULK TRUCK # 218 DRIVER Jerry

377 Rex

REMARKS:

Mix 70 sks Lite 225 sks ASC  
Wash pump line clean  
displace plug down  
1100# lift pressure  
Plug did not land float held

thank you

CEMENT		
AMOUNT ORDERED	<u>225 sks ASC 2% gel</u>	
	<u>10% salt 5# Gilsonite 125# Fl-160</u>	
	<u>20 sks Lite 1/2# Fl-seal</u>	
COMMON	@	
POZMIX	@	
GEL	<u>4 sks</u>	@ <u>16.65</u> <u>66.60</u>
CHLORIDE	@	
ASC	<u>225 sks</u>	@ <u>14.90</u> <u>3352.50</u>
	@	
<u>Lite 20 sks</u>	@ <u>11.25</u>	<u>225.00</u>
<u>salt 21 sks</u>	@ <u>19.20</u>	<u>403.20</u>
<u>Gilsonite 1125#</u>	@ <u>.20</u>	<u>225.00</u>
	@	
<u>Fl-160 112#</u>	@ <u>10.65</u>	<u>1192.80</u>
<u>Fl-seal 17#</u>	@ <u>2.00</u>	<u>34.00</u>
	@	
HANDLING <u>374 sks</u>	@ <u>1.90</u>	<u>710.60</u>
MILEAGE <u>94 sk/mile</u>		<u>2524.50</u>
		<b>TOTAL <u>9859.20</u></b>

SERVICE

DEPTH OF JOB	<u>4849'</u>	
PUMP TRUCK CHARGE		<u>1610.00</u>
EXTRA FOOTAGE	@	
MILEAGE <u>25 miles</u>	@ <u>6.00</u>	<u>450.00</u>
MANIFOLD <u>head rental</u>	@	<u>100.00</u>
	@	
	@	
		<b>TOTAL <u>2160.00</u></b>

CHARGE TO: Berexco INC

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION

NOV 15 2007

To Allied Cementing Co., Inc. CONSERVATION DIVISION  
WICHITA KS  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

5 1/2" PLUG & FLOAT EQUIPMENT

<u>1 AFU Float shoe</u>	@	<u>470.00</u>
<u>1 Latch down plug (Flex)</u>	@	<u>410.00</u>
<u>1 DV TOOL</u>	@	<u>4000.00</u>
<u>1 Basket</u>	@	<u>165.00</u>
<u>10 Centralizers</u>	@ <u>50.00</u>	<u>500.00</u>
	@	
		<b>TOTAL <u>5545.00</u></b>

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

GERSTNER  
PRINTED NAME

# ALLIED CEMENTING CO., INC. 26000

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

CONFIDENTIAL

SERVICE POINT:

Oakley

NOV 14 2007

DATE <u>7-29-07</u>	SEC. <u>21</u>	TWP. <u>22S</u>	RANGE <u>34W</u>	CALLED OUT <u>KCC</u>	ON LOCATION <u>5:00am</u>	JOB START <u>7:30 Am</u>	JOB FINISH <u>8:30 P.m</u>
LEASE <u>Miller Farms</u>	WELL # <u>2</u>	LOCATION <u>Holcomb</u>			COUNTY <u>Finney</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Beredco Drilling Rig #1

TYPE OF JOB Production (top stage)

HOLE SIZE 7 7/8 T.D. 4850'

CASING SIZE 5 1/2 DEPTH 4849'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL DV TOOL DEPTH 3221'

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 42.60'

CEMENT LEFT IN CSG. 42.60'

PERFS. \_\_\_\_\_

DISPLACEMENT 26.65 BBL

EQUIPMENT \_\_\_\_\_

OWNER Same

CEMENT  
AMOUNT ORDERED 325 sks Lite 1/4" Flo-seal  
50 sks com

COMMON <u>50 sks</u>	@ <u>12.60</u>	<u>630.00</u>
POZMIX _____	@ _____	_____
GEL _____	@ _____	_____
CHLORIDE _____	@ _____	_____
ASC _____	@ _____	_____
<u>Lite 325 sks</u>	@ <u>11.25</u>	<u>4218.75</u>
<u>Flo-seal 94#</u>	@ <u>2.00</u>	<u>188.00</u>
HANDLING <u>454 sks</u>	@ <u>1.90</u>	<u>862.60</u>
MILEAGE <u>9 1/2 sk/mile</u>		<u>3064.50</u>
TOTAL		<u>8963.85</u>

REMARKS:

Mix 10 sks mouse hole  
Mix 25 sks Rat hole  
Mix 350 sks down center wash pump  
Line clean Displace plug  
1000# Lift Pressure 1600# plug  
Landed Tool closed cement  
Circulated  
thank you

CHARGE TO: BereXCO INC

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION

NOV 15 2007

To Allied Cementing Co., Inc. CONSERVATION DIVISION  
WICHITA, KS  
You are hereby requested to rent cementing equipment  
and furnish cementer and helper to assist owner or  
contractor to do work as is listed. The above work was  
done to satisfaction and supervision of owner agent or  
contractor. I have read & understand the "TERMS AND  
CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

SERVICE

DEPTH OF JOB <u>3221'</u>		
PUMP TRUCK CHARGE _____		<u>955.00</u>
EXTRA FOOTAGE _____	@ _____	_____
MILEAGE <u>75 miles</u>	@ <u>N/C</u>	_____
MANIFOLD _____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
TOTAL		<u>955.00</u>

PLUG & FLOAT EQUIPMENT

_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
TOTAL		_____

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

GERS TNER  
PRINTED NAME