

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

11/12/09 Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE ORIGINAL

Operator: License # 3882  
Name: SAMUEL GARY JR. & ASSOCIATES, INC.  
Address: 1670 BROADWAY, SUITE 3300  
City/State/Zip: DENVER, CO 80202-4838  
Purchaser: \_\_\_\_\_  
Operator Contact Person: TOM FERTAL  
Phone: (303) 831-4673  
Contractor: Name: SUMMIT DRILLING  
License: 30141  
Wellsite Geologist: JUSTIN CARTER

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

7/17/2007 7/27/2007 7/27/2007  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 15-159-22543-0000  
County: RICE  
SW NW NW Sec. 20 Twp. 18 S. R. 9  East  West  
890 feet from NORTH Line of Section  
360 feet from WEST Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: FREES Well #: 2-20  
Field Name: WILDCAT  
Producing Formation: \_\_\_\_\_  
Elevation: Ground: 1733' Kelly Bushing: 1743'  
Total Depth: 3332' Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 334' Feet  
Multiple State Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan PA 11/3/09  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_


**INSTRUCTIONS:** An original and two copies of this information shall be filed with the Kansas Corporation Commission, 130 South Market-Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: GEOLOGIST Date: 11/12/2007

Subscribed and sworn to before me this 12 TH day of NOVEMBER

2007  
Notary Public: [Signature]  
Date Commission Expires: 5/05/2009



KCC Office Use ONLY  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
Geologist Report Received  
MIC Distribution  
RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 13 2007

CONSERVATION DIVISION  
WICHITA, KS

NOV 12 2007

Side Two

Operator Name: SAMUEL GARY JR & ASSOCIATES, INC. Lease Name: FREES KCC Well #: 2-20
Sec. 20 Twp. 18 S. R. 9 East West County: RICE

INSTRUCTIONS: Show important tops and base of formation penetrated. Detail all cores. Report all final copes of drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geologist well site report.

Drill Stem Tests Taken [X] Yes [ ] No [X] Log Formation (Top), Depth and Datum [ ] Sample
Sample Sent to Geological Survey [X] Yes [ ] No
Cores Taken [ ] Yes [X] No
Electric Log Run [X] Yes [ ] No
List All E. Logs Run: DUAL INDUCTION, DUAL COMPENSATED POROSITY, BHC SONIC, MICROLOG
RECEIVED NOV 13 2007 KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS CONFIDENTIAL

CASING RECORD Table with columns: Purpose of string, Size Hole Drilled, Size Casing Set (in O.D.), Weight Lbs./Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Includes SURFACE entry.

ADDITIONAL CEMENTING/SQUEEZE RECORD Table with columns: Purpose, Depth Top/Bottom, Type of Cement, # Sacks Used, Type and Percent Additives.

PERFORATION RECORD - Bridge Plugs Set/Type and Acid. Fracture, Shot, Cement, Squeeze Record table with columns for perforation details and material used.

TUBING RECORD and Production Method table with columns for tubing size, set/packer dates, and production method options like Flowing, Pumping, Gas Lift.

Disposition of Gas and METHOD OF COMPLETION section with checkboxes for Vented, Sold, Used on Lease, Open Hole, Perf., Dually Comp., Commingled, and Other.

# ALLIED CEMENTING CO., INC.

30310

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Great Bend

DATE <u>7-18-07</u>	SEC. <u>20</u>	TWP. <u>18</u>	RANGE <u>9</u>	CALLED OUT <u>2:00 AM</u>	ON LOCATION <u>5:30 AM</u>	JOB START <u>5:00 AM</u>	JOB FINISH <u>5:30 AM</u>
LEASE <u>Frees</u>	WELL # <u>2-20</u>	LOCATION <u>Chase, N to Rd "D", 1/4 E</u>	COUNTY <u>Rice</u>	STATE <u>KS</u>			
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>9/5</u>				

CONTRACTOR Summit Drilling

TYPE OF JOB Surface

HOLE SIZE 12 1/2" T.D. 339'

CASING SIZE 8 3/8" DEPTH 339'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200# P58 MINIMUM 0

MEAS. LINE \_\_\_\_\_ SHOE JOINT 15'

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 20 BBLs of freshwater

OWNER Sam Gary Jr

CEMENT AMOUNT ORDERED 185 sk Common 3% CC, 2% Gel

COMMON	<u>185</u>	@	<u>11.10</u>	<u>2053.50</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>16.65</u>	<u>66.60</u>
CHLORIDE	<u>6</u>	@	<u>46.60</u>	<u>279.60</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>195</u>	@	<u>1.90</u>	<u>370.50</u>
MILEAGE	<u>28</u>	@	<u>9.195</u>	<u>491.40</u>
TOTAL				<u>3261.60</u>

EQUIPMENT

PUMP TRUCK CEMENTER Rick H.

# 120 HELPER Dwayne W.

BULK TRUCK

# 342 DRIVER David J. / Kevin W.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

pipe on bottom, broke circulation, mixed 185 sk Common 3% CC, 2% Gel. Shut in and displaced with 20 BBLs of freshwater and shut in.

Cement did Circulate!

CHARGE TO: Sam Gary Jr.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>339'</u>		
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE	<u>39</u>	@	<u>.65</u> <u>25.35</u>
MILEAGE	<u>28</u>	@	<u>6.00</u> <u>168.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL <u>1008.35</u>			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

1/2 Water plug

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 0

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE x Dan Cox

x DAN COX  
PRINTED NAME



# ALLIED

CEMENTING CO., LLC  
Cementing & Acidizing Services

24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906

Voice: (785) 483-3887  
Fax: (785) 483-5566

# INVOICE

Invoice Number: 109416  
Invoice Date: Jul 31, 2007  
Page: 1

RECEIVED  
AUG 16 2007  
SAMUEL GARY JR.  
& ASSOCIATES, INC.

✓ 63851

**Bill To:**

Samuel Gary, Jr. & Assoc.  
1670 Broadway STE 3300  
Denver, CO 80202

OK  
PEA

Customer ID	Well Name# or Customer P.O.	Payment Terms	
Gary	Frees #2-20	Net 30 Days	
Sales Rep ID	Camp Location	Service Date	Due Date
	Great Bend	Jul 31, 2007	8/30/07

Quantity	Item	Description	Unit Price	Amount
99.00	MAT	Common Class A	11.10	1,098.90
66.00	MAT	Pozmix	6.20	409.20
6.00	MAT	Gel	16.65	99.90
41.00	MAT	Flo Seal	2.00	82.00
173.00	SER	Handling	1.90	328.70
28.00	SER	Mileage 173 sk @.09 per sk per mi	15.57	435.96
1.00	SER	Rotary Plug	955.00	955.00
28.00	SER	Mileage Pump Truck	6.00	168.00

DRLG  COMP  W/O  LOE  
 AFE # 96059  
 ACCT # 135/10  
 APPROVED BY \_\_\_\_\_

ALL PRICES ARE NET, PAYABLE  
30 DAYS FOLLOWING DATE OF  
INVOICE. 1 1/2% CHARGED  
THEREAFTER. IF ACCOUNT IS  
CURRENT, TAKE DISCOUNT OF

\$ 357.77

ONLY IF PAID ON OR BEFORE

Aug 30, 2007

Subtotal	3,577.66
Sales Tax	225.39
Total Invoice Amount	3,803.05
Payment/Credit Applied	
<b>TOTAL</b>	<b>3,803.05</b>

(357.77)  
3445.28

# ALLIED CEMENTING CO., INC.

30317

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Great Bend

07-27-07

DATE <u>7-26-07</u>	SEC <u>20</u>	TWP <u>18</u>	RANGE <u>9</u>	CALLED OUT <u>8:00 PM</u>	ON LOCATION <u>10:30 PM</u>	JOB START <u>1:30 PM</u>	JOB FINISH <u>2:30 PM</u>
LEASE <u>Frees</u>	WELL # <u>2-20</u>	LOCATION <u>Chase, 7N, 4E, South</u>			County <u>Into</u>	COUNTY <u>Rice</u>	STATE <u>Ks</u>
OLD OR NEW (Circle one) <u>NEW</u>							

CONTRACTOR Summit Drilling

TYPE OF JOB Rotary plug

HOLE SIZE 7 7/8" T.D.

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4" DEPTH 3252'

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 5000 PSI MINIMUM 0

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT Freshwater + mud

EQUIPMENT \_\_\_\_\_

OWNER Sam Gary Jr. + Associates

CEMENT AMOUNT ORDERED 165 sx 60/40 4% Gel 4 Flo-seal

COMMON	<u>9944</u>	@	<u>11.10</u>	<u>1,098.90</u>
POZMIX	<u>6644</u>	@	<u>6.20</u>	<u>409.20</u>
GEL	<u>6.44</u>	@	<u>16.65</u>	<u>99.90</u>
CHLORIDE		@		
ASC		@		
<u>Flo Seal</u>	<u>41*</u>	@	<u>2.00</u>	<u>82.00</u>
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>17344</u>	@	<u>1.90</u>	<u>328.70</u>
MILEAGE	<u>17344.09</u>		<u>28</u>	<u>435.96</u>
TOTAL				<u>2454.66</u>

PUMP TRUCK CEMENTER Rick H.

# 120 HELPER Derek D.

BULK TRUCK

# 260 DRIVER Kevin W. / Steve T.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

3252' w/ 35 sx

1180' w/ 35 sx

800' w/ 35 sx

370' w/ 35 sx

60' w/ 25 sx

165 sx 60/40 4% Gel 4 Flo-seal

total cement Cement did Circulate!

CHARGE TO: Sam Gary Jr. + Associates

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	<u>3252'</u>			
PUMP TRUCK CHARGE				<u>955.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>28</u>	@	<u>6.00</u>	<u>168.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>1123.00</u>

PLUG & FLOAT EQUIPMENT

	@		
	@		
	@		
	@		
	@		
TOTAL _____			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE X Dan Cox

X DAN COX  
PRINTED NAME