

CONFIDENTIAL

11-19-09

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33074  
Name: Dart Cherokee Basin Operating Co., LLC  
Address: P O Box 177  
City/State/Zip: Mason MI 48854-0177  
Purchaser: Oneok  
Operator Contact Person: Beth Oswald  
Phone: (517) 244-8716  
Contractor: Name: McPherson  
License: 5675  
Wellsite Geologist: Bill Barks

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: Dart Cherokee Basin Operating Co., LLC  
Well Name: B&P Gay B4-18  
Original Comp. Date: 4-16-07 Original Total Depth: 1540'  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back CIBP @ 1352' Plug Back Total Depth  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

10-22-07 4-11-07 10-22-07  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date

API No. 15 - 125-31283-00-08 01  
County: Montgomery  
SE SE NE Sec. 18 Twp. 33 S. R. 15  East  West  
3200' FSL feet from S / N (circle one) Line of Section  
495' FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: B&P Gay Well #: B4-18  
Field Name: Cherokee Basin Coal Gas Area  
Producing Formation: Penn Coals  
Elevation: Ground: 871' Kelly Bushing: \_\_\_\_\_  
Total Depth: 1540' Plug Back Total Depth: 1532'  
Amount of Surface Pipe Set and Cemented at 43 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan *ALT IWHM*  
(Data must be collected from the Reserve Pit) *12-17-07*  
Chloride content NA ppm Fluid volume 320 bbls  
Dewatering method used Empty w/ vac trk and air dry

Location of fluid disposal if hauled offsite:  
Operator Name: Dart Cherokee Basin Operating CO., LLC  
Lease Name: Atherton Family Trust A3-1 SWD License No.: 33074  
Quarter NE Sec. 1 Twp. 32 S. R. 15  East  West  
County: Montgomery Docket No.: D-28620

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Engr Clerk Date: 11-16-07  
Subscribed and sworn to before me this 16 day of November  
2007

Notary Public: Brandy R. Allcock  
acting in Engham  
Date Commission Expires: 3-5-2011

BRANDY R. ALLCOCK  
Notary Public - Michigan  
Jackson County  
My Commission Expires  
March 05, 2011

KCC Office Use ONLY  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 19 2007  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Dart Cherokee Basin Operating Co., LLC Lease Name: B&P Gay Well #: B4-18  
 Sec. 18 Twp. 33 S. R. 15  East  West County: Montgomery

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:  High Resolution Compensated Density Neutron & Dual Induction	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">Log Name</td> <td style="width:40%;">Formation (Top), Depth and Datum</td> <td style="width:30%; text-align: right;">✓ Sample Datum</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Log Name	Formation (Top), Depth and Datum	✓ Sample Datum			
Log Name	Formation (Top), Depth and Datum	✓ Sample Datum					

CASING RECORD							
New				Used			
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"	24#	43'	Class A	8	
Prod	6 3/4"	4 1/2"	9.5#	1534'	Thick Set	160	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	1368.5' - 1370.5' / Set CIBP @ 1352'		
4	1059' - 1061'		
4	1018' - 1020.5'		
4	971.5' - 974'		
4	941' - 943'		

TUBING RECORD	Size 2 3/8"	Set At 1333'	Packer At NA	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	----------------	-----------------	-----------------	--

Date of First, Resumed Production, SWD or Enhr. 4-22-07	Producing Method Flowing <input type="checkbox"/> Pumping <input checked="" type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) <input type="checkbox"/>
--	---

Estimated Production Per 24 Hours	Oil Bbls. NA	Gas Mcf 0	Water Bbls. 40	Gas-Oil Ratio NA	Gravity NA
-----------------------------------	-----------------	--------------	-------------------	---------------------	---------------

Disposition of Gas:  Vented  Sold  Used on Lease *(If vented, Sumit ACO-18.)*

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

**RECEIVED**  
KANSAS CORPORATION COMMISSION

**NOV 19 2007**

CONSERVATION DIVISION  
WICHITA, KS