

Operator Name: Berexco Inc. Lease Name: Solomon Burnett Well #: 10
 Sec. 28 Twp. 14 S. R. 20 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:
 Dual Induction Log
 Dual Compensated Porosity Log
 Microresistivity Log

CONFIDENTIAL
NOV 21 2007
KCC

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Heebner	3361'	(-1210')
Toronto	3380'	(-1229')
Lansing-Kansas City	3404'	(-1253')
Marmaton	3703'	(-1552')
Granite Wash	3736'	(-1585')

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	20	312'	Comm	200	3% cc, 2% gel
production	7 7/8"	5 1/2"	14	3758'	Lite, ASC	90, 110	1/4# flakes
D-V tool				1419'	60/40 POZ	325	6%gel, 1/4#flake

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2 spf	3591' - 3608' (Lansing/KS City)	2000 gallons 15% HCL-NEFE	3591'-608'

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8"	3664'	none	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. 29 August 2007		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls. 18	Gas Mcf no gas	Water Bbls. 4	Gas-Oil Ratio Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled 3591' - 3608'
 (If vented, Sumit ACO-18.) Other (Specify) _____

ALLIED CEMENTING CO. INC

WELL FILE

AUG 17 2007 33343

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>8-11-07</u>	SEC. <u>28</u>	TWP. <u>14</u>	RANGE <u>20</u>	CALLED OUT	ON LOCATION	JOB START <u>8:00 a.m.</u>	JOB FINISH <u>9:00 a.m.</u>
LEASE <u>Solomon Barnett</u>		WELL # <u>10</u>		LOCATION <u>Ellis major rd 3/4 E Sinto</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>
OLD OR NEW (Circle one)							

CONTRACTOR Boreco

TYPE OF JOB D.V. Job

HOLE SIZE _____ T.D. 3759'

CASING SIZE 5 1/2 14# DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL DV Tool DEPTH 1419

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 34.6 Bbl

OWNER _____

CEMENT _____

AMOUNT ORDERED 325 69/10 69/6 gel

1/4 # Flo

COMMON	<u>195</u>	@	<u>11.10</u>	<u>2164.50</u>
POZMIX	<u>130</u>	@	<u>6.20</u>	<u>806.00</u>
GEL	<u>20</u>	@	<u>16.65</u>	<u>333.00</u>
CHLORIDE		@		
ASC		@		
<u>Flo seal</u>	<u>8115</u>	@	<u>2.00/b</u>	<u>162</u>
HANDLING	<u>347</u>	@	<u>1.90</u>	<u>659.30</u>
MILEAGE	<u>.09/sk/mile</u>	<u>sk/mile</u>		<u>1592.73</u>

EQUIPMENT

PUMP TRUCK CEMENTER Craig

409 HELPER Adrian

BULK TRUCK

306 DRIVER Bob

BULK TRUCK

_____ DRIVER _____

REMARKS:

Rathole 15' sk

Mouse hole 105'

Cement Circulated Plug landed 1500 psf

Held. Released - DRC

Thanks!

CHARGE TO: Boreco

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE 955.00

EXTRA FOOTAGE @ _____

MILEAGE 50 @ _____ N/C

MANIFOLD @ _____

TOTAL 955.00

PLUG & FLOAT EQUIPMENT

@ _____

@ _____

@ _____

@ _____

TOTAL _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

RECEIVED
KANSAS CORPORATION COMMISSION
PRINTED NAME
NOV 26 2007
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC. 33283

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>8-2-07</u>	SEC. <u>28</u>	TWP. <u>14S</u>	RANGE <u>20W</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>12:00am</u>
LEASE <u>Soloman</u>		WELL # <u>10</u>	LOCATION <u>Ellis 9S 1/2 E</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>1/2 S into</u>				

CONTRACTOR Bredco Drilling Rig #10

TYPE OF JOB Surface Sub

HOLE SIZE 12 1/4 T.D. 312

CASING SIZE 8 5/8 DEPTH 312

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 18,966l

OWNER _____

CEMENT

AMOUNT ORDERED 200 Com 32cc

25 Gr /

COMMON	<u>200</u>	@	<u>11.10</u>	<u>2220.00</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>16.65</u>	<u>66.60</u>
CHLORIDE	<u>6</u>	@	<u>46.60</u>	<u>279.60</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>210</u>	@	<u>1.90</u>	<u>399.00</u>
MILEAGE	<u>94/SK</u>	@	<u>M.I.F</u>	<u>850.00</u>
TOTAL				<u>3815.70</u>

EQUIPMENT

PUMP TRUCK CEMENTER Steve

366 HELPER John

BULK TRUCK

410 DRIVER Rocky

BULK TRUCK

DRIVER

REMARKS:

Cement Circ

CHARGE TO: Brexco

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ @ 15.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 45 @ 6.00 270.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 1085.00

PLUG & FLOAT EQUIPMENT

_____ @ _____

_____ @ _____

8 5/8 Wood Plug @ 60.00

_____ @ _____

_____ @ _____

TOTAL 60.00

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

Thanks!

SIGNATURE Mario B. Galbreath

RECEIVED
KANSAS CORPORATION COMMISSION
PRINTED NAME
NOV 26 2007
CONSERVATION DIVISION
WICHITA, KS