

15-163-04274-00-01

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 2-3-56

LEASE NAME Page

WELL NUMBER 1

330 Ft. from S Section Line

2970 Ft. from E Section Line

SEC. 23 TWP. 10 RGE. 20 (E) or (W)

COUNTY Rooks

Date Well Completed 2-3-56

Plugging Commenced 4-24-90

Plugging Completed 4-25-90

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

LEASE OPERATOR ANDERSON ENERGY, INC.

ADDRESS 200 E. First St., Suite 414
Wichita, KS 67202

PHONE#(316 265-7929 OPERATORS LICENSE NO. 6484

Character of Well SWD

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Did you notify the KCC/KDHE Joint District Office prior to plugging this well? Yes

Which KCC/KDHE Joint Office did you notify? District 4 - Hays

Is ACO-1 filed? No If not, is well log attached? Filed w/plugging application

Producing Formation Arbuckle Depth to Top 3850 Bottom 4080 T.D. 4080

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put in	Pulled out
Arbuckle	Saltwater	3869	4080	13-3/8"	248'	0
				8-5/8"	1666'	0
				4-1/2"	3850'	0

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.
Cleaned out to 2055'. Spotted 50 sx Common. Pulled tbq to 1700' and pumped 100 sx 65-35 Poz, 8% gel, 1/4 lb. sx FloSeal. No circulation. Pulled tbq to 1400' and pumped 100 sx as above. No circulation. Pulled tbq to 700' and pumped 100 sx as above. No circulation. Pulled tbq. out and pumped 300 sx as above down casing. Shut-in.
(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Allied Cementing License No. _____

Address Russell, KS

STATE OF KANSAS COUNTY OF SEDGWICK, ss.

William L. Anderson (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.


(Signature) William L. Anderson
(Address) 200 E. First St., Suite 414
Wichita, KS 67202

SUBSCRIBED AND SWORN TO before me this 25th day of April, 1990

4-27-1990
APR 27 1990
Wichita, Kansas

Thomas B. Clark
Notary Public

My Commission Expires: August 5, 1992





Halliburton
OIL WELL CEMENTING CO.

RADIATION GUARD

Natural Gamma Radiation — Induced Gamma Radiation — Focused Resistivity

COMPANY CONTINENTAL OIL COMPANY WELL PAGE # 1 FIELD Allphin County Rooks State Kansas	COMPANY CONTINENTAL OIL COMPANY	Location
	FILE	Well File SW-SW-SE
	WELL PAGE # 1	
	FIELD Allphin	
	COUNTY Rooks STATE Kansas	
SEC. 23 TWP. 10S RGE. 20W	Elev. D.F. 2196'	
SURVEY	K.B. 2199'	
	Grd. 2194'	

Log Measured From	Kelly Bushing	Elevation	2199'
Drilling Measured From	" "	Elevation	2199'
Permanent Datum	Ground Level	Elevation	2194'

Type Log	GAMMA	NEUTRON	GUARD
Run No.	One	One	One
Date	1-28-56	1-28-56	1-28-56
Type of Fluid in Hole	Mud	Mud	Mud
Fluid Level	Full	Full	Full
Neutron Source Strength		400mg	
Source to Bot. of Counter	106"	12"	
Length Meas. Device - in	28"	14"	
O.D. of Instrument - in	3-5/8"	3-5/8"	3-7/8"
Time Constant sec.	2	2	
Logging Speed Ft. min.	See Logging Speed Indication on Left Side of Log.		
Mud - Kind			Water Base
Treatment			Gel & Starch
Weight			9.8
Viscosity			61
ph	@ °F	@ °F	6+ @ °F @ °F
Loss ml./min.	@ °F	@ °F	- @ °F @ °F
Res. Ohm m ² /m	@ °F	@ °F	.17 @ 56°F @ °F
Max. Temp.	°F	°F	098 @ 108°F °F
Source Mud Sample			Cir. Pit

RECEIVED
 STATE CORPORATION COMMISSION
 JAN 10 1990
 CONSERVATION DIVISION
 Wichita, Kansas