

TO: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-195-20618-00-00  
Spot: CNENENE Sec/Twnshp/Rge: 28-12S-21W  
4950 feet from S Section Line, 330 feet from E Section Line  
Lease/Unit Name: STAAB Well Number: 2  
County: TREGO Total Vertical Depth: 4075 feet

Operator License No.: 31341 Production Casing Size: 5.5 feet: 4001  
Op Name: CRAIG, WARD DBA CRAIG OIL COMPA Surface Casing Size: 8.625 feet: 225 150 SX CMT  
Address: 48 SOUTH KANSAS  
RUSSELL, KS 67665

\$132.44

Well Type: OIL UIC Docket No: Date/Time to Plug: 04/10/2003 12:30 PM  
Plug Co. License No.: 99996 Plug Co. Name: ALLIED CEMENT COMPANY  
Proposal Rcvd. from: WARD CRAIG Company: CRAIG OIL COMPANY Phone: (785) 483-1543

Proposed Plugging Method: Ordered 215 sxs 60/40 pozmix - 10% gel - 500# hulls - 18 sxs gel.  
D.V. Tool at 1731'.  
Perfs 3858' - 3864'.

Plugging Proposal Received By: HERB DEINES WitnessType: Plugging Operations 100% Witnessed (Complete)  
Date/Time Plugging Completed: 04/10/2003 1:40 PM KCC Agent: PAT STAAB

Actual Plugging Report:

Allied Cementing tied onto backside and pressured to Max. P.S.I. 500#. S.I.P. 500#.  
Tied onto 5 1/2" casing and pumped 50 sxs 60/40 pozmix with 400# hulls mixed in, followed by 17 sxs gel with 100# hulls.  
Followed gel spacer with 140 sxs 60/40 pozmix. Well went on a vacuum.  
Came back on 04-11-2003 - well was 400' from surface.  
Allied mixed and pumped 40 sxs to casing. Was standing full.  
Filled casing to surface.

RECEIVED  
04-18-2003  
APR 18 2003  
KCC WICHITA

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed

(TECHNICIAN)

INVOICED

Form CP-2/3

DATE

4-21-03

WV. NO.

2003061425

APR 14 2003

STAAB OIL CO  
 CATHERINE ROUTE BOX 39 #2 STAAB 28-12-21W  
 HAYS, KS NE NE NE  
 CONTR J O FARMER CTY TREGO  
 GEOL LEWIS CHUBB FIELD ADAIR  
 E 2244 KB CM 3/3/80 CARD ISSUED 5/9/80 IP P 21 BOPD, NW  
 15-195-20,618 MARM 3858-64

+	+	+
+	+	+
+	+	+

LOG	TOPS	DEPTH	DATUM
ANH		1645	+ 599
B ANH		1682	+ 562
TOP		3283	-1039
HEEB		3503	-1259
TOR		3526	-1282
LANS		3538	-1294
B KC		3772	-1528
MARM		3838	-1594
CONG		3869	-1625
REW ARB		3897	-1653
ARB		3927	-1683
LTD		4074	-1830
RTD		4075	-1831

8-5/8" 225/150sx, 5 1/2" 4001, DV TOOL @ 1731  
 DST (1) 3692-3730 (LKC)/30-38-30-30, 1000' GIP, REC 315' HO&GCM, SIP 457-383#, FP 64-74/117-138#  
 DST (2) 3906-3925 (ARB)/30-30-0-0, 2' M, ISIP 32#, IFP 32-32#  
 DST (3) 3912-3937 (ARB)/30-30-0-0, 5' M, ISIP 255#, IFP 32-43#  
 DST (4) 3919-3944 (ARB)/PKR FAILURE  
 DST (5) 3909-3944 (ARB)/30-30-60-30, 120' SOCM, SIP 1094-1082#, FP 64-64/64-79#

INDEPENDENT OIL & GAS SERVICE  
 WICHITA, KANSAS

(OVER)

STAAB OIL CO. #2 STAAB 28-12-21W  
 NE NE NE  
 MICT - CO, PF (ARB) 1/3964, 1/3945, SWB DRY, AC 250, REC LD W/SO, SWB 4 BFPH, 1/3 BO, ONFU 2650' W W/SCUM O ON TOP, SET BP @ 3894, PF (MARM) 12/3858-64, AC 250, REC LD W/SO, 350' OFF BTM, SWB 6.7 BO, NW/1ST HR, 6.7 BO, NW/2ND HR, 6 BO, NW/3RD HR, FU 1500' O, NW/2 DAYS, SWB 5 BO, NW/1ST HR, 3 1/2 BO, NW/2ND HR, 3 BO, NW/3RD HR, 2 1/2 BO, NW/4TH HR, AC 3000, REC LD & SWB 6 BOPH, NW/3HRS, ONFU 1600' O, NW, POP

15-195-20618-00-00

STAAB OIL CO  
 CATHERINE ROUTE BOX 39 #2 STAAB 28-12-21W  
 HAYS, KS NE NE NE  
 CONTR J O FARMER CTY TREGO  
 GEOL LEWIS CHUBB FIELD ADAIR  
 E 2244 KB CM 3/3/80 CARD ISSUED 5/9/80 IP P 21 BOPD, NW  
 15-195-20,618 MARM 3858-64

+	+	+
+	+	+
+	+	+

LOG	TOPS	DEPTH	DATUM
ANH		1645	+ 599
B ANH		1682	+ 562
TOP		3283	-1039
HEEB		3503	-1259
TOR		3526	-1282
LANS		3538	-1294
B KC		3772	-1528
MARM		3838	-1594
CONG		3869	-1625
REW ARB		3897	-1653
ARB		3927	-1683
LTD		4074	-1830
RTD		4075	-1831

8-5/8" 225/150sx, 5 1/2" 4001, DV TOOL @ 1731  
 DST (1) 3692-3730 (LKC)/30-30-30-30, 1000' GIP, REC 315' HO&GCM, SIP 457-383#, FP 64-74/117-138#  
 DST (2) 3906-3925 (ARB)/30-30-0-0, 2' M, ISIP 32#, IFF 32-32#  
 DST (3) 3912-3937 (ARB)/30-30-0-0, 5' M, ISIP 255#, IFF 32-43#  
 DST (4) 3919-3944 (ARB)/PKR FAILURE  
 DST (5) 3909-3944 (ARB)/30-30-60-30, 120' SOCM, SIP 1094-1082#, FP 64-64/64-79#

INDEPENDENT OIL & GAS SERVICE  
 WICHITA, KANSAS

(OVER)

STAAB OIL CO. #2 STAAB 28-12-21W  
 NE NE NE  
 MICT - CO, PF (ARB) 1/3964, 1/3945, SWB DRY, AC 250, REC LD W/SO, SWB 4 BFPH, 1/3 BO, ONFU 2650' W W/SCUM O ON TOP, SET BP @ 3894, PF (MARM) 12/3858-64, AC 250, REC LD W/SO, 350' OFF BTM, SWB 6.7 BO, NW/1ST HR, 6.7 BO, NW/2ND HR, 6 BO, NW/3RD HR, FU 1500' O, NW/2 DAYS, SWB 5 BO, NW/1ST HR, 3 1/2 BO, NW/2ND HR, 3 BO, NW/3RD HR, 2 1/2 BO, NW/4TH HR, AC 3000, REC LD & SWB 6 BOPH, NW/3HRS, ONFU 1600' O, NW, POP

RECEIVED  
 04-10-2003  
 APR 10 2003  
 KCC WICHITA