

STATE OF KANSAS
STATE CORPORATION COMMISSION
130 S. MARKET, ROOM 2078
WICHITA, KS 67202

WELL PLUGGING RECORD
K.A.R. -82-3-117

15-163-03229-00-00

API NUMBER ~~15-163-03229-00-00~~
LEASE NAME Trico West
WELL NUMBER #203
990 Ft. from S Section Line
4950 Ft. from E Section Line

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days

LEASE OPERATOR VESS OIL CORPORATION

SEC. 31 TWP. 10S RGE. 20 (E) or (W)

ADDRESS 8100 E. 22nd St. N., Bldg. 300, Wichita, KS 67226

COUNTY Rooks

PHONE # (316) 682-1537 OPERATOR'S LICENSE NO. 5030

Date Well Completed 10/27/55

Character of Well OIL

Plugging Commenced 11/20/00

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Plugging Completed 11/20/00

The plugging proposal was approved on 11/19/2000 (date)
by Dennis Hamel - verbal (KCC District Agent's Name)

Is ACO-1 filed? NO If not, is well log attached? YES

Producing Formation LKC/ARB Depth to Top 3553' Bottom 3694' T.D. 3694'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

Casing Record

| Formation | Content | From | To | Size | Put in | Pulled out |
|-----------|---------|------|----|--------|--------|------------|
| | | | | 8-5/8" | 250 | 175 sx |
| | | | | 5-1/2" | 3691 | 175 sx |
| | | | | DV | 1585 | 600 sx |

Describe in detail the manner in which the well was plugged, indicating where placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from ___ feet to ___ feet each set.

Ran tubing to 3630'. Spotted 125 sx cement w/500 # hulls. Displaced 13 sx of gel from 2500' to 1500'. Pulled to 1500' and circulated cement to surface w/125 sx. Pulled tubing and topped off casing w/25 sx cement. Approved by Dennis Hamel w/KCC.

RECEIVED
STATE CORPORATION COMMISSION

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Allied Cementing Co., Inc. License No. DEC 5 2000

Address P.O. Box 31- Russell, KS 67665-0031 CONSERVATION DIVISION
Wichita, Kansas

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: Vess Oil Corporation

STATE OF KANSAS COUNTY OF SEDGWICK, ss.

Pat Canaday (Employee of Operator) or (Operator) of
above-described well, being first duly sworn on oath, says that: That I have knowledge of the facts,
statements and matters herein contained and the log of the above-described well as filed that
the same are true and correct, so help me God.

(Signature)

(Address)

SUBSCRIBED AND SWORN TO before me this 4th day of December, 2000

My Commission Expires:



Notary Public

Form CP-4
Revised 05-88

WELL RECORD

15-163-03229-00-00

Trilo West #203

Company..... Cities Service Oil Co Well No. 3 Farm Schneider
 Location..... 990' north & 330' East of ^{SW} Corner Sec. 31 T. 10 R. 20W
 Elevation..... 2118 (2116 Gr.) County..... Rooks State Kansas
 Drlg. Comm. 10-6-55 Contractor..... Lohmann-Johnson Drlg. Co., Inc
 Drlg. Comp. 10-24-55 Acid..... 500 gallons 10-25-55
 T. D. 3695 Initial Prod. Physical Potential 300 oil, no water, 24 hours 11-16-55

CASING RECORD:

8 5/8" @ 240' w/175 sacks
 5 1/2" @ 3691' w/175 sacks

Baker cementing collar @ 1585' with 600 sacks cement

FORMATION RECORD:

| | |
|----------------------|---------|
| shale | 0-41 |
| sand & shale | 240 |
| shale & shells | 755 |
| sand, shale & shells | 1345 |
| shale & sand | 1555 |
| anhydrite | 1595 |
| shale | 2000 |
| shale & lime | 2140 |
| lime | 2225 |
| shale & lime | 2420 |
| lime | 2585 |
| shale & lime | 2790 |
| lime & shale | 3005 |
| shale | 3125 |
| lime & shale | 3616 |
| conglomerate | 3680 |
| lime | 3698 |
| 3698 PTD = 3692 SLM | |
| lime | 3695 TD |

| | |
|---------------------------|------|
| Corr. Topeka | 3151 |
| Corr. Heebner | 3347 |
| Corr. Dodge | 3370 |
| Corr. Lansing | 3387 |
| Corr. Cherty Conglomerate | 3640 |
| Corr. Erosional Simpson | 3665 |
| Corr. Arbuckle | 3690 |
| Penetration | 5' |
| Total Depth | 3695 |

FILL-UP:

553' oil in 2 hrs
 985' oil in 3 hrs
 1328' oil in 4 hrs
 1605' oil in 5 hrs
 2715' oil in 15 hrs

SYFO:

500' - 1°
 1000' - 2°
 1500' - 1°
 2000' - 1°
 2500' - 1°
 3000' - 0°
 3500' - 0°

7 7/8" Rotary Hole **RECEIVED**
 STATE CORPORATION COMMISSION

DEC 5 2000

CONSERVATION DIVISION
 Wichita, Kansas