

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33907  
Name: Max Oil LLC  
Address: 746 Westchester Dr.  
City/State/Zip: Andover, Ks. 67002  
Purchaser: Mac Lesken  
Operator Contact Person: Terry Satterfield  
Phone: (316) 641-0418  
Contractor: Name: C & B Drilling  
License: 32701  
Wellsite Geologist: Bill Stout

API No. 15 - 015-23798-00-00  
County: Butler  
S2 NW 3E SW Sec. 2 Twp. 25 S. R. 5  East  West  
773 feet from (S) / N (circle one) Line of Section  
3,630 feet from (E) / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW (SW)  
Lease Name: Camron Well #: 21  
Field Name: FL Dorado

Producing Formation: Hunton  
Elevation: Ground: 1343 Kelly Bushing: 1349  
Total Depth: 2610' Plug Back Total Depth: 2610'  
Amount of Surface Pipe Set and Cemented at 220 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmf.

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: NA  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic Protection)

If Workover/Re-entry: Old Well Info as follows: NA  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

(Spud Date) or \_\_\_\_\_ Date Reached TD \_\_\_\_\_ Completion Date or  
Recompletion Date \_\_\_\_\_ Recompletion Date \_\_\_\_\_  
9/26/08 9/30/08 9/30/08

RECEIVED  
NOV 13 2009  
KCC WICHITA

Alt I - Dig - 12/10/09

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Owner / Operator Date: \_\_\_\_\_  
Subscribed and sworn to before me this 12<sup>th</sup> day of November,  
20 09.  
Notary Public: [Signature]  
Date Commission Expires: 4-1-12

KCC Office Use ONLY  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

NOTARY PUBLIC  
STATE OF KANSAS  
MICHELE D. STEINHAEUER  
STATE OF KANSAS  
My Appt. Exp. \_\_\_\_\_

Max Oil LLC

Operator Name: Terry Sattenfield Lease Name: Cameron Well #: 21  
 Sec. 2 Twp. 25 S. R. 5  East  West County: Butler

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets)  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy)  List All E. Logs Run: <u>Radioactive log</u>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table border="1" style="width:100%"> <tr> <th>Name</th> <th>Top</th> <th>Datum</th> </tr> <tr> <td>Hunton</td> <td>2553</td> <td>-1204</td> </tr> </table>	Name	Top	Datum	Hunton	2553	-1204
Name	Top	Datum					
Hunton	2553	-1204					

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Fresh H <sub>2</sub> O	12 1/4"	8 5/8"	24	220'	class A	125	S-S gel/Bentonite 50# Calcium Chloride 50#
Production	7 7/8"	5 1/2"	14	2610	60/40 Poz mix class A	225 125	Kol Seal 50# S-S/Bell/Bentonite 50# Calcium Chloride 50# FL-110 (Fluid Loss)

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	cemented to Top	See above		

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
1	2557'	RECEIVED NOV 13 2009 KCC WICHITA	
1	2557.5'		
1	2558'		

TUBING RECORD	Size <u>2 1/2"</u>	Set At <u>2550'</u>	Packer At <u>N/A</u>	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	<u>8/09</u>			
Producing Method	<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil <u>5</u> Bbls.	Gas <u>0</u> Mcf	Water <u>150</u> Bbls.	Gas-Oil Ratio <u>N/A</u> Gravity <u>36</u>

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

Production Interval \_\_\_\_\_



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

MAIN OFFICE  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
FAX 620/431-0012

INVOICE

Invoice # 226186

Invoice Date: 09/30/2008 Terms: 0/30,n/30

Page 1

MAX OIL PRODUCTION, INC.  
746 WESTCHESTER DR  
ANDOVER KS 67002  
(316)733-9663

CAMERON #21  
19076  
09-27-08

Part Number	Description	Qty	Unit Price	Total
1104S	CLASS "A" CEMENT (SALE)	125.00	13.5000	1687.50
1118A	S-5 GEL/ BENTONITE (50#)	250.00	.1700	42.50
1102	CALCIUM CHLORIDE (50#)	375.00	.7500	281.25
Description		Hours	Unit Price	Total
446	CEMENT PUMP (SURFACE)	1.00	725.00	725.00
446	EQUIPMENT MILEAGE (ONE WAY)	10.00	3.65	36.50
515	MIN. BULK DELIVERY	1.00	315.00	315.00

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 04 2009

CONSERVATION DIVISION  
WICHITA, KS

Parts:	2011.25	Freight:	.00	Tax:	106.60	AR	3194.35
Labor:	.00	Misc:	.00	Total:	3194.35		
Sublt:	.00	Supplies:	.00	Change:	.00		

ed \_\_\_\_\_ Date \_\_\_\_\_

ESVILLE, OK  
8-0808

ELDORADO, KS  
316/322-7022

EUREKA, KS  
620/583-7664

GILLETTE, WY  
307/686-4914

MCALISTER, OK  
918/426-7667

OTTAWA, KS  
785/242-4044

THAYER, KS  
620/839-5269

WORLAND, WY  
307/347-4577



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

MAIN OFFICE  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
FAX 620/431-0012

INVOICE

Invoice # 226191

Invoice Date: 09/30/2008 Terms: 0/30,n/30

Page 1

MAX OIL PRODUCTION, INC.  
746 WESTCHESTER DR  
ANDOVER KS 67002  
(316)733-9663

CAMERON #21  
18985  
09-30-08

Part Number	Description	Qty	Unit Price	Total
1131	60/40 POZ MIX	225.00	11.3500	2553.75
1104S	CLASS "A" CEMENT (SALE)	125.00	13.5000	1687.50
1110A	KOL SEAL (50# BAG)	1300.00	.4200	546.00
1118A	S-5 GEL/ BENTONITE (50#)	2175.00	.1700	369.75
1107	FLO-SEAL (25#)	112.00	2.1000	235.20
1102	CALCIUM CHLORIDE (50#)	525.00	.7500	393.75
1135	FL - 110 (FLUID LOSS)	50.00	7.5000	375.00
4159	FLOAT SHOE AFU 5 1/2"	1.00	328.0000	328.00
4454	5 1/2" LATCH DOWN PLUG	1.00	242.0000	242.00
4136	TURBOLIZER 5 1/2"	3.00	57.0000	171.00
4130	CENTRALIZER 5 1/2"	5.00	46.0000	230.00
4104	CEMENT BASKET 5 1/2"	5.00	219.0000	1095.00

Description	Hours	Unit Price	Total
442 MIN. BULK DELIVERY	1.00	315.00	315.00
446 CEMENT PUMP	1.00	925.00	925.00
446 EQUIPMENT MILEAGE (ONE WAY)	10.00	3.65	36.50
502 MIN. BULK DELIVERY	1.00	315.00	315.00

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 04 2009

CONSERVATION DIVISION  
WICHITA, KS

Parts:	8226.95	Freight:	.00	Tax:	436.05	AR	10254.50
Labor:	.00	Misc:	.00	Total:	10254.50		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed \_\_\_\_\_ Date \_\_\_\_\_

BARTLESVILLE, OK  
918/338-0808

ELDORADO, KS  
316/322-7022

EUREKA, KS  
620/583-7664

GILLETTE, WY  
307/686-4914

MCALISTER, OK  
918/426-7667

OTTAWA, KS  
785/242-4044

THAYER, KS  
620/839-5269

WORLAND, WY  
307/347-4577