

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728

Name: Roger Kent dba R.J. Enterprises

Address 1: 22082 NE Neosho Road

Address 2: _____

City: Garnett State: KS Zip: 66032 + 1918

Contact Person: Roger Kent

Phone: (785) 448-6995 or 448-7725

CONTRACTOR: License # 3728

Name: Roger Kent dba R.J. Enterprises

Wellsite Geologist: n/a

Purchaser: n/a

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil SWD SIOW
- Gas ENHR SIGW
- CM (Coal Bed Methane) Temp. Abd.
- Dry Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr. Conv. to SWD

Plug Back: _____ Plug Back Total Depth _____

Commingled Docket No.: _____

Dual Completion Docket No.: _____

Other (SWD or Enhr.?) Docket No.: _____

September 3, 2009 September 8, 2009 September 8, 2009

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	-----------------------------------------

API No. 15 - 107-24121-00-00

Spot Description: _____

SE SW NE NE Sec. 23 Twp. 22 S. R. 21 East West

4,280 Feet from North / South Line of Section

880 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

County: Linn

Lease Name: Ewing Well #: 4-1

Field Name: Blue Mound

Producing Formation: Burgess

Elevation: Ground: 975 est. Kelly Bushing: n/a

Total Depth: 865 Plug Back Total Depth: 859.4 ft.

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: surface

feet depth to: 859.4 ft. w/ 100 sx cmt.

Drilling Fluid Management Plan Att II Nur 12-18-09
(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: Drilled with fresh water - air dry

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Handwritten Signature]


Title: Agent for Roger Kent Date: December 11, 2009

Subscribed and sworn to before me this 11th day of December

20 09

Notary Public: [Handwritten Signature]

Date Commission Expires: March 16, 2011



KCC Office Use ONLY

N Letter of Confidentiality Received

If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution (R/14)

RECEIVED
DEC 14 2009

KCC WICHITA

Operator Name: Roger Kent dba R.J. Enterprises Lease Name: Ewing Well #: 4-1
 Sec. 23 Twp. 22 S. R. 21 East West County: Linn

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: Gamma Ray/Neutron/CCL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum See attached log
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface		7"		20'	oil well cement	100	Kol Seal
production		2-7/8"		859.4'			S-5 gel/bentonite
							cottonseed hulls

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
21	820' - 830'		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease (If vented, Submit ACO-18.)	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------

R. J. Enterprises
22082 NE Neosho Rd
Garnett, KS 66032

Ewing # 4-1

start 9-3-09
finish 9-8-09

3	soil	3
6	clay	9
14	shale	23
56	lime	79
7	shale	86
16	lime	102
3	shale	105
26	lime	131
169	shale	300
30	lime	330
59	shale	389
29	lime	418
33	shale	451
24	lime	475
11	shale	486
8	lime	494
95	shale	489
2	lime	591
227	shale	818
2	sandy shale	820 odor
11	oil sand	831 good show
6	shale	837
3	coal	840
25	lime	865

set 20' 7"
ran 859.4' 2 7/8
consolidated cemented
to surface

RECEIVED
DEC 14 2009
KCC WICHITA



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 23114

Invoice Date: 09/09/2009 Terms: 0/30,n/30

Page

R. J. ENTERPRISE
% ROGER KENT
22082 NE NEOSHO RD
GARNETT KS 66032
(785) 448-6995

EWING 4-I
23611
09-08-09

Part Number	Description	Qty	Unit Price	Total
1126	OIL WELL CEMENT	100.00	16.0000	1600.0
1110A	KOL SEAL (50# BAG)	400.00	.3900	156.0
1118A	S-5 GEL/ BENTONITE (50#)	200.00	.1600	32.0
1105	COTTONSEED HULLS	25.00	.3700	9.2
4402	2 1/2" RUBBER PLUG	2.00	22.0000	44.0

Description	Hours	Unit Price	Total
463 CEMENT PUMP	1.00	870.00	870.0
463 EQUIPMENT MILEAGE (ONE WAY)	60.00	3.45	207.0
515 TON MILEAGE DELIVERY	330.00	1.16	382.8

RECEIVED
DEC 14 2009
KCC WICHITA

Parts:	1841.25	Freight:	.00	Tax:	97.59	AR	3398.64
Labor:	.00	Misc:	.00	Total:	3398.64		
Sublt:	.00	Supplies:	.00	Change:	.00		

Signed _____

Date _____

BARTLESVILLE, OK
918/338-0808

ELDORADO, KS
316/322-7022

EUREKA, KS
620/583-7664

GILLETTE, WY
307/686-4914

McALESTER, OK
918/426-7667

OTTAWA, KS
785/242-4044

THAYER, KS
620/839-5269

WORLAND, WY
307/347-4577