### For KCC Use: Effective Date: District #

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

If Yes, true vertical depth:    DWR Permit #:   DWR Permit with DWR	Must be approved by KCC five	(5) days prior to commencing well
OPERATOR: Locareal 5214   OR Locareal 5224   OR Locareal 5224   OR Locareal 5225   OR Locar	Expected Spud Date: 1-30-10	Spot Description: 85' S & 10' W of
OPERATOR: Locate and Section Name:		
Section   Sect	5214 🗸	(approp)
Address 12   301 S. Melved.	OPERATOR: License#	
Address 2:	osco M. I	
County Cove  Count		<u> </u>
Contractors: Licenses   Se22    Name: Vet longy   The Vet Energy   Vet II   The Vet Energy   Target Formation(s); Medicatipian, Larieng, R. Soit, Memotion Chronice   The Vet Energy   Target Formation(s); Medicatipian, Larieng, R. Soit, Memotion Chronice   The Vet Energy   Target Formation(s); Medicatipian, Larieng, R. Soit, Memotion Chronice   The Vet Energy   Target Formation(s); Medicatipian, Larieng, R. Soit, Memotion Chronice   The Vet Energy   Target Formation(s); Medicatipian, Larieng, R. Soit, Memotion Chronice   The Vet Energy   Target Formation(s); Medicatipian, Larieng, R. Soit, Memotion Chronice   The Vet English Chronice   The V		(Note: Locate well on the Section Plat on reverse side)
Selectional, Deviated of Horizontal well-bore?   Yes   No   No   Surface Signated Field?   Surface Field Fie	Contact Person: Jay Schweikert	
Is this a Prorated / Spaced Field?   Image: State	040 005 5044	
Is the a Process of Part of Section Process of Part of Section Process of Section Proce	5822	
Nearest Lease or unit boundary ine (in footage): 1079   1079	CONTRACTOR, Diceise#	Is this a Prorated / Spaced Field?
Ground Surface Elevation, 2930 cst.   foot MSL   foot MSL   Msl Rotary   Msl Cable   Msl Rotary	Name: 44 Clary	
Water well within one -quarter mile:   Was   No   Storage   Series   Series   Pool Ext   Gable   White water supply well within one mile:   Public water supply well within one mile:   Depth to bottom of usable water: 1500   Depth to bottom of u	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 10/5
Seismic :	XOil Enh Rec Infield X Mud Rotary	
Public water supply well within one mile;		
Depth to bottom of usable water: 1550   Surface Pipe by Alternate: 1550   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to be act: 225   Length of Surface Pipe Planned to Pipe Planned to be act: 225   Length of Surface Pipe Planned to Depth: 4700   Projected Table Depth: 4700   Projected	_ = = ./ =	
Surface Pipe by Alternate:   Surface Pipe Planned to be set:   225	Seismic ; # of Holes Other	
Copyrator:   Length of Surface Pipe Planned to be set: 2255	Other:	
Coperator: Well Name: Original Completion Date: Original Completion Da	Troumo II III de la come	Surface Pipe by Alternate:
Coperator: Well Name: Original Completion Date: Original Completion Da	If OWWO; old well information as follows;	Length of Surface Pipe Planned to be set: 225
Original Completion Date: Original Total Depth: Massissippian  Water Source for Drilling Operations: Water Source for Drilling Operation For Drilling Source for Drilling Operation For Dr	Operator:	Length of Conductor Pipe (if any): none
Water Source for Drilling Operations:   Water	Well Name:	
Directional, Deviated or Horizontal wellbore?    West   Invertical depth:   DWR Permit #:     DWR Permit #:	Original Completion Date: Original Total Depth:	
If Yes, true vertical depth:    DWR Permit #:     (Note: Apply for Permit with DWR   )		Water Source for Drilling Operations:
Note: Apply for Permit with DWR   Note: Apply for Permit with Excess   Note: App	Directional, Deviated or Horizontal wellbore?  Yes No	Well Farm Pond X Other:
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 5 2010  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and correct to the best of my knowledged and belief.  For KCC Use ONLY  API #15 - OG3 - 2/8 2/8 0000000000000000000000000000000	If Yes, true vertical depth:	DWR Permit #;
RECEIVED  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 5 2010  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-0, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and correct to treplest of my knowledge and belief.  Poate: 14-10 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 2003 - 2/18 23 00 00 feet per ALT I File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit aspired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Total Conceptor of Appendix to the address below.		(Note: Apply for Permit with DWR
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 5 2010  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "9" - Eastern Kansas surface casing order 4133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and correct to treplets of my knowledge and belief.  Poled 3 - 218 23 - 00 - 00  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 063 - 218 23 - 00 - 00  API # 15 - 063 - 218 23 - 00 - 00  Feet  Minimum surface pipe required	KCC DKT #;	Will Cores be taken?
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 5 2010 It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any assible water to surface within 120 DAVS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  For KCC Use ONLY  API #15 - Old 3 2/8 3 00 00  Conductor pipe required 200 feet per ALT 10 1011  Approved by: 244 1-5 3010  This authorization expires: 1-5 3010  This permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Title:  Signature of Operator of Agent:  If the suppropriate district office 4 hours prior to workover or re-entry.  Submit plugging report		If Yes, proposed zone:
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  JAN 0 5 2010 It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any assible water to surface within 120 DAVS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  For KCC Use ONLY  API #15 - Old 3 2/8 3 00 00  Conductor pipe required 200 feet per ALT 10 1011  Approved by: 244 1-5 3010  This authorization expires: 1-5 3010  This permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Title:  Signature of Operator of Agent:  If the suppropriate district office 4 hours prior to workover or re-entry.  Submit plugging report		RECEIVED
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to trepted of my knowledge and belief.  Date:  For KCC Use ONLY  API # 15 - Olo3 - 2/18 23 - 00 - 00  Approved by: API # 15 - 20 10  This authorization expires: I - 5 - 20 11  (This authorization void if drilling not started within 12 months of approval date.)  This permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Signature of Operator or Agent:  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Well Not Drilled - Permit Expired  Signature of Operator or Agent:  Well Not Drilled - Permit Expired  Sign	AFF	IDAVIT
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  For KCC Use ONLY  API # 15 - Old - 2/8 2 3 - 00 - 00  Approved by: API - 5 - 20 /D  This authorization expires: 1-5 - 20     This authorization expires: 1-5 - 20     This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:		gging of this well will comply with K.S.A. 55 et. seq. JAN 0.5 2010
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <b>shall be set</b> by circulating cement to the top; in all cases surface pipe <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <b>prior to plugging</b> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <b>120 DAYS</b> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and beligf.  Date:  For KCC Use ONLY  API # 15	It is agreed that the following minimum requirements will be met:	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  For KCC Use ONLY  API #15 - 063 - 218 23 - 00 - 00  Conductor pipe required feet feet per ALT   1   1   1   1   1   1   1   1   1		KCC WICHITA
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to trepbest of my knowledge and belief.  Date:  1-4-10  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Old 3 - 2/8 2/3 - OO - OO  Conductor pipe required  1-4-10  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office was hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  Well Not Drilled - Permit Expired  Date:  Well Not Drilled - Permit Expired  Date:  Signature of Operator or Agent:	• • • • • • • • • • • • • • • • • • • •	draining rig,
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - Old 3 - 2/8 2/3 - 00 - 00  Conductor pipe required feet  Minimum surface pipe required feet per ALT I File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Mell Not Drilled - Permit Expired Date:  "" Signature of Operator or Agent:  "" Signature of Operator or Agent:  "" Well Not Drilled - Permit Expired Date:  "" Signature of Operator or Agent:		· · · · · · · · · · · · · · · · · · ·
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  Title:  Operations Engineer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired  Date:  Well Not Drilled - Permit Expired  Date:  Manual Cases, NOTIFY district office prior to any cementing and belief.  Description to any cementing and the KCC District office prior to any cementing.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired Date:  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	· · · · · · · · · · · · · · · · · · ·	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  1-4-10  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - 063 - 218 23 00 00  Feet  Conductor pipe required		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Old 3 - 2/8 2 3 - 00 - 00  Conductor pipe required		
I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.  Date: 1-4-10 Signature of Operator or Agent: Title: Operations Engineer  For KCC Use ONLY  API # 15 - 063 - 2/8 23 - 00 - 00  Conductor pipe required feet  Minimum surface pipe required feet per ALT. File acreage attribution plat according to field proration orders;  Approved by: 1-5-20/0  This authorization expires: 1-5-20/1  (This authorization void if drilling not started within 12 months of approval date.)  Signature of Operator or Agent:  Operations Engineer  Title: Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:  Well Not Drilled - Permit Expired Date:  Signature of Operator or Agent:		
Signature of Operator or Agent:   Signature of Operator or Agent:   Title: Operations Engineer	must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY  API # 15 - Old 3 - 2/8 23 - OD - OD  Conductor pipe required	I hereby certify that the statements made herein are true and correct to the be	est of my knowledge and belief.
For KCC Use ONLY  API # 15 - Old 3 - 2/8 23 - OD - OD  Conductor pipe required	1440	Operations Engineer
For KCC Use ONLY  API # 15 - 063 - 218 23 - 00 - 00  Conductor pipe required	Date: 1-4-10 Signature of Operator or Agent:	Title: Operations Engineer
For KCC Use ONLY  API # 15 - 063 - 218 23 - 00 - 00  Conductor pipe required		Remember to: ω
API # 15 - 063 - 278 23 - 200    Conductor pipe required   10 ne    Minimum surface pipe required   200    Approved by:   244   -5 - 20   10    This authorization void if drilling not started within 12 months of approval date.)  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:	For KCC Use ONLY	
Conductor pipe required	063-21823-00-00	
Minimum surface pipe required 200 feet per ALT.   I   I   I   I   I   I   I   I   I	1 10.40	- File acreage attribution plat according to field proration orders:
Approved by: RV4   -5-2010  This authorization expires:   -5-2011   (This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  - Well Not Drilled - Permit Expired Date:	Conductor pipe required / YVIIC feet	
Approved by: RV4   -5-2010  This authorization expires:   -5-2011   (This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  - Well Not Drilled - Permit Expired Date:	Minimum surface pipe requiredfeet per ALT I	- Submit plugging report (CP-4) after plugging is completed (within 60 days)
This authorization expires: 1-5-20   If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:		- Obtain written approval before disposing or injecting salt water.
(This authorization void if drilling not started within 12 months of approval date.)  Well Not Drilled - Permit Expired Date:	1-6-3011	
Well Not Drilled - Permit Expired Date:	100	check the box below and return to the address below.
Signature of Operator or Agent:	( = ==== and of the state of the state of approval outby	Well Not Drilled - Permit Expired Date:
	Spud date: Agent:	
	1,90111	<del>\</del>


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-21823-00-00		
Operator: Lario Oil & Gas Company	Location of Well: County: Gove	
Lease: Knapp		
Well Number: 1-31	1,640 feet from E / W Line of Section	
Field: Wildcat	Sec. 31 Twp. 13 S. R. 31 E W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
QTR/QTR/QTR/QTR of acreage: SW _ NE _ NW		
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214	
Operator Address: 301 S. Market			Wichita KS 67202
Contact Person: Jay Schweikert			Phone Number: 316-265-5611
Lease Name & Well No.: Knapp	1-3	31	Pit Location (QQQQ):
Type of Pit:    Emergency Pit	Pit is:    Proposed     If Existing, date complete capacity:   7,100     Area?   Yes   Yes     Artificial Liner?   Yes   Xes     OO	Existing onstructed: (bbls) No No eet) 100 eepest point: Describe proce	SW NE NW  Sec. 31 Twp. 13 R. 31 East West  1,075 Feet from North / South Line of Section  1,640 Feet from East / West Line of Section  Gove County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Bentonite  Width (feet) N/A: Steel Pits  4 (feet) No Pit
Source of infor		west fresh water 27 feet. mation: ared well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover:  Bentonite Mud  king pits to be utilized:  2	
			over and Haul-Off Pits ONLY:
		al utilized in drilling/workover: Bentonite Mud	
		king pits to be utilized: 2	
Barrels of fluid produced daily: Abandonment procedure: Allow for evaporation. Fill in and cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must t		pits. be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
1-4-10 Date  JAN 0 5 2010  Signature of Applicant or Agent  KCC WICH TA			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 1-5-10 Permit Num	ber:	Permi	it Date: 1-5-/o Lease Inspection: Yes No