## **CORRECTED**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AMENDED

Form C-1 October 2007

### For KCC Use: 10-2010 Effective Date:

TOTAL TRANSPORT NOTICE AND AND THE AND THE PARTY NOTICE AND THE PARTY NO	Form must be Sig	
	I ENT TO DRILL All blanks must be F (5) days prior to commencing well	illed
	#	
Expected Spud Date: 1-30-10 month day year	Spot Description: 71' S & 18' E of	71
5214	- <u>SW NE NW Sec. 31 Twp. 13 S. R. 31 E</u> E	
OPERATOR: License#		
Name:Lario Oil & Gas Company	leet not lee	ction
Address 1: 301 S. Market	Is SECTION: Regular Inregular?	
Address 2: State: KS Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side)	
City: State: NS Zip: 67202 + Contact Person: Jay Schweikert	County: Gove  Lease Name: Knapp Well #: 1-31	
Phone: 316-265-5611	Lease Name: Knapp Well #: 1-31 Field Name: Wildcat	
CONTRACTOR: License#5822	Is this a Prorated / Spaced Field?	No ·
Name: Val Energy	Target Formation(s): Mississippian, Lansing, Ft. Scott, Marmaton, Cherokee	۰۰۰۰
	Nearest Lease or unit boundary line (in footage): 1075'	
	Ground Surface Elevation: 2932 feet M	MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	No.
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Νο
Seismic; # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Depth to bottom of usable water:	
The Charleston and well information on follows:	Surface Pipe by Alternate:	
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 225'	
Operator:	Length of Conductor Pipe (if any): none Projected Total Depth: 4700'	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗹)	_
KCC DKT #:	Will Cores be taken?	No
7 3445; 83 4 . 10 - 30-11-140 /0/3 FAC, 1440 FAC-	If Yes, proposed zone:	
IS: 71'5 = 18'E SW-NE-NW 1061' FNL; 1668 FW		
AFF	DAVIT	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT	
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:	DAVIT	
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	<b>DAVIT</b> ging of this well will comply with K.S.A. 55 et. seq.	
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set	
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.	
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions and the distriction of the set of the content of the set of the se	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual plug.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the spud date.	ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Operations Engineer	W
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:  1-6-10  Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.  Operations Engineer  Remember to:	<u>3</u>
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed bate:  1-6-10  Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Operations Engineer	-
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the certify that the statements made herein are true and correct to the beat statements.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OG 3 - 2 1833 - OO - OO	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	13
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best pate:    The complete of the comp	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. set of my knowledge and belief.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	   <b>:</b>
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best of the spud state.  1-6-10  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OG 3 - 2 18 23 - OOO	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. set of my knowledge and belief.  Title:  Operations Engineer  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	15
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed between the context of the bed bed by the context of the bed bed by the context of the bed by the context of the context of the bed by the context of the context of the bed by the context of the context of the bed by the context of the context of the bed by the context of the context of the context of the bed by the context of	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. set of my knowledge and belief.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	   <b>:</b>
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the properties of the properties of the properties of the appropriate distriction of the properties of the spuddate or the well shall be a completed within 30 days of the spuddate or the well shall be a completed within 30 days of the spuddate or the well shall be a complete or the spuddate or the well shall be a complete or the spuddate or the well shall be a complete or the spuddate or the well shall be a complete or the spuddate or the well shall be a complete or the spuddate or the well shall be a complete or the spuddate or the well shall be a complete or the spuddate or t	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Title:  Operations Engineer  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	   <b>:</b>
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bed between the context of the bed bed by the context of the bed bed by the context of the bed by the context of the context of the bed by the context of the context of the bed by the context of the context of the bed by the context of the context of the bed by the context of the context of the context of the bed by the context of	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.  Title:  Operations Engineer  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:	   <b>:</b>
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the spud date or the well shall be 1 hereby certify that the statement of the spud date or the spud date or the spud date or the spud date or the spud date	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief.  Title:  Operations Engineer  Title:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	   <b>:</b>

JAN 0 7 2010


# CORRECTED IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-2/283-00-00	
Operator: Lario Oil & Gas Company	Location of Well: County: Gove
Lease: Knapp	1,061 feet from X N / S Line of Section
Well Number: 1-31	1,668 feet from E / X W Line of Section
Field: Wildcat	Sec. 31 Twp. 13 S. R. 31 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage: SW _ NE _ NW	is decitori. Minegular or Linegular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

**PLAT** (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004

A monded

A monded

1-7-10 Lease Inspection: Yes 🔍 No

## **APPLICATION FOR SURFACE PIT**

Producing Formation:    Number of producing wells on lease:	Sui	bmit in Duplicat	e * pmen		
Contact Person: Jay Schweikert    Lease Name & Well No.: Knapp	Operator Name: Lario Oil & Gas Company		License Number: 5214		
Lease Name & Well No.: Knapp  Type of Pit:    Sym_Ne_Nw_Nw_Ne_Nw_Ne_Nw_Nw_Nw_Ne_Nw_Ne_Nw_Nw_Nw_Nw_Nw_Nw_Nw_Nw_Nw_Nw_Nw_Nw_Nw_	Operator Address: 301 S. Market		Wichita	KS 67202	
Type of Pit:    Emergency Pit   Burn Pit   Surn Pit   Setting Pit   Pit capacity: 7,100   (bbis)   1,668   Feet from North   South Line of Section   1,668   Feet from North   1,669   Feet from North   1,668   Feet from North   1,669   Feet from North   1	Contact Person: Jay Schweikert		Phone Number: 316-265-5611		
Setting Pit   Burn Pit   Existing, date constructed:   Northover Pit   Haut-Off Pit   Pit capacity:   7,100   (bbis)   Gove   County	Lease Name & Well No.: Knapp 1-3			Pit Location (QQQQ):	
Settling Pit   Dritting Pit   Haul-Off Pit   Pit   Capacity: 7,100   (bbis)   Feet from   North / South Line of Section   1,668   Feet from   East form   Fits only   1,668   Feet from   East form	Type of Pit: Pit is:		SWNENW_		
Setting in   Hauf-Off Pit   Hauf-O	Emergency Pit Burn Pit Proposed	Existing	Sec. 31 Twp. 13 R. 31	East West	
Pit capacity: 7,100	Settling Pit Drilling Pit If Existing, date co	onstructed:	1,061 Feet from North / S	outh Line of Section	
Step to located in a Sensitive Ground Water Area?   Yes   No   Chloride concentration:	Pit capacity:	<del></del>	1,668 Feet from East / ∑ V	Vest Line of Section	
State bottom below ground level?   Artificial Liner?   How is the pit lined if a plastic liner is not used?   Bentonite	(If WP Supply API No. of Year Drilled) 7,100	(bbis)	Gove	County	
Is the bottom below ground level?    Artificial Liner?   Yes   No	Is the pit located in a Sensitive Ground Water Area? Yes	No		<b>"</b>	
Pit dimensions (all but working pits):  Depth from ground level to deepest point:  Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water	Addition?			<del></del>	
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 4 (feet) No Pit  If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 27 feet.  Source of information: well owner electric log NCWR  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 27 feet.  Source of information: measured well owner electric log NCWR  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Benton/fe Mud  Number of working pits to be utilized: 2  Abandonment procedure: Allow for evaporation. Fill in and cover pits.  Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No  Drill pits must be closed within 365 days of spud date.  RECEIVE		No	· · · · · · · · · · · · · · · · · · ·	seu:	
Source of information:    459	If the pit is lined give a brief description of the liner	Describe proce	edures for periodic maintenance and determi		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Bentonite Mud  Number of working pits to be utilized:  2  Abandonment procedure:  Allow for evaporation. Fill in and cover pits.  Drill pits must be closed within 365 days of spud date.  RECEIVE			formation:		
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  Type of material utilized in drilling/workover:  Distribution of working pits to be utilized:  Abandonment procedure:  Allow for evaporation. Fill in and cover pits.  Drill pits must be closed within 365 days of spud date.  RECEIVE	459 2 feet Depth of water well 39 feet	redwell owner electric log KDWR			
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  Number of working pits to be utilized:  Abandonment procedure: Allow for evaporation. Fill in and cover pits.  Drill pits must be closed within 365 days of spud date.  RECEIVE				,	
Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  Abandonment procedure: Allow for evaporation. Fill in and cover pits.  Drill pits must be closed within 365 days of spud date.  RECEIVE	·	2		- Q	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVE		Abandonment procedure: Allow for evaporation. Fill in and cover			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVE	Does the slope from the tank battery allow all spilled fluids to	pits.			
Carl Salva Cant IAN 97	I hereby certify that the above statements are true and c	correct to the bes	t of my knowledge and belief.	ذ ا	
Date Signature of Applicant or Agent	1-6-10 	gay	Me Me Me Me Manager de la company de la comp	JAN 07 20	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS	KCC	KEEICE USE O	NIV Steel Dit T REACT	REAS TO	

Date Received: 1-2-10

\_\_ Permit Number:\_

Permit Date:\_