KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL
Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3895	API No. 15 - 15-107-24112-00-00
Name: Bobcat Oilfield Services, Inc.	
Address 1: 30805 Coldwater Rd.	NW SE NW NE o 8 - 20 o p 23 Fig. (Dw.
Address 2:	4332 Feet from North / South Line of Section
City: Louisburg State: KS Zip: 66053 +	1 1796
Contact Person: Bob Eberhart	
Phone: (913) 837 - 2823	MNE □NW MSE □SW
CONTRACTOR: License # 4339	Linn
Name: Jackson, Dale E. & Sue Ellen dba Dale E. Jackson Production	
Wellsite Geologist:	LaCyana Codmus
Purchaser: High Sierra Crude Oil & Marketing, LLC	Producing Formation: Peru
Designate Type of Completion:	Elevation: Ground: 917 Kelly Bushing: N/A
New Well Re-Entry Workover	Total Depth: 341 Plug Back Total Depth: 3
	Amount of Surface Pipe Set and Cemented at: 20.5 Feet
Oil SWD SIOW SIGW	
CM (Coal Bed Methane) Temp. Abd.	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other	If yes, show depth set: Feet
(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 20.5
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 5 sx cmt.
Operator:	Drilling Fluid Management Plan AH II NUL 12-21-09
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 1500-3000 ppm Fluid volume: 80 bbls
Deepening Re-perf Conv. to Enhr Conv. to	SWD Dewatering method used: <u>on lease</u>
Plug Back: ————————————————————————————————————	Location of fluid disposal if hauled offsite:
Commingled Docket No.;	'
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	
10/2/2009 10/6/2009 11/18/2009	Quarter Sec. Twp. S. R. East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worked of side two of this form will be held confidential for a period of 12 months.	led with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information this if requested in writing and submitted with the form (see rule 82-3-107 for confidency is well report shall be attached with this form. ALL CEMENTING TICKETS MUST 1-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to re	rgulate the oil and gas industry have been fully complied with and the statements herein
are complete and correct to be best of my knowledge.	
Signature:	KCC Office Use ONLY
Title: Agent Date: 1-20	Letter of Confidentiality Received
Subscribed and sworn to before me this 20 day of	, If Denied, Yes Date:
20 09.	Wireline Log Received
	Geologist Report Received
Notary Public Yan	NE TOWN UIC Distribution RECEIVED
Date Commission Expires: STAT	FOR KANGAS
My Appt.	Exp. <u>S-8-2012</u> DEC 0 3 2009

Side Two

Operator Name: Bot	ocat Oilfield Servic	es, Inc. Lease Name:			e Name: _	Snyder		Well #: Q-17S		
Sec. 8 Twp. 2	80 S. R. 23	✓ East	West		nty: Linn					
time tool open and cl	osed, flowing and shu tes if gas to surface te	it-in pressure est, along with	s, whether sl	hut-in pr	essure read	ched static level,	hydrostatic	pressures, bottom	giving interval tested, hole temperature, fluid Electric Wireline Logs	
Drill Stem Tests Take (Attach Additional		☐ Yes	☑No		 ✓Lα	og Formatio	n (Top), Dep	th and Datum	Sample	
Samples Sent to Geo	ological Survey	☐ Yes	✓ No		Nam	e		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		✓ Yes ✓ Yes	☐ No ☐ No							
List All E. Logs Run:										
GAMMA RAY	Y/NEUTRON/0	CL								
						Part 1				
		Report a	CASING all strings set-c		_	w Used ermediate, producti	ion, etc.		•	
Purpose of String	Size Hole Drilled	Size C Set (In	Casing	Weight Lbs. / Ft.		Setting Depth	Type of Cemen		Type and Percent Additives	
Surface	8 3/4"	6 1/4"				20.5	Portland	5		
Completion	5 5/8"	2 7/8"				338	Portland	50	50/50 POZ	
			ADDITIONAL	CEMEN	TING / SQU	EEZE RECORD				
Purpose: Depth Type of Cement Top Bottom			#Sac	#Sacks Used Type and Percent Additives				3		
Protect Casing Plug Back TD Plug Off Zone	:				 		- 			
i lug on zonc		L							· · · · · · · · · · · · · · · · · · ·	
Shots Per Foot	PERFORATI Specify	ON RECORD Footage of Eac	- Bridge Plugs ch Interval Perf	s Set/Typ orated	е	,		ement Squeeze Record of Material Used)	rd Depth	
2 279.0 - 299.0 82 Perfs						279.0 - 299.0 Acid Fracture				
									RECEIVED	
									DEC # 3 2009	
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [JNo K	CC WICHITA	
Date of First, Resumed	Production, SWD or En	nr. P	roducing Meth	od:	Flowing	Pumpir	na 🗆 G	as Lift Oth	er (<i>Explain</i>)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas (Mcf	Wate		ols.	Gas-Oil Ratio	Gravity	
			<u></u>				·-····································			
DISPOSITI	ON OF GAS:		M	ETHOD (OF COMPLE	TION:		PRODUCTION	ON INTERVAL:	
Vented Sold	i Used on Lease		en Hole er <i>(Specify)</i>	Perf.	Dually	Comp. Con	nmingled			

Lease;	SNYDER	DALE JACKSON	ン・1 ピピングラングライン・2・2 	, RODC	at Oil	riela Serv	F 2/9
Owner:		ELD SERVICES, INC.				274	Location: SE-NW-NE, S:8, T:20,
OPR#:	3895		Dale Jac	Dale Jackson Production Co.			S.R.:23E County: UNN
Contractor:	DALE JACKSON	PRODUCTION CO.	Box 266,	Mound	i City,	Ks 66056	FSL: 4332
OPR#:	4339		الله	Cell # 620-363-2683 Office # 913-795-2991			FEL 1725
Surface:	Cemented:		Offic				API#: 15-107-24112-00-00
20FT, 6IN Longstring	5 SACKS Cemented:	8 3/4 Hole Size:	<u></u>				Started: 10/2/09
338 2 7/8	50 SACKS	5 5/8	<u>l</u> .			•	Completed: 10/6/09
			5N: 274			Packer:	TD: 341
	Well Log		Plugged:	igged: Bottom Plug:		Bottom Plug:	
TKN BTM	Formatic)n		TKN	BTM	Formation	

2 59 BLACK SHALE 2 61 LIME 6 67 SHALE 5 72 LIME	
23 24 LIME 4 28 SHALE 3 31 BLACK SHALE 22 53 LIME 4 57 SHALE 2 59 BLACK SHALE 2 61 LIME 6 67 SHALE 5 72 LIME 1 73 BLACK SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	alian in the same of the same of the
4 28 SHALE 3 31. BLACK SHALE 22 53 LIME 4 57 SHALE 2 59 BLACK SHALE 2 61 LIME 6 67 SHALE 5 72 LIME 1 73 BLACK SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 1 224 COAL 9 233 SHALE	
3 31 BLACK SHALE 22 53 LIME 4 57 SHALE 2 59 BLACK SHALE 2 61 LIME 6 67 SHALE 5 72 LIME 1 73 BLACK SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	
22 53 LIME A 57 SHALE 2 59 BLACK SHALE 2 61 LIME 6 67 SHALE 5 72 LIME 1 73 BLACK SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	
37	
2 59 BLACK SHALE	the state of the s
2 59 BLACK SHALE 2 61 LIME 6 67 SHALE 5 72 LIME 1 73 BLACK SHALE 59 112 SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 9 233 SHALE	
6 67 SMALE 5 72 LIME 1 73 BLACK SHALE 59 112 SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	
5 72 LIME 1 73 BLACK SHALE 59 112 SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	
1 73 BLACK SHALE 59 112 SHALE 5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	***
1 73 BLACK SHALE	
5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	The Market many the dear the state of the same
5 117 SAND (DRY) 18 135 SANDY SHALE 88 223 SHALE 1 224 COAL 9 233 SHALE	
18 135 \$ANDY SHALE 88 223 \$HALE 1 224 COAL 9 233 \$HALE	
88 223 SHALE 1 224 COAL 9 233 SHALE	
1 224 COAL 9 233 SHALE	
9 233 SHALE	and the second of the second
25 263 SHALE	* A
8 271 LIME	
	and the artists to the second of the second
3 275 LIGHT SHALE	
2 277 OIL SAND (SHALEY) (FAIR BLEED) (HEAVY FLOW AT 275.5)	
2 279 OIL SAND (FAIR BLEED) (SOME SHALEE)	
2 281 OIL SAND (SOME SHALE) (HEAVY BLEED)	***************************************
20 301 OII SAND (SEE CORE)	· · · · · · · · · · · · · · · · · · ·
25 3025 SHALE FOIL CAND STORAGE TOPOD BUSED	
1 304.5 OIL SAND (SHALEY) (FAIR BLEED)	N.,
1.5 306 SHALE (OIL SAND STREAKS) (POOR BLEED)	
12 318 SHALE	
320	
205	
1 326 COAL	
7 220 51115	
7 335 LIME	
TD 341 SHALE	The second secon
	# * 1 × ***
RECEIV	ED
- Control Cont	
DEC 0.3	2009
LOC MIC	*
KCC WIC	HITA

Avery Lumber
P.O. BOX 66
MOUND CITY, KS 66056
(913) 795-2210 FAX (913) 795-2194

Customer Copy

Pogo: 1			Invoice: 100	13450		
Page: 1			Time:	17:26:46		
Special			Ship Date:	09/24/09		
Instructions			invoice Date:	09/28/09		
: Sale rep #: MAVERY MIKE	Acet rep c	ode:	Due Date:	11/05/09		
Sold To: BOBCAT OILFIELD SRVC,INC	Ship To: BOBCAT OILFIELD SRVC,INC					
C/O BOB EBERHART	(913) 837-2823					
30805 COLDWATER RD						
LOUISBURG, KS 66053	(913) 837-2823					
Customer #: 3570021	Customer PO:	Ord	ar By:			

5TH T 26 EXTENSION PRICE Alt Price/Uom DESCRIPTION ITEM# UM ORDER SHIP 2796.50 7.9900 BAG 7.9900 PORTLAND CEMENT BAG CPPC 350.00 350.00 830.40 5.1900 5.1900 BAG POST SET FLY ASH 75# BAG CPPM 160.00 160.00 238.00 17.0000 17.0000 EA QUIKRETE PALLETS 14.00 L EA CPQP 14.00 RECEIVED OURE. DEC 0 3 2009 KCC WICHITA \$3864.90 DRIVER Sales total FILLED BY CHECKED BY DATE BHIPPED SHIP VIA LINN COUNTY 3864.90 RECEIVED COMPLETE AND IN GOOD CONDITION Taxable 0.00 Sales tex Non-taxable 204.84 Tax#

2 - Customer Copy

TOTAL Credit

BBIK TENKTIONIT INN TANK KANK TANK TANK TOKN KANTIT KON TIKANT TAND TANK DIĞI Ş 19137952194

Page 13622,21