CONFIDENTIAL WEL

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
ORIGINATorm Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_33344	API No. 15 - 133-27121-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	swseSec. 11 Twp. 29 S. R. 19
City/State/Zip: Chanute, KS 66720	660 feet from S / N (circle one) Line of Section
Divertem Dineline LLC	1980 feet from E)/ W (circle one) Line of Section
Purchaser: Bluestern Pipeline, LCC  Operator Contact Person: Jennifer R. Ammann  Phone: (620 ) 431-9500  Contractor: Name: TXD  33837	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE (SE) NW SW
Contractor: Name: TXD CONTRACT 8 200"	Lease Name: Clevenger Well #: 11-1
Phone: (620 ) 431-9500  Contractor: Name: TXD CONFIDENT OF CONFIDENT O	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: Multiple
Designate Type of Completion:	Elevation: Ground: 926 Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 977 Plug Back Total Depth: 948.67
·	Amount of Surface Pipe Set and Cemented at 20.5 Feet
OilSWDTemp. Abd.  ✓ GasENHRSIGW	Multiple Stage Cementing Collar Used?
	If yes, show depth setFeet
Dry Other (Core, WSW, Expl., Cathodic, etc)	If Alternate II completion, cement circulated from 948.67
If Workover/Re-entry: Old Well Info as follows:	feet depth to surface w/ 153 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan ALT NJU-2909
Original Comp. Date:Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:
8/21/07 8/23/07 8/24/07	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Tiboshipjonshi Buto	Booker No.
Kansas 67202, within 120 days of the spud date, recompletion, works	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It is a months if requested in writing and submitted with the form (see rule 82-3-105 and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
Signature: Semifer- L. Ammann	KCC Office Use ONLY
Title: New Well Development Coordinator Date: 12/18/07	Letter of Confidentiality Received
The Andrew	(/ If Denied, Yes Date: RECEIVED
Subscribed and sworn to before me thisday ofday of	Wireline Log Received KANSAS CORPORATION COMMISS
2007.	Out of A Bound Descripted
Notary Public: Wenise 11. Thenneman	UIC Distribution DEC 2 0 2007
A DEMICE	CONSERVATION DIVISION
Date Commission Expires:  DENISE V VENNEMAN NOTARY PUBLIC	WICHITA, KS
STATE OF KANSAS MY APPT. EXPIRES 7-	
THE CAPIRES 7-1-08	1

Operator Name: Qu	est Cherokee, LL	С		Leas	e Name:_	Clevenger		_ Well #: <u>11-1</u>		
Sec. 11 Twp. 2		i	t West		ty: Neosh			· .		<del>7</del>
tested, time tool ope temperature, fluid re	show important tops a en and closed, flowing covery, and flow rate is surveyed. Attach	g and shu s if gas to	t-in pressures, surface test, a	enetrated. whether s long with	. Detail a shut-in pre	l cores. Report	static level, hydro	static pressure	es, bottom h	ole
Drill Stem Tests Take		Y	∕es 📝 No		VL	og Formati	on (Top), Depth a		Sam	ıple
Samples Sent to Geological Survey			∕es ☑ No		Name See attached			Тор	Datu	ım
Cores Taken		□ Y	′es 📝 No			Man V	H. ).			
Electric Log Run (Submit Copy)		<u> </u>	∕es □ No			attached 2.	inger Be			
List All E. Logs Run:	:					, N. J.	744			
Compensated Dual Induction Gamma Ray N	•	n Log								
		Repo		RECORD onductor, s	_	ew Used ermediate, produc	tion, etc.			
Purpose of String	Size Hole Drilled	Si	Size Casing Set (In O.D.)		eight . / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and I Additi	
Surface	12-1/4	8-5/8"		22		20.5	"A"	5		
Production	6-3/4	4-1/2		10.5		948.67	"A"	153		
							1			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Туря	ADDITIONAL e of Cement		S Used	JEEZE RECORD		Percent Additives		
Shots Per Foot			RD - Bridge Plug		<del>-</del>	Acid, Fra	cture, Shot, Cemen	l Squeeze Recor		
	Specify 845-848/792-794/7		Each Interval Per	forated		(Amount and Kind of Material Used) Depth				
4				400gal 15%HCLw/ 48 bbls 2%kcl water, 696bbls water w/ 2% KCL, Blocide, 6600# 2040 sand 845-848/792-7						
4 635-637/578-580/550-553/524-526						300gel 15%HCLw/ 49 bbts 2%kcl water, 714bbts water w/ 2% KCL, Blocke, 7200# 20/40 send 635-637/578-58/				
									550-	553/524-52
4	436-440/422-426					400gal 15%HCLw/ 45 bb	is 2%kcl water, 713bbls water	w/ 2% KCL, Biocide, 5900	# 20/40 sand 436-	440/422-42
TUBING RECORD	Size 3/8"	Set At		Packer	At	Liner Run	Yes 🗸 No			
	rd Production, SWD or E		Producing Met	······································	Flowing	] ☑ Pùmpi		it Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil n/a	Bbls.	Gas 28mcf	Mcf	Wate .32.9b		bls.	as-Oil Ratio	,	aravity
Disposition of Gas	METHOD OF C	OMPLETIC	1			Production Inter	val			
Vented Sold (If vented, Se	Used on Lease ubmit ACO-18.)		Open Hole Other (Speci	√ Per	f. [ [	ually Comp.	Commingled _			



## 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

TICKET NUMBER 2368

RANGE

COUNTY

FIELD TICKET REF #

FOREMAN To

TOWNSHIP

SECTION

623680

## TREATMENT REPORT & FIELD TICKET CEMENT

WELL NAME & NUMBER

8-24-01	( 16760	1 Ger	11 · 1		//	29 19	70
FOREMAN / OPERATOR	TIME	TIME	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe)	7:00	10:00		703427		3 .	Yne Blanchad
Tim	6:45	)		903255		3.25	L gen
Tyler	7:00			903600		3	96
MAVERICK	7:00			903140	932452	3 .	MALLA
Gary	7:00	V		9315 00		3	Strack
,		<u> </u>		<u> </u>			
JOB TYPE <u> </u>	HOLE	SIZE <u>6</u>	<i>314</i> +	OLE DEPTH _ 9.7	7 CASI	NG SIZE & WEIGHT	41/2 10.5
CASING DEPTHC	148.6 BRILL	PIPE	Т	UBING	OTHE	R	
SLURRY WEIGHT_			v	VATER gal/sk	CEME	ENT LEFT in CASING	<u> </u>
DISPLACEMENT_/	5.13 DISPLA	ACEMENT F	PSIN	/IX PSI	RATE	46	pm
DEMARKS.							•
TNSTAlled	tuens) (	head	RAN 154	: aer of 9	boldye &	4 153 Sk	d flootsha
ant due to	Surface	51,156	OUMO: PU	MA LUDER A	luc to be	ston ds	4 flootsha
30: cope 10	3014000		Pomp	POFF	)		
			· <del>-</del>				n nette n
					· · · · · · · · · · · · · · · · · · ·		
				<u> </u>			
		· ,	<u> </u>			CONFIE	ENTIAL
	948	.67	ft 41/2	Casing			8 2007
		5	'Central	12 er		DEC	1 0 2001
		1.	4:12 +16	15hac		N	CC
ACCOUNT	- N		*				TOTAL
ACCOUNT CODE	QUANTITY or	UNITS		DESCRIPTION OF S	ERVICES OR PRODUC	T	AMOUNT
G03427	3	hr	Foreman Pickup				
903255	3. 2.	5 hr	Cement Pump Truc	k			
903600	- 3	hr	Bulk Truck	÷			
1104	)4	3 5K	Portland Cement				
1124		2	50/50 POZ Blend C	Sement Boff	les 31/2 ·	<del>+13</del>	
1126			OWC Blend Ceme	111/2 L:	per Aluc		
1110	1	5 SK	Gilsonite		· · · · ·		
1107	1.	5 SK	Flo-Seal				
1118		1 SK	Premium Gel				
1215A	10	c.l	KCL				<u> </u>
1111B		3 5K	-Sodium Silicate	Calchlo	rice_		RECEIVED
1123	70	66001	City Water			KANSAS (	ORPORATION COMMISSI
9035410	3		Transport Truck				FC 3 0 000
932452	·		Transport Trailer			ַ	EC 2 0 2007
931500		shr	80 Vac			CON	ISERVATION DIVISION
Ravin 4513							WICHITA, KS