

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

12/27/09

Operator: License # 33344
Name: Quest Cherokee, LLC
Address: 211 W. 14th Street
City/State/Zip: Chanute, KS 66720
Purchaser: Bluestem Pipeline, LLC
Operator Contact Person: Jennifer R. Ammann
Phone: (620) 431-9500
Contractor: Name: Ground Source
License: 33824
Wellsite Geologist: Ken Recoy

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

| 9/4/07 | 9/10/07 | 9/26/07 |
|-----------------------------------|-----------------|---|
| Spud Date or Recompletion Date | Date Reached TD | Completion Date or Recompletion Date |

API No. 15 - 133-26933-0000
County: Neosho
_____ nw - ne Sec. 10 Twp. 28 S. R. 18 East West
400 feet from S / (N) (circle one) Line of Section
2035 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) (NE) SE NW SW
Lease Name: Ingraham, Larry W. Well #: 10-1

Field Name: Cherokee Basin CBM
Producing Formation: not yet complete

Elevation: Ground: 930 Kelly Bushing: n/a
Total Depth: 1080 Plug Back Total Depth: 1073

Amount of Surface Pipe Set and Cemented at 20 Feet
Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1073
feet depth to surface w/ 150 sx cm.

Drilling Fluid Management Plan AH JMS-509
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennifer R. Ammann

Title: New Well Development Coordinator Date: 12/27/07

Subscribed and sworn to before me this 27th day of December

20 07

Notary Public: Debra Klaueman

Date Commission Expires: 8-4-2010

TERRA KLAUMAN
Notary Public - State of Kansas
My Appt. Expires 8-4-2010

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 28 2007

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Quest Cherokee, LLC Lease Name: Ingraham, Larry W. Well #: 10-1
 Sec. 10 Twp. 28 S. R. 18 East West County: Neosho

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

| | |
|---|--|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Log Dual Induction Log | <input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name _____ Top _____ Datum _____ See attached |
|---|--|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| Surface | 12-1/4 | 8-5/8" | 22 | 20 | "A" | 5 | |
| Production | 6-3/4 | 4-1/2 | 10.5 | 1073 | "A" | 150 | |
| | | | | | | | |


| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|-------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | #Sacks Used | Type and Percent Additives |
| <input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone | | | | |
| | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | Depth |
|----------------|---|---|-------|
| | waiting on pipeline | | |
| | | | |
| | | | |
| | | | |

| | | | | | |
|--|-----------|---|-------------|---------------|--|
| TUBING RECORD | | Size | Set At | Packer At | Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Date of First, Resumerd Production, SWD or Enhr. | | Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |


Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease
 Open Hole Perf. Dually Comp. Commingled _____
(If vented, Submit ACO-18.)
 Other (Specify) _____



QUEST

Resource Corporation



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

CONFIDENTIAL
DEC 27 2007

TICKET NUMBER **2494**

FIELD TICKET REF # _____

FOREMAN Joe

TREATMENT REPORT & FIELD TICKET CEMENT

| DATE | WELL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|---------|---------------------|---------|----------|-------|--------|
| 9-28-07 | Ingraham Larry 10-1 | 10 | 28 | 18 | NO |

| FOREMAN / OPERATOR | TIME IN | TIME OUT | LESS LUNCH | TRUCK # | TRAILER # | TRUCK HOURS | EMPLOYEE SIGNATURE |
|--------------------|---------|----------|------------|---------|-----------|-------------|--------------------|
| Joe | 10:30 | 2:00 | | 903427 | | 3.5 | <i>Joe Plaud</i> |
| Craig | ↓ | ↓ | | 903197 | | ↓ | |
| Tyler | ↓ | ↓ | | 903600 | | ↓ | |
| Tim | ↓ | ↓ | | 931385 | 931387 | ↓ | <i>Tim</i> |
| Daniel | ↓ | ↓ | | 931420 | | ↓ | <i>Daniel</i> |

JOB TYPE Longstring HOLE SIZE 6 3/4 HOLE DEPTH 1082 CASING SIZE & WEIGHT 4 1/2 10.5
 CASING DEPTH 1073.40 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 17.11 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4bpm

REMARKS:

Installed cement head Row 2 SKS of gel & 11 bbl dye ~~4 1/2~~ & 150 SKS of Cement
 To get dye to surface. flush pump. Pump wiper plug to bottom of set back shoe.

| | |
|---------|------------------|
| 1073.40 | F: 4 1/2 Casing |
| 6 | Centralizers |
| 1 | 4 1/2 Float shoe |

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION OF SERVICES OR PRODUCT | TOTAL AMOUNT |
|--------------|-------------------|--|--------------|
| 903427 | 3.5 hr | Foreman Pickup | |
| 903197 | ↓ hr | Cement Pump Truck | |
| 903600 | ↓ hr | Bulk Truck | |
| 1104 | 140 SK | Portland Cement | |
| 1124 | 1 | 50/50 POZ Blend Cement Bottle 3 1/2 | |
| 1126 | 1 | OWC Blend Cement 4 1/2 wiper plug | |
| 1110 | 15 SK | Gilsonite | |
| 1107 | 1.5 SK | Flo-Seal | |
| 1118 | 2 SK | Premium Gel | |
| 1215A | 1 gal | KCL | |
| 1111B | 3 SK | Sodium Silicate Calchloride | |
| 1123 | 7000 gal | City Water | |
| 931385 | 3.5 hr | Transport Truck | |
| 931387 | ↓ hr | Transport Trailer | |
| 931420 | ↓ hr | 80 Vac | |

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 28 2007

CONSERVATION DIVISION
CHANUTE, KS