CONFIDENTIAL KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION WELL COMPLETION FOR

ORIGINAL

September 1999 Form Must Be Typed

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344	API No. 15 - 133-27105-0000
Overat Changles III C	County: Neosho
Address: 211 W. 14th Street	
Name: Quest Cherokee, LLC Address: 211 W. 14th Street City/State/Zip: Chanute, KS 66720 Purchaser: Bluestem Pipeline, LLC Operator Contact Person: Jennifer R. Ammann Phone: (620) 431-9500	1980 feet from S N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	660 feet from E)/ W (circle one) Line of Section
Operator Contact Person: Jennifer R. Ammann	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE (SE) NW SW
Contractor: Name: TXD Drilling	Lease Name: Roberts, Max D. Well #: 12-1
License: 33837	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: multiple
Designate Type of Completion:	Elevation: Ground: 908 Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 923 Plug Back Total Depth: 912
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 22 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 912
Operator:	feet depth to surface w/ 125 sx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AH TUS 5507 (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
8/31/07 9/4/07 9/6/07 Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, were or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regul- herein are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
0.400	KCC Office Hos ONLY
Signature: (ffring R, (Simman)	KCC Office Use ONLY
Title: New Well Development Coordinator Date: 12/27/07	Letter of Confidentiality Received
Subscribed and sworn to before me this and day of December	Yc., If Denied, Yes □ Date:RECEIVED
20 07	Wireline Log Received KANSAS CORPORATION COMMISSION
A	Geologist Report Received UIC Distribution DEC 2 8 2007
Notary Public: Source Alauman	UIC Distribution
Date Commission Expires: 8-4-2010	RRA KLAUMAN CONSERVATION DIVISION
Notary Notary	Public - State of Kansas
My Appt. Expir	res 8-4-2010)

Operator Name: Quest Cherokee, LLC Sec. 12 Twp. 28 S. R. 19 Fast West				Lease Name: Roberts, Max D. County: Neosho			Well #: 12-1			
Drill Stem Tests Taken Yes No (Attach Additional Sheets)				✓ Log Formation (Top),			o), Depth and Datum Sample			
Samples Sent to Geological Survey			Name See attached			Top Datum				
Cores Taken ☐ Yes ☐ No Electric Log Run ☐ Yes ☐ No (Submit Copy) ☐ Yes ☐ No					~1B	RECEIVED COMMISSION CO				
st All E. Logs Run:					"JENT"	m	1	DEC 2-8 2007		
Compensated Dual Inductio	d Density Neut n Log	tron Log		co	DEC 27	SC Mil		ONSERVATION DIVISION WICHITA, KS		
		CASING Report all strings set	3 RECORD	New	Used	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	12-1/4	8-5/8"	22	22	!	"A"	5			
Production	6-3/4	4-1/2	10.5	91	2	"A"	125			
		, , , , , , , , , , , , , , , , , , ,			75.05000					
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	pose: _ Perforate _ Protect Casing _ Plug Back TD Depth Top Bottom Type of Cemen		TIONAL CEMENTING		Type and Percent Additives					
	PERFORATI	ON RECORD - Bridge Ple	uas Set/Type		Acid. Frac	ture, Shot, Cemer	nt Squeeze Recor	rd		
Shots Per Foot		Footage of Each Interval P			(Amount and Kind of Material Used) Depth					
4 806-808/752-754/746-748				500gal 15%HCLw/ 43 bbls 2%kd w			d water, 671bbls water w/ 2% KCL, Blodde, 6700# 20/40 sand 806-808/752-75			
								746-748		
4 600-602/540-542/509-512/482-484				400	gal 15%HCLw/ 45 bbts	2%kd water, 546bbls water	w/ 2% KCL, Biocide, 4900/	# 20/40 sand 600-602/540-542 509-512/482-484		
399-403/386-390				300	300gai 15%;HCLw/ 39 bbis 2%kd water, 646bbis water w/ 2% KCL, Blodde, 5500# 20/40 sand 399-403/386-390					
TUBING RECORD 2-	Size 3/8"	Set At 832.5	Packer At	Li	iner Run	Yes 🗸 No)	<u> </u>		
Date of First, Resume 11/26/07	rd Production, SWD or E	Enhr. Producing Me	ethod	Flowing	√ Pumpir	ng 🔲 Gas L	ift Othe	er (Explain)		
Estimated Production Per 24 Hours	Oil n/a	Bbls. Gas 3.5mcf	Mcf	Water 28.9bbls	BI	ols.	Gas-Oil Ratio	Gravity		
Disposition of Gas	METHOD OF C	COMPLETION		Pi	roduction Inter	val .				
Vented ✓ Sold (If vented, So	Used on Lease	Open Hole	-	Dual	ly Comp.	Commingled _				



931387 931420

Ravin 4513

211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

TICKET NUMBER 2395

FIELD TICKET REF #

SECTION TOWNSHIP

FOREMAN _____

RANGE

COUNTY

623390

TREATMENT REPORT & FIELD TICKET CEMENT

5.75		WELL NAME & NUMBER				SECTION	TOWNSHIP	RANGE		JUNIT	
9.6.07	Robert		12-1			13	28	28 19		NO	
FOREMAN /	TIME	TIME	LESS	TRÚCK #	i " I UOLIBS			EMPLOYEE SIGNATURE			
OPERATOR	C:45	16:00		903427			3.2	3.25		Jan Blasch.	
Jae	7:00	70		903197 3			Man Dort				
MANUTCK			903600 3								
Tyler	7:00			931385	9	31387	3.2	5	La	2/	
TIM	6:45	17		931420	+-	<i>)</i> , 50 1	3.2	5	Lis		
DANIEL	6:45								<u>/////////////////////////////////////</u>	1	
JOB TYPE Longs	Olada HOLE	917E (. 3	/Li 1	HOLE DEPTH 92	0	CAS	SING SIZE & V	VEIGHT _	41/2	10.5	
	→ □ DDIII	DIDE		IUBING			E				
	1 C 011100	V VOI	1	WATER gal/sk		CEN	MENT LEFT in	CASING_	0		
DISPLACEMENT L	1.5 H DISPL	ACEMENT PS		MIX PSI		RAT	E_ 46	pm		<u> </u>	
										_	
TUSTANE d	coment	head F	RAN ISK	cel d 9 bb	1 4	ye dr	125 s	KS of	COM-O)	st To a	
1 . las store	fluxh nu	Ma. Pur	no wier	plus to bout	TOM	d set	floatsh	<u>oe</u>		 .	
LIETO SONALE	. 110 34, 19		1	\							
									195	<u> </u>	
									M.	<i></i>	
<u> </u>									V 1	70.	
-								COL.	2)	<u> </u>	
								3 4		<u> </u>	
		2 02 1	51410	Casina					AL		
	91	3 · 03 5	Ft 412 Casing Centralizers					<u> </u>			
		1	41/2 float Shoe					ļ			
										OTAL	
ACCOUNT CODE	QUANTITY o	r UNITS	DESCRIPTION OF SERVICES OR PRODUCT AMOUNT								
903427	 3. ຊ '	5 hr	Foreman Pickup			` .			ļ		
903137	 ક	hv	Cement Pump Truck						 		
903600	- 3	hr	Bulk Truck								
1104	1)	5 5K	Portland Cement				41.2		<u> </u>		
1124	e e	2	-50/50 POZ Blend			312	<u>₩3</u>				
1126		1	OWG Blend Co	ment 4/12 U	p	- Plug			 		
1110		12 SK	Gilsonite						 		
1107		1 51	Flo-Seal					R	ECEIV	ED	
1118		1 SK	Premium Gel				ТК			N COMMISSIO	
1215A	1	∞	KCL	0.1.11	<u>, </u>	ν.		DC.	-	2007	
1111B		3 5K	Sediam Silicate	Calchloric	علا			UE	C 287	2007	
1123		on acyl	City Water					CONSE	RVATION	DIVISION	
931385	3.2		Transport Truck Transport Trailer						WICHITA,		
100,000	1 2 2	<u>در ما</u>	i italisport italier								