

**CONFIDENTIAL**

**ORIGINAL**

12/19/09

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 32309  
Name: Presco Western, LLC  
Address 5665 FLATIRON PARKWAY  
City/State/Zip BOULDER CO 80301  
Purchaser: High Sierra Crude Mktg (Oil); BP (Gas)  
Operator Contact Person: Randy M. Verret  
Phone ( 303 ) 305-1163  
Contractor: Name: Xtreme Coil Tubing  
License: 33784  
Wellsite Geologist: Not Applicable

Designate Type of Completion  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc.)

If Workover/Reentry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date \_\_\_\_\_ Original Total Depth \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Dual Completion \_\_\_\_\_ Docket No. \_\_\_\_\_  
 Other (SWD or Enhr?) \_\_\_\_\_ Docket No. \_\_\_\_\_  
11/09/07 11/16/07 11/16/07  
Spud Date or \_\_\_\_\_ Date Reached TD \_\_\_\_\_ Completion Date or  
Recompletion Date \_\_\_\_\_ Recompletion Date \_\_\_\_\_


API NO. 15- 081-0000  
County Haskell  
SW - SE - SW - NE Sec. 30 Twp. 30 S. R. 33  E  W  
2,473 Feet from SW (circle one) Line of Section  
1,937 Feet from EW (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name SWMLU Well # 170  
Field Name Lemon Victory  
Producing Formation Lansing  
Elevation: Ground 2,953' Kelley Bushing 2,965'  
Total Depth 4,400' Plug Back Total Depth \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 1,752' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 3,193' Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan ATTN: 4-1009  
(Data must be collected from the Reserve Pit)  
Chloride content 4,500 ppm Fluid volume 1,500 bbls  
Dewatering method used Air Evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name Not Applicable  
Lease Name \_\_\_\_\_ License No. \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  E  W  
County \_\_\_\_\_ Docket No. \_\_\_\_\_

**CONFIDENTIAL**  
**DEC 19 2007**  
**KCC**

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.  
Signature Randy M. Verret  
Title Manager - Business & Regulatory Affairs Date 12/18/07  
Subscribed and sworn to before me this 18th day of December, 20 07  
Notary Public Kathleen P. [Signature]  
Date Commission Expires 2-12-2011



**KCC Office Use ONLY**

Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_

Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**DEC 20 2007**  
CONSERVATION DIVISION  
WICHITA, KS

Operator Name Presco Western, LLC

Lease Name SWLVUJ

Well # I19

Sec. 30 Twp. 30 S.R. 33  East  West

County Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets.) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run (Submit Copy.) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No List All E.Logs Run: None	<input type="checkbox"/> Log <input checked="" type="checkbox"/> Sample Formation (Top), Depth and Datums <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: left;">Top</th> <th style="text-align: left;">Datum</th> </tr> </thead> <tbody> <tr> <td>Heebner</td> <td>4,016'</td> <td>-1,051'</td> </tr> <tr> <td>Lansing</td> <td>4,111'</td> <td>-1,146'</td> </tr> </tbody> </table>	Name	Top	Datum	Heebner	4,016'	-1,051'	Lansing	4,111'	-1,146'
Name	Top	Datum								
Heebner	4,016'	-1,051'								
Lansing	4,111'	-1,146'								

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	11"	7"	17.0	1,752'	Lite	450	3%CC 1/4 Flo
Production	6-1/4"	4-1/2"	10.5	4,386'	Lite	225	1/4 Flo
					Lite/ASC	50/50	2%gel/10%Salt

ADDITIONAL CEMENTING/SQUEEZE RECORD				
Purpose	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Protect Casing	0'-1,100'	Lite/ ASC	550/ 150	3%CC 1/4 Flo
<input type="checkbox"/> Plug Back TD				Perf 7" csg. @ 1,100' & squeeze

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD		Size <u>N/A</u>	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method		
<input checked="" type="checkbox"/> Attempt Completion/Convert to Injection			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	<u>N/A</u>				

Disposition of Gas:  Vented  Sold  Used on Lease  Open Hole  Perforation  Dually Comp.  Commingled  Other (Specify) \_\_\_\_\_

(If vented, submit ACO-18.)

METHOD OF COMPLETION Production Interval

# ALLIED CEMENTING CO., INC. 25408

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Liberal

DATE <u>11/15/07</u>	SEC. <u>30</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>3:00 PM</u>	JOB START <u>4:30 PM</u>	JOB FINISH <u>5:30 PM</u>
SWLVLU LEASE	WELL # <u>I 19</u>		LOCATION <u>Satanta Jct 56+19 25 NE</u>		COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR X-Treme #1  
 TYPE OF JOB Bottom Stage 4 1/2 Prod. CSG.  
 HOLE SIZE 6 1/2 T.D. 4400  
 CASING SIZE 4 1/2 105# DEPTH 4385.70  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL Stage Collar DEPTH 3193  
 PRES. MAX 1600 MINIMUM 150  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 42  
 CEMENT LEFT IN CSG. 42  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 69 BBL

OWNER Samc  
 CEMENT AMOUNT ORDERED  
50sk Lite + 4# Flo-Seal  
50sk MS.C. + 27gal 10% salt 5# Gilsolite  
3/4 2 EP-31 3/4 2 P-Form  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ 1 sk @ 16.65 16.65  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC 50sk @ 14.90 745.00  
Lite-weight 50sk @ 11.25 562.50  
SALT 5sk @ 19.20 96.00  
Gilsolite 2.50# @ .70 175.00  
EP-31 14# @ 7.50 105.00  
P-Former 14# @ 7.20 100.80  
Flo-Seal 13# @ 2.00 26.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING 118 @ 1.90 224.20  
 MILEAGE 99.5sk/m 318.60  
 TOTAL 2369.15

EQUIPMENT  
 PUMP TRUCK CEMENTER Maxo  
 # 388 HELPER Danny  
 BULK TRUCK  
 # 457-463 DRIVER Cabr  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

Mix 50 sks Lead + 50 sks tail cnt  
Prep Plug Displace with 69 BBL H<sub>2</sub>O  
at Co. Man Request Land Plug  
Float held open tool hookup  
To Rig Pump To circulate

SERVICE

DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_ 1675.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 30 mi @ 6.00 180.00  
 MANIFOLD Head Rental @ \_\_\_\_\_ 100.00  
Waiting Time 8 hrs @ 200.00 1600.00  
 \_\_\_\_\_ @ \_\_\_\_\_

CHARGE TO: Presco Western  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_  
 RECEIVED  
 KANSAS CORPORATION COMMISSION

TOTAL 3555.00

PLUG & FLOAT EQUIPMENT

1-4 1/2 Float Shoe @ \_\_\_\_\_ 385.00  
1-4 1/2 Late Down Ass. @ 4.00 360.00  
7-4 1/2 Slim Hole Centerline @ 45.00 315.00  
1-4 1/2 Stage Collar @ \_\_\_\_\_ 3750.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 4810.00

To Allied Cementing Co., Inc. CONSERVATION DIVISION  
 You are hereby requested to rent cementing equipment  
 and furnish cementer and helper to assist owner or  
 contractor to do work as is listed. The above work was  
 done to satisfaction and supervision of owner agent or  
 contractor. I have read & understand the "TERMS AND  
 CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

Mark Kneeland  
 PRINTED NAME

CONFIDENTIAL  
DEC 19 2007

# ALLIED CEMENTING CO., INC. 25409

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Liberia

DATE <u>11/15/07</u>	SEC <u>30</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION	JOB START <u>9:30 PM</u>	JOB FINISH <u>10:30 PM</u>
LEASE <u>SWLVLY</u>	WELL # <u>I 19</u>		LOCATION <u>Satanta 25 1/2 E</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR x-treme #1  
 TYPE OF JOB cmg 1/2 Prod. Csg Top Stage  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 9 1/2 10.5 DEPTH 4385.7  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL Stage Collar DEPTH 3193  
 PRES. MAX 1350 MINIMUM 150  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 50.76 BBL

OWNER Same  
 CEMENT  
 AMOUNT ORDERED  
225 sks Lite + 4 # Flo-seal

EQUIPMENT  
 PUMP TRUCK CEMENTER Max  
 # 398 HELPER Panny  
 BULK TRUCK  
 # 458-462 DRIVER Abel  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	@	_____	_____
POZMIX	@	_____	_____
GEL	@	_____	_____
CHLORIDE	@	_____	_____
ASC	@	_____	_____
<u>Lite weight 225sk</u>	@	<u>11.25</u>	<u>2531.25</u>
<u>Flo-seal 56</u>	@	<u>2.00</u>	<u>112.00</u>
_____	@	_____	_____
_____	@	_____	_____
_____	@	_____	_____
_____	@	_____	_____
_____	@	_____	_____
_____	@	_____	_____
_____	@	_____	_____
HANDLING <u>242</u>	@	<u>1.90</u>	<u>459.80</u>
MILEAGE <u>94.5K/mi.</u>			<u>653.40</u>
TOTAL			<u>3756.45</u>

REMARKS:

Mix 225 sks cmt Pray Plug  
Displace 50 BBL Land Plug  
Close tool cement did  
Not circulate

SERVICE

DEPTH OF JOB	_____	<u>3193</u>
PUMP TRUCK CHARGE	_____	<u>955.00</u>
EXTRA FOOTAGE	@	_____
MILEAGE	@	_____
MANIFOLD	@	_____
_____	@	_____
_____	@	_____

**CONFIDENTIAL**  
**DEC 19 2007**

CHARGE TO: Pyesco Western  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 955.00 **KCC**

PLUG & FLOAT EQUIPMENT

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 @ \_\_\_\_\_  
**DEC 20 2007**  
 @ \_\_\_\_\_  
 CONSERVATION DIVISION  
 WICHITA, KS  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Mark Kneeland  
 PRINTED NAME

# ALLIED CEMENTING CO., INC.

31801

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>11-11-07</u>	SEC. <u>30</u>	TWP. <u>30s</u>	RANGE <u>33W</u>	CALLED OUT	ON LOCATION <u>1:45 A.M.</u>	JOB START <u>6:20 AM</u>	JOB FINISH <u>7:30 AM</u>
LEASE <u>SULU</u>	WELL # <u>I-19</u>	LOCATION <u>Saranta 1/2 E into 24's</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR X Treme Drilling Rig #4 OWNER Same

TYPE OF JOB Surface  
 HOLE SIZE 11" T.D. 1752'  
 CASING SIZE 7" DEPTH 1765.28'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 40.12'  
 CEMENT LEFT IN CSG. 40.12'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 69.86 BBL

CEMENT AMOUNT ORDERED 550 sks Lite 3% cc  
1/2 Flo-seal 150 sks "E" 3% cc

COMMON <u>Class "E" 150 sks</u>	@ <u>15.40</u>	<u>2310.00</u>
POZMIX _____	@ _____	_____
GEL _____	@ _____	_____
CHLORIDE <u>23 sks</u>	@ <u>46.60</u>	<u>1071.80</u>
ASC _____	@ _____	_____
<u>Lite 550 sks</u>	@ <u>11.85</u>	<u>6517.50</u>
<u>FLO-SEAL 138#</u>	@ <u>2.00</u>	<u>276.00</u>
HANDLING <u>729 sks</u>	@ <u>1.90</u>	<u>1385.10</u>
MILEAGE <u>9# sk/mile</u>		<u>1968.30</u>
TOTAL		<u>13528.70</u>

EQUIPMENT  
 PUMP TRUCK # 423-281 CEMENTER Andrew Bob  
 HELPER Alan  
 BULK TRUCK # 399 DRIVER Darrin  
 BULK TRUCK # 347 DRIVER Jerry

REMARKS:

Mix 550 sks Lite 15 sks "E" around  
450 sks mixed circulation started  
slowing down 20 BBL displacement  
out circulation stopped. As day  
plug down 3 bbl with 150 #  
LIFT plug landed at 100 #  
plug landed float hets cement  
did not circulate. thank you

CHARGE TO: Presco western  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB <u>1765.28'</u>		
PUMP TRUCK CHARGE _____		<u>1610.00</u>
EXTRA FOOTAGE _____	@ _____	_____
MILEAGE <u>30 miles</u>	@ <u>6.00</u>	<u>180.00</u>
MANIFOLD <u>head rental</u>	@ _____	<u>100.00</u>
TOTAL		<u>1890.00</u>

7" PLUG & FLOAT EQUIPMENT

<u>1 Guide shoe</u>		<u>175.00</u>
<u>1 sure seal float collar</u>		<u>625.00</u>
<u>1 Basket</u>	@ _____	<u>180.00</u>
<u>10 centralizers</u>	@ <u>54.00</u>	<u>540.00</u>
<u>1 Box thread lock</u>	@ _____	<u>30.00</u>
<u>1 Rubber plug</u>	@ _____	<u>68.00</u>
TOTAL		<u>1618.00</u>

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_  
 TOTAL CHARGE \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Mark K... [Signature]  
 PRINTED NAME

CONFIDENTIAL  
 DEC 19 2007  
 KCC

DEC 20 2007

# ALLIED CEMENTING CO., INC. 31802

PERMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>11-11-07</u>	SEC. <u>30</u>	TWP. <u>30s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>1:45 A.M.</u>	JOB START <u>5:30 P.M.</u>	JOB FINISH <u>6:20 P.M.</u>
LEASE <u>SwLVL4</u>	WELL # <u>I-19</u>	LOCATION <u>2 1/4 S 1/2 C into</u>			COUNTY <u>Haskell</u>	STATE <u>KS</u>	
OLD OR (NEW) (Circle one)							

CONTRACTOR <u>XTreme Drilling Rig #1</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Circulate Cement to surface 7"</u>	
HOLE SIZE <u>11"</u>	T.D. <u>1752'</u>
CASING SIZE <u>7"</u>	DEPTH <u>1765.28'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT
CEMENT LEFT IN CSG.	
PERFS. <u>1100'</u>	
DISPLACEMENT <u>436.55 BBL</u>	
EQUIPMENT	

PUMP TRUCK # <u>423-281</u>	CEMENTER <u>Andrew</u>
	HELPER <u>Alan</u>
BULK TRUCK # <u>456</u>	DRIVER <u>Terry R</u>
BULK TRUCK #	DRIVER

CEMENT	
AMOUNT ORDERED <u>450 sks Lite 38cc</u>	
<u>1/2" Flo-seal</u>	
COMMON	@
POZMIX	@
GEL	@
CHLORIDE <u>1.4 sks</u>	@ <u>46.60</u> <u>65.240</u>
ASC	@
<u>Lite 450 sks</u>	@ <u>11.85</u> <u>532.50</u>
	@
<u>Flo-seal 112 #</u>	@ <u>2.00</u> <u>224.00</u>
	@
	@
	@
	@
HANDLING <u>492 sks</u>	@ <u>1.90</u> <u>934.80</u>
MILEAGE <u>98 sk/mile</u>	<u>1328.40</u>
	TOTAL <u>842.10</u>

REMARKS:  
Mix 450 sks Lite Displace  
down to 800# shut in.  
Cement did circulate  
20 BBL to surface

Thank you

SERVICE	
DEPTH OF JOB <u>1100'</u>	
PUMP TRUCK CHARGE	<u>955.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>30 miles</u>	@ <u>N/C</u>
MANIFOLD	@
	@
	@
	@
	TOTAL <u>955.00</u>

CHARGE TO: Presco western

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

7" PLUG & FLOAT EQUIPMENT	
<u>Rubber plug</u>	@ <u>68.00</u>
	@
	@
	@
	@
	TOTAL <u>68.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

MARK Kneeland  
PRINTED NAME

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

RECEIVED  
KANSAS CORPORATION COMMISSION  
DEC 20 2007  
CONSERVATION DIVISION  
WICHITA, KS