KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL HISTORY - DESCRIPTION OF WELL & LEASE

| Operator: License # 33365 | API No. 15 - 125-31199-00-01 |
|--|--|
| Lavne Energy Operating, LLC | Courty Montgomery |
| Address: 1900 Shawnee Mission Parkway | SE_NE_NW_Sec33 Twp32 S. R. 16 |
| Address: 1900 Shawnee Mission Parkway City/State/Zip: Mission Woods, KS 66205 | 687 feet from S / (N) (circle one) Line of Section |
| City/State/Zip: Mission Woods, KS 66205 Purchaser: | 2377 feet from E / (M) (circle one) Line of Section |
| Operator Contact Person: Timothy H. Wright | Footages Calculated from Nearest Outside Section Corner: |
| Phone: (_913) 748-3960 | (circle one) NE SE NW SW |
| Contractor: Name: Thornton Air Rotary | Lease Name: Jabben Well #: 3-33 |
| icense: 33606 | Field Name: Cherokee Basin Coal Area |
| Vellsite Geologist: | Producing Formation: Cherokee Coals |
| Designate Type of Completion: | Elevation: Ground: 782' Kelly Bushing: |
| New WellRe-Entry Workover | Total Depth: 1143' Plug Back Total Depth: 1133' |
| Oil SWD SIOWTemp. Abd. | Amount of Surface Pipe Set and Cemented at 20 Feet |
| ✓ Gas ENHR SIGW | Multiple Stage Cementing Collar Used? Yes ▼ No |
| Dry Other (Core, WSW, Expl., Cathodic, etc) | If yes, show depth setFeet |
| | If Alternate II completion, cement circulated from 1133! |
| Workover/Re-entry: Old Well Info as follows: | feet depth to Surface w/_115 sx cmt. |
| Operator: | sx cmt. |
| /ell Name: | Drilling Fluid Management Plan ALTINT 410-69 |
| riginal Comp. Date: 3/7/2007 Original Total Depth: 1143' Deepening Re-perf Conv. to Enhr./SWD | (Data must be collected from the Heserve Pit) |
| | Chloride content N/A ppm Fluid volume bbls |
| Plug BackPlug Back Total Depth | Dewatering method used N/A - Air Drilled |
| Commingled Docket No. | Location of fluid disposal if hauled offsite: |
| Dual Completion Docket No. | Operator Name: |
| Other (SWD or Enhr.?) Docket No. | Lease Name: License No.: |
| /7/2007 9/11/2007 | Quarter Sec Twp S. R East West |
| pud Date or Date Reached TD Completion Date or ecompletion Date | County: Docket No.: |
| | Docker No. |
| Kansas 67202, within 120 days of the spud date, recompletion, wo Information of side two of this form will be held confidential for a perio | d with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, orkover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. od of 12 months if requested in writing and submitted with the form (see rule 82-3-e logs and geologist well report shall be attached with this form. ALL CEMENTING wells. Submit CP-111 form with all temporarily abandoned wells. |
| I requirements of the statutes, rules and regulations promulgated to be rein are complete and correct to the best of my knowledge. | regulate the oil and gas industry have been fully complied with and the statements |
| 1-d Al D | KCC Office Use ONLY |
| gnature: 12 12 xx | 1 1 |
| tle: Agent Date: 1770 | Letter of Confidentiality Attached |
| ubscribed and sworn to before me this 111 day of 40000 | If Denied, Yes Date: RECEIVED |
| 07. | WITEITHE LOG RECEIVED KANSAS CORPORATION COM |
| MARTINION. D. Nand | Geologist Report Received |
| otary Public: // Wax xux xux xux xux xux xux xux xux xux x | acLAUGHLIN DARLING UIC Distribution DEC 1 8 2007 |
| | otary Public - State of Kansas CONSERVATION DIVISIO |
| | y Appt. Expires/-4-2009 WICHITA, KS |

| Operator Name: Lay | ne Energy Opera | ating, LLC | Lease | Name: Ja | ibben | | Well #: _3-3 | 3 | |
|---|---|--|-----------------------------------|-------------------------|--|----------------------------|-----------------|-------------------------------|--|
| | | ✓ East | County | y: Montgo | mery | | | | |
| ested, time tool oper emperature, fluid rec | and closed, flowing covery, and flow rate | and base of formations g and shut-in pressure s if gas to surface test inal geological well sit | es, whether st t, along with f | hut-in pres | sure reached | static level, hydr | ostatic pressur | es, bottom hole | |
| Orill Stem Tests Take | | ☐ Yes 🗸 No | | √ Log | g Formati | on (Top), Depth | and Datum | Sample | |
| amples Sent to Geo | · | Yes No | | Name | | | Тор | Datum | |
| ores Taken | nogioui Guivoy | Yes No | | Pawn | ee Lime | | 487 GL | 295 | |
| lectric Log Run (Submit Copy) | | CONFIDENCE DEC | TIAL | Excell | o Shale | | 649 GL | 133 | |
| st All E. Logs Run: | ū. | CONFIDE | 5001 | V Sha | le ! | | 700 GL | 82 | |
| Compensated De | ensity Neutron | DEC 1 | د. | Miner | al Coal | | 738 GL | 44 | |
| Dual Induction | | K | | Missi | ssippian | | 1057 GL | -275 | |
| Pilate | | CASIN Report all strings se | IG RECORD | ✓ New urface, interr | | tion, etc. | | 40.40 | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Wei Lbs. | | Setting Depth | Type of Cement | # Sacjs Used | Type and Percent Additives | |
| Surface | 11" | 8.625" | 24 | | 20' | Class A | 4 | Type 1 cement | |
| Casing | 6.75" | 4.5" | 10.5 | | 1133' | Thick Set | 115 | | |
| | n 1871 海海 | and Let en one | # | | | | 3 (3 (4) | = "- '- '- ' | |
| | | ADDITION | AL CEMENTII | NG / SQUE | EZE RECORE |) | | J | |
| Purpose: Perforate Protect Casing Plug Back TD | Depth Top Bottom | Type of Cement | #Sacks | #Sacks Used | | Type and Percent Additives | | | |
| Plug Off Zone | | | | | ! | | | | |
| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | | | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth | | | | |
| See Attached Page | | | | | | | | | |
| | ······ | ······································ | M | | | | | | |
| | | | | | F . | | | | |
| | . | | | | | | | | |
| TUBING RECORD | Size | Set At | Packer A | ıt | Liner Run | | | | |
| 2-3 | | 1007' | | | · j | Yes 🗸 No |) | | |
| Date of First, Resumerd 9/18/2007 | Production, SWD or E | nhr. Producing N | ethod | Flowing | Pumpi | ng 🔲 Gas Li | ft Othe | er (Explain) | |
| Estimated Production Per 24 Hours | Oil O | Bbls. Gas | Mcf | Water 0 | В | bls. (| Gas-Oil Ratio | Gravity RECEIVED | |
| Disposition of Gas | METHOD OF C | | | | Production Inter | vai | KANS | AS CORPORATION COM | |
| Vented Sold (If vented, Sub | Used on Lease | Open Hol | | Dua | ally Comp. | Commingled | | DEC 1 8 2007 | |

CONSERVATION DIVISION WICHITA, KS

| Operator Name: | Layne Energy Operating, LLC. | | | | | |
|----------------|--|---|-----------------|--|--|--|
| Lease Name: | Jabben 3-33 | | | | | |
| | Sec. 33 Twp. 32S Rng. 16E, Montgomery County | | | | | |
| API: | 15-125-31199-00-00 | | | | | |
| Shots per Foot | Perforation Record | Acid, Fracture, Shot, Cement Squeeze Record | Depth | | | |
| | Initial Po | erforations | | | | |
| | Rowe 989.5' - 991.5' | 8800 lbs 20/40 sand | | | | |
| 4 | Bluejacket 864.5' - 866.5' | 907 bbls water | 811.5' - 991.5' | | | |
| | Weir 811.5' - 814.5' | 1300 gals 15% HCl acid | | | | |
| 4 | Mineral 737.5' - 739.5' | 4300 lbs 20/40 sand | 699.5' - 739.5' | | | |
| | Croweburg 699.5' - 703' | 449 bbls water | | | | |
| | Croweburg 688.5 - 703 | 500 gals 15% HCl acid | | | | |
| | Recompletion Pe | erforations (9/2007) | | | | |
| 4 | Bevier 672.5' - 674.5' | 8000 lbs 20/40 sand | | | | |
| | Mulky 648' - 653.5' | 618 bbls water | 618' - 674.5' | | | |
| | Summit 618' - 623.5' | mmit 618' - 623.5' 1000 gals 15% HCl acid | | | | |

CONFIDENTIAL DEC 1:7 2007 KCC

RECEIVED KANSAS CORPORATION COMMISSION

DEC 18 2007

CONSERVATION DIVISION WICHITA, KS